

BIOMETRIKA INDEX

Author Index: Vols 57-78 (1970-1991)

COMPILED BY
M. J. R. HEALY

LIBRARY

AUG 07 1992

National Marine Fisheries Service
2570 Dole Street
Honolulu, Hawaii

BIOMETRIKA TRUST
UNIVERSITY COLLEGE

LONDON

1992

BIOMETRIKA INDEX


Author Index: Vols 57-78 (1970-1991)

COMPILED BY
M. J. R. HEALY

BIOMETRIKA TRUST
UNIVERSITY COLLEGE

LONDON

1992



Digitized by the Internet Archive
in 2025

AUTHOR INDEX

- Aaberge, R.**
Doksum, D.A., Fenstad, G., --- (1977) Plots and tests for symmetry. **64**, 473-487
- Abakuku, A.**
--- (1974) A note on supercritical carrier-borne epidemics. **61**, 271-275
- Abbott, R.D.**
Carroll, R.J., Spiegelman, C.H., Lan, K.K.G., Bailey, K.T., --- (1984) On errors-in-variables for binary regression models. **71**, 19-25
- Abraham, B.**
--- (1980) Intervention analysis and multiple time series. **67**, 73-78
---, Box, G.E.P. (1979) Bayesian analysis of some outlier problems in time series. **66**, 229-236
---, Ledolter, J. (1984) A note on inverse correlations. **71**, 609-614
- Abrahamse, A.P.J.**
---, Louter, A.S. (1971) On a new test for autocorrelation in least squares regression. **58**, 53-60
- Ackerson, L.M.**
Jones, R.H., --- (1990) Serial correlation in unequally spaced longitudinal data. **77**, 721-731
- Adhikary, A.K.**
Chaudhuri, A., --- (1983) On the efficiency of Midzuno and Sen's strategy relative to several ratio-type estimators under a particular model. **70**, 689-693
- Adke, S.R.**
---, Dharmadikari, S.R. (1980) The maximum likelihood estimation of coefficient of diffusion in a birth and diffusion process. **67**, 571-576
- Adler, R.J.**
--- (1977) A spectral moment estimation problem in two dimensions. **64**, 367-373
- Afonja, B.**
--- (1972) Minimal sufficient statistics for variance components for a general class of designs. **59**, 295-302
- Afsarinejad, K.**
--- (1983) Balanced repeated measurements designs. **70**, 199-204
- Agrawal, H.L.**
---, Prasad, J. (1982) Some methods of construction of balanced incomplete block designs with nested rows and columns. **69**, 481-483
- Agrawal, M.C.**
---, Jain, N. (1989) A new predictive product estimator. **76**, 822-823
- Ahn, S.K.**
--- (1988) Distribution for residual autocovariances in multivariate autoregressive models with structured parametrization. **75**, 590-593
- Ahsanullah, M.**
--- (1971) On the estimation of means in a bivariate normal distribution with equal marginal variances. **58**, 230-233
- Ahtola, J.**
---, Tiao, G.C. (1984) Parameter inference for a nearly nonstationary first-order autoregressive model. **71**, 263-272
- Aitchison, J.**
--- (1975) Goodness of prediction fit. **62**, 547-554
--- (1977) A calibration problem in statistical diagnosis: the system transfer problem. **64**, 461-472
--- (1979) A calibration problem in statistical diagnosis: the clinical amalgamation problem. **66**, 357-366
--- (1983) Principal component analysis of compositional data. **70**, 57-65
--- (1990) On coherence in parametric density estimation. **77**, 905-908
---, Aitken, C.G.G. (1976) Multivariate binary discrimination by the kernel method. **63**, 413-420
---, Bacon-Shone, J. (1984) Log contrast models for experiments with mixtures. **71**, 323-330
---, Begg, C.B. (1976) Statistical diagnosis when basic cases are not classified with certainty. **63**, 1-12
---, Bennett, J.A. (1970) Polychotomous quantal response by maximum indicant. **57**, 253-262
---, Ho, C.H. (1989) The multivariate Poisson-log normal distribution. **76**, 643-653
---, Lauder, I.J. (1979) Statistical diagnosis from imprecise data. **66**, 475-483
---, Shen, S.M. (1980) Logistic-normal distributions: some properties and uses. **67**, 261-272
- Aitken, C.G.G.**
Aitchison, J., --- (1976) Multivariate binary discrimination by the kernel method. **63**, 413-420
- Aitkin, M.**
Hinde, J., --- (1987) Canonical likelihoods: a new likelihood treatment of nuisance parameters. **74**, 45-58
- Akaike, H.**
--- (1973) Maximum likelihood identification of Gaussian autoregressive moving average models. **60**, 255-265
--- (1978) A new look at the Bayes procedure. **65**, 53-59
--- (1979) A Bayesian extension of the minimum AIC procedure of autoregressive model fitting. **66**, 237-242
- Akeda, Y.**
---, Hori, M. (1976) On random sequential packing in two and three dimensions. **63**, 361-366
- Akman, V.E.**
Raftery, A.E., --- (1986) Bayesian analysis of a Poisson process with a change-point. **73**, 85-89
- Alam, K.**
Ramey, J.T., --- (1979) A sequential procedure for selecting the most probable multinomial event. **66**, 171-173
- Albert, A.**
---, Anderson, J.A. (1984) On the existence of maximum likelihood estimates in logistic regression models. **71**, 1-10
- Alff-Steinberger, C.**
Bailey, N.T.J., --- (1970) Improvements in the estimation of the latent and infectious periods of a contagious disease. **57**, 141-153
- Al-Harbey, A.A.**
El-Sayyad, G.M., Samiuddin, M., --- (1989) On parametric density estimation. **76**, 343-348
- Alho, J.M.**
--- (1990) Adjusting for non-response bias using logistic regression. **77**, 617-624
- Ali, M.M.**
--- (1977) Analysis of autoregressive-moving average models: estimation and prediction (correction **65**, 677). **64**, 535-545
--- (1979) Analysis of stationary spatial-temporal processes: estimation and prediction. **66**, 513-518
--- (1984) An approximation to the null distribution and power of the Durbin-Watson statistic. **71**, 253-261
Tiao, G.C., --- (1971) Analysis of correlated random effects: linear model with two random components. **58**, 37-51
- Altavela, M.M.**
Wood, C.L., --- (1978) Large-sample results for Kolmogorov-Smirnov statistics for discrete distributions. **65**, 235-239
- Altam, P.M.E.**
--- (1971) The analysis of matched proportions. **58**, 561-576
- Altam, P.M.E.**
--- (1971) Exact Bayesian analysis of an intraclass 2x2 table. **58**, 679-680
--- (1976) Discrete variable analysis for individuals grouped into families. **63**, 263-269
Tavaré, S., --- (1983) Serial dependence of observations leading to contingency tables and corrections to chi-squared statistics. **70**, 139-144
- Altman, D.G.**
---, Andersen, P.K. (1986) A note on the uncertainty of a survival probability estimated from Cox's regression model. **73**, 722-724

- Amaral, M.A.**
 ----, Dunsmore, I.R. (1980) Optimal estimates of predictive distributions. *67*, 685-689
- Amari, S.-I.**
 ---- (1982) Geometrical theory of asymptotic ancillarity and conditional inference (correction *70*, 303). *69*, 1-17
 Kumon, M., ---- (1984) Estimation of a structural parameter in the presence of a large number of nuisance parameters. *71*, 445-459
- Amemiya, Y.**
 ----, Anderson, T.W., Lewis, P.A.W. (1990) Percentage points for a test of rank in multivariate components of variance. *77*, 637-641
- Amos, D.E.**
 ----, Pearson, E.S. (1970) Corrections and additions to a table of the percentage points of the variance ratio *F*. *57*, 211-212
- Andersen, P.K.**
 Altman, D.G., ---- (1986) A note on the uncertainty of a survival probability estimated from Cox's regression model. *73*, 722-724
- Anderson, D.**
 ----, Watson, R. (1980) On the spread of a disease with gamma distributed latent and infectious periods. *67*, 191-198
- Anderson, J.A.**
 ---- (1972) Separate sample logistic discrimination. *59*, 19-35
 ---- (1975) Quadratic logistic discrimination. *62*, 149-154
 ---- (1979) Multivariate logistic compounds. *66*, 17-26
 Albert, A., ---- (1984) On the existence of maximum likelihood estimates in logistic regression models. *71*, 1-10
 ----, Blair, V. (1982) Penalized maximum likelihood estimation in logistic regression and discrimination. *69*, 123-136
- Anderson, O.D.**
 ---- (1975) A note on differencing autoregressive moving average (*p,q*) processes. *62*, 521-523
 ---- (1975) The recursive nature of the stationarity and invertibility restraints on the parameters of mixed autoregressive-moving average processes. *62*, 704-706
 ---- (1975) Bounding sums for the autocorrelations of moving average processes. *62*, 706-707
 ---- (1976) On the inverse of the autocovariance matrix for a general moving average process. *63*, 391-394
 ---- (1976) On two convex autocorrelation regions for moving average processes. *63*, 681-683
 De Gooijer, J.G., ---- (1985) Moments of the sampled space-time autocovariance and autocorrelation function (correction *74*, 667). *72*, 689-693
- Anderson, R.D.**
 Gilmour, A.R., ----, Rae, A.L. (1985) The analysis of binomial data by a generalized linear mixed model. *72*, 593-599
- Anderson, T.W.**
 Amemiya, Y., ----, Lewis, P.A.W. (1990) Percentage points for a test of rank in multivariate components of variance. *77*, 637-641
 ----, Stephens, M.A. (1972) Tests for randomness of directions against equatorial and bimodal alternatives. *59*, 613-621
- Andrews, D.F.**
 ---- (1971) Significance tests based on residuals. *58*, 139-148
 ---- (1971) A note on the selection of data transformations. *58*, 249-254
 ---- (1971) Sequentially designed experiments for screening out bad models with *F* tests. *58*, 427-432
 ----, Herzberg, A.M. (1973) A simple method for constructing exact tests for sequentially designed experiments. *60*, 489-497
- Andrews, R.L.**
 ----, Arnold, J.C., Krutchkoff, R.G. (1972) Shrinkage of the posterior mean in the normal case. *59*, 693-695
- Ank, A.A.**
 ----, Lloyd, E.H. (1976) The expected value of the adjusted rescaled Hurst range of independent normal summands. *63*, 111-116
- Anscombe, F.J.**
 ----, Glynn, W.J. (1983) Distribution of the kurtosis statistic *b*₂ for normal samples. *70*, 227-234
- Ansley, C.F.**
 ---- (1979) An algorithm for the exact likelihood of a mixed autoregressive-moving average process. *66*, 59-65
- , Kohn, R. (1982) A geometrical derivation of the fixed interval smoothing algorithm. *69*, 486-487
 ----, Kohn, R. (1983) Exact likelihood of vector autoregressive-moving average process with missing or aggregated data. *70*, 275-278
 ----, Kohn, R. (1985) On the rate of convergence of the innovation representation of a moving average process. *72*, 325-330
 ----, Kohn, R. (1986) Prediction mean squared error for state space models with estimated parameters. *73*, 467-473
 ----, Kohn, R. (1987) Efficient generalized cross-validation for state space models. *74*, 139-148
 ----, Newbold, P. (1979) On the finite sample distribution of residual autocorrelations in autoregressive-moving average models. *66*, 547-553
 Kohn, R., ---- (1983) Fixed interval estimation in state space models when some of the data are missing or aggregated. *70*, 683-688
 Kohn, R., ---- (1984) A note on Kalman filtering for the seasonal moving average model. *71*, 648-650
 Kohn, R., ---- (1985) Efficient estimation and prediction in time series regression models. *72*, 694-697
 Kohn, R., ---- (1986) Fast filtering for seasonal moving average models. *73*, 522-524
 Kohn, R., ---- (1987) Signal extraction for finite nonstationary time series. *74*, 411-421
 Kohn, R., ---- (1989) A fast algorithm for signal extraction, influence and cross-validation in state space models. *76*, 65-79
- Antle, C.E.**
 ----, Klimko, L.A., Harkness, W. (1970) Confidence intervals for the parameters of the logistic distribution. *57*, 397-402
 ----, Rademaker, F. (1972) An upper confidence limit on the maximum of *m* future observations from a Type I extreme value distribution. *59*, 475-477
 Haas, G., Bain, L., ---- (1970) Inferences for the Cauchy distribution based on maximum likelihood estimators. *57*, 403-408
 Wahrenberger, D.L., ----, Klimko, L.A. (1977) Bayesian rules for the two-armed bandit problem. *64*, 172-174
- Aranda-Ordaz, F.J.**
 ---- (1981) On two families of transformations to additivity for binary response data (correction *70*, 303). *68*, 357-363
- Arghami, N.R.**
 ----, Billard, L. (1982) A modification of a truncated partial sequential procedure. *69*, 613-618
- Armitage, P.**
 ---- (1970) The combination of assay results. *57*, 665-666
- Arnold, B.C.**
 ----, Groeneveld, R.A. (1974) Bounds for deviations between sample and population statistics. *61*, 387-389
- Arnold, J.C.**
 Andrews, R.L., ----, Krutchkoff, R.G. (1972) Shrinkage of the posterior mean in the normal case. *59*, 693-695
 Davis, R.L., ---- (1970) An efficient preliminary test estimator for the variance of a normal population when the mean is unknown. *57*, 674-677
- Asad, H.**
 Samiuddin, M., ---- (1981) A simple procedure of unequal probability sampling. *68*, 728-731
 Samiuddin, M., Hanif, M., ---- (1978) Some comparisons of the Bartlett and cube root tests of homogeneity of variance. *65*, 218-221
- Asmussen, S.**
 ----, Edwards, D. (1983) Collapsibility and response variables in contingency tables. *70*, 567-578
- Assaf, D.**
 ----, Ritov, Y. (1988) A double sequential procedure for detecting a change in distribution. *75*, 715-722
- Atiqullah, M.**
 Samiuddin, M., ---- (1976) A test for equality of variances. *63*, 206-208
- Atkinson, A.C.**
 ---- (1970) The design of experiments to estimate the slope of a response surface. *57*, 319-328

Atkinson, A.C.

- (1972) A test of the linear logistic and Bradley-Terry models. **59**, 37-42
- (1972) Planning experiments to detect inadequate regression models. **59**, 275-293
- (1973) Multifactor second order designs for cuboidal regions. **60**, 15-19
- (1978) Posterior probabilities for choosing a regression model. **65**, 39-48
- (1979) A family of switching algorithms for the computer generation of beta random variables. **66**, 141-145
- (1980) A note on the generalized information criterion for choice of a model. **67**, 413-418
- (1981) Two graphical displays for outlying and influential observations in regression. **68**, 13-20
- (1982) Optimum biased coin designs for sequential clinical trials with prognostic factors. **69**, 61-67
- (1986) Masking unmasked. **73**, 533-541
- , Cox, D.R. (1977) Robust regression via discriminant analysis. **64**, 15-19
- , Donev, A.N. (1989) The construction of exact *D*-optimal experimental designs with application to blocking response surface designs. **76**, 515-526
- , Fedorov, V.V. (1975) The design of experiments for discriminating between two rival models. **62**, 57-70
- , Fedorov, V.V. (1975) Optimal design: experiments for discriminating between several models. **62**, 289-303
- , Lawrance, A.J. (1989) A comparison of asymptotically equivalent test statistics for regression transformation. **76**, 223-229
- de Leon, A.C.P., --- (1991) Optimum experimental design for discriminating between two rival models in the presence of prior information. **78**, 601-608

Atkinson, C.

- (1974) A Wiener-Hopf integral equation arising in some inference and queuing problems. **61**, 277-283

Auestad, B.

- , Tjøstheim, D. (1990) Identification of nonlinear time series: first order characterization and order determination. **77**, 669-687

Azzalini, A.

- (1981) A note on the estimation of a distribution function and quantiles by a kernel method. **68**, 326-328

Azzalini, A.

- (1983) Maximum likelihood estimation of order *m* for stationary stochastic processes. **70**, 381-387
- (1984) Estimation and hypothesis testing for collections of autoregressive time series (correction **74**, 667). **71**, 85-90
- , Bowman, A.W., Härdle, W. (1989) On the use of nonparametric regression for model checking. **76**, 1-11
- , Giovagnoli, A. (1987) Some optimal designs for repeated measurements with autoregressive errors. **74**, 725-734

Babb, J.C.

- McGregor, J.R., --- (1989) Serially correlated differences in the paired comparison of time series. **76**, 735-739

Babich, G.

- , Madan, D.B. (1980) The relevance of a probabilistic form of invertibility. **67**, 704-705

Bacon, D.W.

- , Watts, D.G. (1971) Estimating the transition between two intersecting straight lines. **58**, 525-534

Bacon-Shone, J.

- Aitchison, J., --- (1984) Log contrast models for experiments with mixtures. **71**, 323-330

Bagai, I.

- , Deshpande, J.V., Kochar, S.C. (1989) Distribution-free tests for stochastic ordering in the competing risks model. **76**, 775-781

Bai, Z.D.

- , Chow, M. (1991) Inadmissibility of the maximum likelihood estimator in the sequential estimation of the size of a population. **78**, 817-823

Bailey, K.T.

- Carroll, R.J., Spiegelman, C.H., Lan, K.K.G., ---, Abbott, R.D. (1984) On errors-in-variables for binary regression models. **71**, 19-25

Bailey, N.T.J.

- , Alff-Steinberger, C. (1970) Improvements in the estimation of the latent and infectious periods of a contagious disease. **57**, 141-153

Bailey, R.A.

- (1977) Patterns of confounding in factorial designs. **64**, 597-603
- (1983) Restricted randomization. **70**, 183-198
- (1987) One-way blocks in two-way layouts. **74**, 27-32
- , Gilchrist, F.H.L., Patterson, H.D. (1977) Identification of effects and confounding patterns in factorial designs. **64**, 347-354

Baillie, R.T.

- (1979) Asymptotic prediction mean squared error for vector autoregressive models. **66**, 675-678

Bain, L.

- Haas, G., ---, Antle, C.E. (1970) Inferences for the Cauchy distribution based on maximum likelihood estimators. **57**, 403-408

Baksalary, J.K.

- , Corsten, L.C.A., Kala, R. (1978) Reconciliation of two different views on estimation of growth curve parameters. **65**, 662-665

Balitskaya, E.O.

- , Zolotuhina, L.A. (1988) On the representation of a density by an Edgeworth series. **75**, 185-187

Ballerini, R.

- Vecchia, A.V., --- (1991) Testing for periodic autocorrelations in seasonal time series data. **78**, 53-63

Bancroft, G.A.

- , Dunsmore, I.R. (1976) Predictive distributions in life tests under competing causes of failure. **63**, 195-198
- , Dunsmore, I.R. (1978) Predictive sequential life testing. **65**, 609-613

Bandyopadhyay, D.

- , Basu, A.P. (1989) A note on tests for exponentiality by Deshpande. **76**, 403-405

Banks, D.L.

- (1988) Histospline smoothing the Bayesian bootstrap. **75**, 673-684

Baras, M.

- (1983) Testing equality of probabilities of *K* mutually exclusive events against ordered alternatives. **70**, 473-478

Barbour, A.D.

- (1975) The duration of the closed stochastic epidemic. **62**, 477-482

Bardsley, W.G.

- , McGinlay, P.B., Wright, A.J. (1986) The *F* test for model discrimination with exponential functions. **73**, 501-508

Bar-Lev, S.

- , Enis, P. (1988) On the classical choice of variance stabilising transformations and an application for a Poisson variate. **75**, 803-804

Barlow, R.E.

- , Wu, A.S. (1981) Preposterior analysis of Bayes estimators of mean life. **68**, 403-410

Barlow, W.E.

- , Prentice, R.L. (1988) Residuals for relative risk regression. **75**, 65-74

Barnard, G.A.

- (1975) Comments on Kalbfleisch, J.D., Sufficiency and conditionality. **62**, 251-259. **62**, 260-261

Barndorff-Nielsen, O.E.

- (1973) On *M*-ancillarity. **60**, 447-455
- (1975) Comments on Kalbfleisch, J.D., Sufficiency and conditionality. **62**, 251-259. **62**, 261-262
- (1976) Nonformation. **63**, 567-571

Barndorff-Nielsen, O.E.

- (1978) Comments on Efron, B. and Hinkley, D.V., Assessing the accuracy of the maximum likelihood estimator: observed versus expected Fisher information. **65**, 457-482. **65**, 482-483
- (1980) Conditionality resolutions. **67**, 293-310
- (1983) On a formula for the distribution of the maximum likelihood estimator. **70**, 343-365
- (1986) Inference on full or partial parameters based on the standardized signed log likelihood ratio. **73**, 307-322
- (1991) Modified signed log likelihood ratio. **78**, 557-563
- , Hall, P. (1988) On the level-error after Bartlett adjustment of the likelihood ratio statistic. **75**, 374-378
- , James, I.R., Leigh, G.M. (1989) A note on a semiparametric estimator of mortality. **76**, 803-805

Barnett, V.

- , Green, P.J., Robinson, A. (1976) Concomitants and correlation estimates. **63**, 323-328

Barnwal, R.K.

- , Paul, S.R. (1988) Analysis of one-way layout of count data with negative binomial variation. **75**, 215-222

Barr, D.R.

- , Shudde, R.H. (1973) A note on Kuiper's V_n statistic. **60**, 663-664

Barraj, L.M.

- Lagakos, S.W., ----, De Gruttola, V. (1988) Nonparametric analysis of truncated survival data with application to AIDS. **75**, 515-523

Bartholomew, D.J.

- (1984) The foundations of factor analysis. **71**, 221-232

Bartlett, M.S.

- , Tippet, L.H.C. (1981) Egon Sharpe Pearson, 1895-1980 (with bibliography). **68**, 1-11

Bartmann, F.C.

- , Bloomfield, P. (1981) Inefficiency and correlation. **68**, 67-71

Basawa, I.V.

- (1972) Estimation of the autocorrelation coefficient in simple Markov chains. **59**, 85-89

Basawa, I.V.

- (1981) Efficient conditional tests for mixture experiments with applications to the birth and branching processes. **68**, 153-164
- (1981) Efficiency of conditional maximum likelihood estimators and confidence limits for mixtures of exponential families. **68**, 515-523
- , Billard, L. (1989) Large-sample inference for a regression model with autocorrelated errors. **76**, 283-288
- , Billard, L., Srinivasan, R. (1984) Large-sample tests of homogeneity for time series models. **71**, 203-206
- , Brockwell, P.J. (1978) Inference for gamma and stable processes. **65**, 129-133
- , Brockwell, P.J. (1980) A note on estimation for gamma and stable processes. **67**, 234-236
- , Huggins, R.M., Staudte, R.G. (1985) Robust tests for time series with an application to first-order autoregressive processes. **72**, 559-571
- , Scott, D.J. (1976) Efficient tests for branching processes. **63**, 531-536

Bassiakos, Y.C.

- , Meng, X.-L., Lo, S.-H. (1991) A general estimator of the treatment effect when the data are heavily censored. **78**, 741-748

Basu, A.P.

- Bandyopadhyay, D., ---- (1989) A note on tests for exponentiality by Deshpande. **76**, 403-405

Bates, D.M.

- Kang, G., ---- (1990) Approximate inferences in multiresponse regression analysis. **77**, 321-331

Battaglia, F.

- , Bhansali, R.J. (1987) Estimation of the interpolation error variance and an index of linear determinism. **74**, 771-779

Bauer, P.

- (1986) Approximation of discrete sequential boundaries. **73**, 759-760

Beal, S.L.

- (1991) Computing initial estimates with mixed effects models: a general method of moments. **78**, 217-220

Beath, K.J.

- , Dobson, A.J. (1991) Regression to the mean for nonnormal populations. **78**, 431-435

Bechhofer, R.E.

- , Tamhane, A.C. (1974) An iterated integral representation for a multivariate normal integral having block covariance structure. **61**, 615-619

Becker, N.

- (1972) Vaccination programmes for rare infectious diseases. **59**, 443-453
- (1974) On parametric estimation for mortal branching processes. **61**, 393-399
- (1979) An estimation procedure for household disease data. **66**, 271-277
- (1981) The infectiousness of a disease within households. **68**, 133-141
- , Hopper, J.L. (1983) The infectiousness of a disease in a community of households. **70**, 29-39

Becker, N.G.

- (1970) Mixture designs for a model linear in the proportions. **57**, 329-338

Beckman, R.J.

- , Tietjen, G.L. (1973) Upper 10% and 25% points of the maximum F ratio. **60**, 213-214

Bedrick, E.J.

- (1983) Adjusted chi-squared tests for cross-classified tables of survey data. **70**, 591-595
- , Hill, J.R. (1990) Outlier tests for logistic regression: a conditional approach. **77**, 815-827

Begg, C.B.

- (1990) On inferences from Wei's biased coin design for clinical trials (with discussion). **77**, 467-484
- Aitchison, J., ---- (1976) Statistical diagnosis when basic cases are not classified with certainty. **63**, 1-12
- , Gray, R. (1984) Calculation of polychotomous logistic regression parameters using individualized regressions. **71**, 11-18
- , Gray, R.J. (1987) Methodology for case-control studies with prevalent cases. **74**, 191-195
- , Mehta, C.R. (1979) Sequential analysis of comparative clinical trials. **66**, 97-103

Behboodjan, J.

- (1970) On a mixture of normal distributions. **57**, 215-217

Bellhouse, D.R.

- (1977) Some optimal designs for sampling in two dimensions (correction **66**, 402). **64**, 605-611
- (1984) Optimal randomization for experiments in which autocorrelation is present. **71**, 155-160
- (1986) Randomization in the analysis of covariance. **73**, 207-211
- (1990) On the equivalence of marginal and approximate conditional likelihoods for correlation parameters under a normal model. **77**, 743-746
- , Rao, J.N.K. (1975) Systematic sampling in the presence of a trend. **62**, 694-697
- , Thompson, M.E., Godambe, V.P. (1977) Two-stage sampling with exchangeable prior distributions. **64**, 97-103

Bendre, S.M.

- , Kale, B.K. (1987) Masking effect on tests for outliers in normal samples. **74**, 891-896

Benedetti, J.K.

- , Liu, P.-Y., Sather, H.N., Seinfeld, J., Epton, M.A. (1982) Effective sample size for tests of censored survival data. **69**, 343-349

Bennett, B.M.

- , Kaneshiro, C. (1974) On the small-sample properties of the Mantel-Haenszel test for relative risk. **61**, 233-236

- Bennett, G.K.**
 ---, Martz, H.F. (1972) A continuous empirical Bayes smoothing technique. **59**, 361-368
- Bennett, J.A.**
 Aitchison, J., --- (1970) Polychotomous quantal response by maximum indicant. **57**, 253-262
- Bentler, P.M.**
 ---, Berkane, M. (1986) Greater lower bound to the elliptical theory kurtosis parameter. **73**, 240-241
 Kano, Y., Berkane, M., --- (1990) Covariance structure analysis with heterogeneous kurtosis parameters. **77**, 575-585
- Beran, J.**
 --- (1989) A test of location for data with slowly decaying serial correlations. **76**, 261-269
- Beran, R.**
 --- (1987) Prepivoting to reduce level error of confidence sets. **74**, 457-468
- Berenblut, I.I.**
 ---, Webb, G.I. (1974) Experimental design in the presence of autocorrelated errors. **61**, 427-437
- Berger, J.O.**
 Ye, K., --- (1991) Noninformative priors for inferences in exponential regression models. **78**, 645-656
- Bergman, S.W.**
 ---, Turnbull, B.W. (1983) Efficient sequential designs for destructive life testing with application to animal serial sacrifice experiments. **70**, 305-314
- Berkane, M.**
 Bentler, P.M., --- (1986) Greater lower bound to the elliptical theory kurtosis parameter. **73**, 240-241
- Basawa, I.V.**
 Kano, Y., ---, Bentler, P.M. (1990) Covariance structure analysis with heterogeneous kurtosis parameters. **77**, 575-585
- Berman, M.**
 --- (1981) Inhomogeneous and modulated gamma processes. **68**, 143-152
 --- (1988) A theorem of Jacobi and its generalization. **75**, 779-783
- Berman, S.M.**
 --- (1990) A stochastic model for the distribution of HIV latency time based on T4 counts. **77**, 733-741
- Berry, D.A.**
 --- (1974) A class of optimal stopping problems for sampling without replacement. **61**, 361-368
- Berry, G.**
 --- (1975) Design of carcinogenesis experiments using the Weibull distribution. **62**, 321-328
- Berry, K.J.**
 Mielke, P.W., ---, Brockwell, P.J., Williams, J.S. (1981) A class of nonparametric tests based on multiresponse permutation procedures. **68**, 720-724
 Mielke, P.W.jr, --- (1988) Cumulant methods for analysing independence of r -way contingency tables and goodness-of-fit frequency data. **75**, 790-793
- Besag, J.E.**
 --- (1972) On the correlation structure of some two-dimensional stationary processes. **59**, 43-48
 --- (1977) Efficiency of pseudolikelihood estimation for simple Gaussian fields. **64**, 616-618
 --- (1981) On resistant techniques and statistical analysis. **68**, 463-469
 --- (1989) A candidate's formula: a curious result in Bayesian prediction. **76**, 183-183
 ---, Clifford, P. (1989) Generalized Monte Carlo significance tests. **76**, 633-642
 ---, Clifford, P. (1991) Sequential Monte Carlo p -values. **78**, 301-304
 ---, Moran, P.A.P. (1975) On the estimation and testing of spatial interaction in Gaussian lattice processes. **62**, 555-562
- Best, D.J.**
 --- (1973) Extended tables for Kendall's tau. **60**, 429-430
- (1974) The variance of the inverse binomial estimator. **61**, 385-386
- , Cameron, M.A., Eagleson, G.K. (1983) A test for comparing large sets of tau values. **70**, 447-453
- Rayner, J.C.W., --- (1986) Neyman-type smooth tests for location-scale families. **73**, 437-446
- Bethlehem, J.G.**
 ---, Schuerhoff, M.H. (1984) Second-order inclusion probabilities in sequential sampling without replacement with unequal probabilities. **71**, 642-644
- Bhansali, R.J.**
 --- (1976) Estimation of the moving average representation of a stationary nondeterministic process. **63**, 408-410
 --- (1980) Autoregressive and window estimates of the inverse correlation function. **67**, 551-566
- Battaglia, F., --- (1987) Estimation of the interpolation error variance and an index of linear determinism. **74**, 771-779
- , Downham, D.Y. (1977) Some properties of the order of an autoregressive model selected by a generalization of Akaike's EPF criterion. **64**, 547-551
- Bhappkar, V.P.**
 Venable, T.C., --- (1978) Gart's test of interaction in a $2 \times 2 \times 2$ contingency table for small samples. **65**, 669-672
- Bhargava, A.**
 --- (1989) Missing observations and the use of the Durbin-Watson statistic. **76**, 828-831
- Bhattacharjee, S.K.**
 ---, Dunsmore, I.R. (1991) The influence of variables in a logistic model. **78**, 851-856
- Bhattacharya, P.K.**
 ---, Gastwirth, J.L., Wright, A.L. (1982) Two modified Wilcoxon tests for symmetry about an unknown location parameter. **69**, 377-382
- Bhoj, D.S.**
 --- (1978) Testing equality of means of correlated variates with missing observations on both responses. **65**, 225-228
 --- (1979) Testing equality of variances of correlated variates with incomplete data on both responses. **66**, 681-683
 --- (1984) On testing equality of variances of correlated variates with incomplete data. **71**, 639-641
- Bhoj, D.S.**
 Morrison, D.F., --- (1973) Power of the likelihood ratio test on the mean vector of the multivariate normal distribution with missing observations. **60**, 365-368
- Billard, L.**
 --- (1977) A truncated partial sequential procedure. **64**, 567-572
- Arghami, N.R., --- (1982) A modification of a truncated partial sequential procedure. **69**, 613-618
- Basawa, I.V., --- (1989) Large-sample inference for a regression model with autocorrelated errors. **76**, 283-288
- Basawa, I.V., ---, Srinivasan, R. (1984) Large-sample tests of homogeneity for time series models. **71**, 203-206
- Binder, D.A.**
 --- (1978) Bayesian cluster analysis. **65**, 31-38
 --- (1981) Approximations to Bayesian clustering rules. **68**, 275-285
- Bingham, C.**
 ---, Mardia, K.V. (1978) A small circle distribution on the sphere. **65**, 379-389
- Binns, M.**
 --- (1975) Sequential estimation of the mean of a negative binomial distribution (comment **63**, 218). **62**, 433-440
- Birnbaum, A.**
 --- (1975) Comments on Kalbfleisch, J.D., Sufficiency and conditionality. **62**, 251-259. **62**, 262-264
- Bishop, T.A.**
 ---, Dudewicz, E.J., Juritz, J.M., Stephens, M.A. (1978) Percentage points of a quadratic form in Student t variates. **65**, 435-439
- Bissell, A.F.**
 --- (1972) A negative binomial model with varying element sizes. **59**, 435-441

- Bissell, A.F.**
 ---- (1972) Another negative binomial model with varying element sizes. *59*, 691-693
- Björnham, Å.**
 ----, Lindgren, G. (1976) Frequency estimation from crossings of an observed mean level. *63*, 507-512
- Blæsild, P.**
 ---- (1981) The two-dimensional hyperbolic distribution and related distributions, with an application to Johannsen's bean data. *68*, 251-263
- Blair, V.**
 Anderson, J.A., ---- (1982) Penalized maximum likelihood estimation in logistic regression and discrimination. *69*, 123-136
- Bluer, S.**
 Burnett, R., Krewski, D., ---- (1989) Efficiency robust score tests for rodent tumourigenicity experiments. *76*, 317-324
- Blight, B.J.N.**
 ---- (1970) Estimation from a censored sample for the exponential family. *57*, 389-395
 ---- (1973) Sampling from an autocorrelated finite population. *60*, 375-385
 ----, Ott, L. (1975) A Bayesian approach to model inadequacy for polynomial regression. *62*, 79-88
 ----, Rao, P.V. (1974) The convergence of Bhattacharyya bounds. *61*, 137-142
- Blom, G.**
 ---- (1976) Some properties of incomplete U -statistics. *63*, 573-580
 ---- (1978) A property of minimum variance estimates. *65*, 642-643
- Bloomfield, P.**
 ---- (1972) On the error of prediction of a time series. *59*, 501-507
 ---- (1973) An exponential model for the spectrum of a scalar time series. *60*, 217-226
 Bartmann, F.C., ---- (1981) Inefficiency and correlation. *68*, 67-71
 ----, Watson, G.S. (1975) The inefficiency of least squares. *62*, 121-128
- Blunck, M.**
 ----, Mommsen, T.P. (1978) Systematic errors in fitting linear transformations of the Michaelis-Menten equation. *65*, 363-368
- Bock, R.D.**
 ----, Petersen, A.C. (1975) A multivariate correction for attenuation. *62*, 673-678
- Boender, C.G.E.**
 ----, Rinnooy Kan, A.H.G. (1987) A multinomial Bayesian approach to the estimation of population and vocabulary size. *74*, 849-856
- Boente, G.**
 ----, Fraiman, R. (1988) On the asymptotic behaviour of general maximum likelihood estimates for the nonregular case under nonstandard conditions. *75*, 45-56
- Böhning, D.**
 ---- (1989) Likelihood inference for mixtures: geometrical and other constructions of monotone step-length algorithms. *76*, 375-383
- Bohrer, R.**
 ---- (1973) A multivariate t probability integral. *60*, 647-653
 ----, Francis, G.K. (1972) Sharp one-sided confidence bounds for linear regression over intervals. *59*, 99-107
- Bolstad, W.M.**
 ---- (1988) The multiprocess dynamic linear model with biased perturbations: a real time model for growth hormone level. *75*, 685-692
- Bomze, I.M.**
 Reschenhofer, E., ---- (1991) Length tests for goodness of fit. *78*, 207-216
- Boomsma, A.**
 ---- (1975) An error in F.N.David's tables of the correlation coefficient. *62*, 711-711
- Boos, D.D.**
 ----, Monahan, J.F. (1986) Bootstrap methods using prior information. *73*, 77-83
- Zhang, J., Pantula, S.G., ---- (1991) Robust methods for testing the pattern of a single covariance matrix. *78*, 787-795
- Booth, J.G.**
 ----, Butler, R.W. (1990) Randomization distributions and saddlepoint approximations in generalized linear models. *77*, 787-796
- Booth, N.B.**
 ----, Smith, A.F.M. (1976) Batch acceptance schemes based on an autoregressive prior. *63*, 133-136
- Bowman, A.W.**
 ---- (1980) A note on consistency of the kernel method for the analysis of categorical data. *67*, 682-684
 ---- (1984) An alternative method of cross-validation for the smoothing of density estimates. *71*, 353-360
 Azzalini, A., ----, Härdle, W. (1989) On the use of nonparametric regression for model checking. *76*, 1-11
 ----, Hall, P., Titterton, D.M. (1984) Cross-validation in nonparametric estimation of probabilities and probability densities. *71*, 341-351
- Bowman, K.O.**
 ---- (1972) Tables of the sample size requirement. *59*, 234-234
 ---- (1973) Power of the kurtosis statistic b_2 in tests of departures from normality. *60*, 623-628
 ----, Shenton, L.R. (1973) Notes on the distribution of $\sqrt{b_1}$ in sampling from Pearson distributions. *60*, 155-167
 ----, Shenton, L.R. (1973) Space of solutions for a normal mixture. *60*, 629-636
 ----, Shenton, L.R. (1975) Omnibus test contours for departures from normality based on $\sqrt{b_1}$ and b_2 . *62*, 243-250
 ----, Shenton, L.R. (1979) Approximate percentage points for Pearson distributions. *66*, 147-151
 Kastenbaum, M.A., Hoel, D.G., ---- (1970) Sample size requirements: one-way analysis of variance. *57*, 421-430
- Bowman, K.O.**
 Kastenbaum, M.A., Hoel, D.G., ---- (1970) Sample size requirements: randomized block designs. *57*, 573-577
 Pearson, E.S., D'Agostino, R.B., ---- (1977) Tests for departure from normality: comparison of powers. *64*, 231-246
 Shenton, L.R., ----, Lam, H.K. (1979) Comments on a paper by R.C.Geary on standardized mean deviation. *66*, 400-401
- Box, G.E.P.**
 Abraham, B., ---- (1979) Bayesian analysis of some outlier problems in time series. *66*, 229-236
 ----, Draper, N.R. (1975) Robust designs. *62*, 347-352
 ----, Tiao, G.C. (1977) A canonical analysis of multiple time series. *64*, 355-365
 Ljung, G.M., ---- (1978) On a measure of lack of fit in time series models. *65*, 297-303
 Ljung, G.M., ---- (1979) The likelihood function of stationary autoregressive-moving average models. *66*, 265-270
- Box, M.J.**
 ---- (1971) An experimental design criterion for precise estimation of a subset of the parameters in a nonlinear model. *58*, 149-153
- Boyer, J.E.**
 ----, Kolson, J.O. (1983) Variances for adaptive trimmed means. *70*, 97-102
 Schucany, W.R., Parr, W.C., ---- (1978) Correlation structure in Farlie-Gumbel-Morgenstern distributions. *65*, 650-653
- Boyett, J.M.**
 Littell, R.C., ---- (1977) Designs for $R \times C$ factorial paired comparison experiments. *64*, 73-77
- Boys, R.J.**
 ----, Dunsmore, I.R. (1987) Diagnostic and sampling models in screening. *74*, 365-374
- Bradley, R.A.**
 ----, El-Helbawy, A.T. (1976) Treatment contrasts in paired comparisons: basic procedures with application to factorials. *63*, 255-262
 Davidson, R.R., ---- (1971) A regression relationship for multivariate paired comparisons. *58*, 555-560

- Bradley, R.A.**
Stewart, F.P., --- (1991) Some universally optimal row-column designs with empty nodes. **78**, 337-348
- Brandis, H.P.**
David, H.A., Lachenbruch, P.A., --- (1972) The power function of range and studentized range tests in normal samples. **59**, 161-168
- Brant, R.**
Chaloner, K., --- (1988) A Bayesian approach to outlier detection and residual analysis. **75**, 651-659
- Breckling, J.**
---, Chambers, R.L. (1988) *M*-quantiles. **75**, 761-771
- Breslow, N.E.**
--- (1970) A generalized Kruskal-Wallis test for comparing *K* samples subject to unequal patterns of censorship. **57**, 579-594
--- (1981) Odds ratio estimators when the data are sparse. **68**, 73-84
---, Cain, K.C. (1988) Logistic regression for two-stage case-control data. **75**, 11-20
Prentice, R.L., --- (1978) Retrospective studies and failure time models. **65**, 153-158
- Breth, M.**
--- (1979) Nonparametric Bayesian interval estimation. **66**, 641-644
--- (1982) Nonparametric estimation for a symmetric distribution. **69**, 625-634
--- (1984) System degeneration and other finite sample nonparametric estimation problems. **71**, 397-401
---, Maritz, J.S., Williams, E.J. (1978) On distribution-free lower confidence limits for the mean of a nonnegative random variable (comment **66**, 689). **65**, 529-534
- Brien, C.J.**
---, James, A.T., Venables, W.N. (1988) An analysis of correlation matrices: variables cross-classified by two factors. **75**, 469-476
---, Venables, W.N., James, A.T., Mayo, O. (1984) An analysis of correlation matrices: equal correlations. **71**, 545-554
- Brier, S.S.**
--- (1980) Analysis of contingency tables under cluster sampling. **67**, 591-596
- Brillinger, D.R.**
--- (1974) The asymptotic distribution of the Whittaker periodogram and a related chi-squared statistic for stationary processes. **61**, 419-422
--- (1977) The identification of a particular nonlinear time series system. **64**, 509-515
--- (1989) Consistent detection of a monotonic trend superimposed on a stationary time series. **76**, 23-30
- Brockwell, P.J.**
Basawa, I.V., --- (1978) Inference for gamma and stable processes. **65**, 129-133
Basawa, I.V., --- (1980) A note on estimation for gamma and stable processes. **67**, 234-236
Mielke, P.W., Berry, K.J., ---, Williams, J.S. (1981) A class of nonparametric tests based on multiresponse permutation procedures. **68**, 720-724
- Brook, D.**
---, Evans, D.A. (1972) An approach to the probability distribution of cusum run length. **59**, 539-549
- Brookmeyer, R.**
Wacholder, S., Gail, M.H., Pee, D., --- (1989) Alternative variance and efficiency calculations for the case-cohort design. **76**, 117-123
- Brooks, M.A.**
--- (1974) Exponential regression with correlated observations. **61**, 109-115
- Brooks, R.J.**
--- (1972) A decision theory approach to optimal regression designs. **59**, 563-571
--- (1974) On the choice of an experiment for prediction in linear regression. **61**, 303-311
--- (1974) Bayesian analysis of the two-sample problem under the Lehmann alternatives. **61**, 501-507
--- (1977) Optimal regression design for control in linear regression. **64**, 319-325
--- (1982) On the loss of information through censoring. **69**, 137-144
--- (1987) Optimal allocation for Bayesian inference about an odds ratio. **74**, 196-199
- Brown, B.M.**
--- (1975) A short-cut test for outliers using residuals. **62**, 623-629
--- (1981) Symmetric quantile averages and related estimators. **68**, 235-242
--- (1982) Cramér-von Mises distributions and permutation tests. **69**, 619-624
- Brown, B.W.jr**
Whittemore, A.S., Friend, N., ---, Holly, E.A. (1987) A test to detect clusters of disease (correction **75**, 396). **74**, 631-635
- Brown, C.C.**
Halperin, M., Ware, J.H., Byar, D.P., Mantel, N., ---, Koziol, J., Gail, M., Green, S.B. (1977) Testing for interaction in an $I \times J \times K$ contingency table. **64**, 271-275
- Brown, D.**
---, Rothery, P. (1978) Randomness and local regularity of points in a plane. **65**, 115-122
- Brown, E.N.**
--- (1990) A note on the asymptotic distribution of the parameter estimates for the harmonic regression model. **77**, 653-656
- Brown, G.H.**
--- (1978) Generalized least squares applied to the linear ultrastructural model. **65**, 441-444
- Brown, M.**
--- (1984) On the choice of variance for the log rank test. **71**, 65-74
- Brown, P.J.**
--- (1973) Aspects of design for binary key models. **60**, 309-318
--- (1977) Functions for selecting tests in diagnostic key construction. **64**, 589-596
---, Oman, S.D. (1991) Double points in nonlinear calibration. **78**, 33-43
---, Sundberg, R. (1989) Prediction diagnostics and updating in multivariate calibration. **76**, 349-361
- Brown, R.A.**
--- (1974) Robustness of the studentized range statistic. **61**, 171-175
- Brown, S.**
---, Holgate, P. (1974) The thinned plantation. **61**, 253-261
- Browne, M.W.**
--- (1987) Robustness of statistical inference in factor analysis and related models (correction **75**, 395). **74**, 375-384
- Brunk, H.D.**
--- (1978) Univariate density estimation by orthogonal series. **65**, 521-528
---, Pierce, D.A. (1974) Estimation of discrete multivariate densities for computer-aided differential diagnosis of disease. **61**, 493-499
- Bryant, J.L.**
---, Paulson, A.S. (1976) An extension of Tukey's method of multiple comparisons to experimental designs with random concomitant variables. **63**, 631-638
- Bryant, P.**
---, Williamson, J.A. (1978) Asymptotic behaviour of classification maximum likelihood estimates. **65**, 273-281
- Buckley, J.**
---, James, I.R. (1979) Linear regression with censored data. **66**, 429-436
- Buckley, M.J.**
--- (1991) Detecting a smooth signal: optimality of cusum based procedures. **78**, 253-262
---, Eagleson, G.K. (1986) Assessing large sets of rank correlations. **73**, 151-157
---, Eagleson, G.K. (1989) A graphical method for estimating the residual variance in nonparametric regression. **76**, 203-210

- Buckley, M.J.**
 ----, Eagleson, G.K., Silverman, B.W. (1988) The estimation of residual variance in nonparametric regression. *75*, 189-199
- Buhrman, J.M.**
 ---- (1977) Tests and confidence intervals for the difference and ratio of two probabilities. *64*, 160-162
- Bukač, J.**
 ---- (1972) Fitting S_B curves using symmetrical percentile points. *59*, 688-690
- Burke, M.D.**
 ---- (1988) Estimation of a bivariate distribution function under random censorship. *75*, 379-382
- Burman, P.**
 ---- (1989) A comparative study of ordinary cross-validation, v -fold cross-validation and the repeated learning-testing methods. *76*, 503-514
- Burnett, R.**
 ----, Krewski, D., Bleuer, S. (1989) Efficiency robust score tests for rodent tumourigenicity experiments. *76*, 317-324
- Burnham, K.P.**
 ----, Overton, W.S. (1978) Estimation of the size of a closed population when capture probabilities vary among animals (correction *68*, 345). *65*, 625-633
- Burr, A.H.**
 Eaves, D., ---- (1978) The threshold hypothesis for flash perception. *65*, 503-509
- Burr, P.C.**
 ----, Young, D.H. (1977) Critical values for the exponential scores trend statistic. *64*, 640-642
- BurrIDGE, J.**
 ---- (1982) Some unimodality properties of likelihoods derived from grouped data. *69*, 145-151
- Butler, R.W.**
 ---- (1989) Approximate predictive pivots and densities. *76*, 489-501
 Booth, J.G., ---- (1990) Randomization distributions and saddlepoint approximations in generalized linear models. *77*, 787-796
- Buzas, T.E.**
 ----, Fornell, C., Rhee, B.-D. (1989) Conditions under which canonical correlation and redundancy maximization produce identical results. *76*, 618-621
- Byar, D.P.**
 Lininger, L., Gail, M.H., Green, S.B., ---- (1979) Comparison of four tests for equality of survival curves in the presence of stratification and censoring. *66*, 419-428
 Halperin, M., Ware, J.H., ----, Mantel, N., Brown, C.C., Koziol, J., Gail, M., Green, S.B. (1977) Testing for interaction in an $I \times J \times K$ contingency table. *64*, 271-275
- Cabrera, J.**
 Hall, P., Watson, G.S., ---- (1987) Kernel density estimation with spherical data. *74*, 751-762
- Cain, K.C.**
 Breslow, N.E., ---- (1988) Logistic regression for two-stage case-control data. *75*, 11-20
- Callinski, T.**
 Pearce, S.C., ----, Marshall, T.F.deC. (1974) The basic contrasts of an experimental design with special reference to the analysis of data. *61*, 449-460
- Camacho, F.**
 ----, McLeod, A.I., Hipel, K.W. (1987) Contemporaneous bivariate time series. *74*, 103-113
- Cameron, M.A.**
 ---- (1978) The prediction variance and related statistics for stationary time series. *65*, 283-296
 Best, D.J., ----, Eagleson, G.K. (1983) A test for comparing large sets of tau values. *70*, 447-453
 ----, Hannan, E.J. (1979) Transient signals. *66*, 243-258
- Camp, M.A.**
 Carlson, R., ---- (1977) Anomalies arising from a Bayesian analysis of Dempster's upper and lower probabilities. *64*, 651-653
- Campbell, G.**
 ---- (1981) Nonparametric bivariate estimation with randomly censored data. *68*, 417-422
- Carlson, R.**
 ----, Camp, M.A. (1977) Anomalies arising from a Bayesian analysis of Dempster's upper and lower probabilities. *64*, 651-653
- Carnal, H.**
 ----, Riedwyl, H. (1972) On a one-sample distribution-free test statistic V . *59*, 465-467
- Carpenter, R.G.**
 ---- (1977) Matching when covariables are normally distributed. *64*, 299-307
- Carroll, R.J.**
 ----, Cline, D.B.H. (1988) An asymptotic theory for weighted least-squares with weights estimated by replication. *75*, 35-43
 ----, Ruppert, D. (1981) On prediction and the power transformation family. *68*, 609-615
 ----, Spiegelman, C.H., Lan, K.K.G., Bailey, K.T., Abbott, R.D. (1984) On errors-in-variables for binary regression models. *71*, 19-25
- Carroll, R.J.**
 Davidian, M., ----, Smith, W. (1988) Variance functions and the minimum detectable concentration in assays. *75*, 549-556
 Stefanski, L.A., ---- (1987) Conditional scores and optimal scores for generalized linear measurement-error models. *74*, 703-716
 Stefanski, L.A., ----, Ruppert, D. (1986) Optimally bounded score functions for generalized linear models with applications to logistic regression. *73*, 413-424
- Cassel, C.M.**
 ----, Särndal, C.E., Wretman, J.H. (1976) Some results on generalized difference estimation and generalized regression estimation for finite populations. *63*, 615-620
- Cassing, S.**
 Dent, W.T., ---- (1978) On modified maximum likelihood estimators of the autocorrelation coefficient in linear models. *65*, 211-213
- Castledine, B.J.**
 ---- (1981) A Bayesian analysis of multiple-recapture sampling for a closed population. *68*, 197-210
- Catchpole, E.A.**
 ----, Morgan, B.J.T. (1991) A note on Seber's model for ring-recovery data. *78*, 917-919
- Chakravarti, I.M.**
 Suen, C.-Y., ---- (1985) Balanced factorial designs with two-way elimination of heterogeneity. *72*, 391-402
- Chaloner, K.**
 ---- (1991) Bayesian residual analysis in the presence of censoring. *78*, 637-644
 ----, Brant, R. (1988) A Bayesian approach to outlier detection and residual analysis. *75*, 651-659
- Chamberlin, S.R.**
 ----, Sprott, D.A. (1989) The estimation of a location parameter when the scale parameter is confined to a finite range: the notion of a generalized ancillary statistic. *76*, 609-612
 ----, Sprott, D.A. (1989) Linear systems of pivotals and associated pivotal likelihoods with applications. *76*, 685-691
- Chambers, J.M.**
 ---- (1973) Fitting nonlinear models: numerical techniques (correction *60*, 669). *60*, 1-13
- Chambers, R.L.**
 Breckling, J., ---- (1988) M -quantiles. *75*, 761-771
 ----, Dunstan, R. (1986) Estimating distribution functions from survey data. *73*, 597-604
 ----, Heathcote, C.R. (1981) On the estimation of slope and the identification of outliers in linear regression. *68*, 21-33
- Chan, L.-Y.**
 ---- (1991) Optimal design for estimation of variance in nonparametric regression using first order differences. *78*, 926-929
- Chan, N.N.**
 ---- (1977) On an unbiased predictor in factor analysis. *64*, 642-644

- Chan, N.N.**
 ---- (1982) Linear structural relationships with unknown error variances. **69**, 277-279
 ----, Mak, T.K. (1983) Estimation of multivariate linear functional relationships. **70**, 263-267
 ----, Mak, T.K. (1984) Heteroscedastic errors in a linear functional relationship. **71**, 212-215
- Chandra, T.K.**
 Mukerjee, R., ---- (1991) Bartlett-type adjustment for the conditional likelihood ratio statistic of Cox and Reid. **78**, 365-372
- Chang, T.C.**
 Krishnaiah, P.R., Lee, J.C., ---- (1976) The distributions of the likelihood ratio statistics for tests of certain covariance structures of complex multivariate normal populations. **63**, 543-549
- Chang, W.C.**
 ---- (1976) The effects of adding a variable in dissecting a mixture of two normal populations with a common covariance matrix. **63**, 676-678
- Chant, D.**
 ---- (1974) On asymptotic tests of composite hypotheses in nonstandard conditions. **61**, 291-298
- Chao, M-T.**
 ---- (1987) Influence curves for randomly truncated data. **74**, 426-429
- Chao, M.T.**
 ---- (1982) A general purpose unequal probability sampling plan. **69**, 653-656
- Chase, G.R.**
 ---- (1974) On testing for ordered alternatives with increased sample size for a control. **61**, 569-578
 ----, Hoel, D.G. (1975) Serial dilutions: error effects and optimal designs. **62**, 329-334
- Chaudhuri, A.**
 ----, Adhikary, A.K. (1983) On the efficiency of Midzuno and Sen's strategy relative to several ratio-type estimators under a particular model. **70**, 689-693
- Chen, C-H.**
 ---- (1984) A correlation goodness-of-fit test for randomly censored data. **71**, 315-322
- Chen, C.W.**
 ---- (1971) On some problems in canonical correlation analysis. **58**, 399-400
- Chen, H.J.**
 ---- (1982) A new range statistic for comparisons of several exponential location parameters (correction **71**, 219). **69**, 257-260
 ----, Tsai, P.J. (1980) Optimal confidence interval for the largest mean in repeated measurements design. **67**, 119-126
- Chen, T.**
 Langholz, B., Thomas, D., ----, Rhodes, P. (1990) Tests of effect in 1:J matched case-control studies based on a modified likelihood approach. **77**, 897-900
- Cheng, C-L.**
 ----, Van Ness, J.W. (1991) On the unreplicated ultrastructural model. **78**, 442-445
- Cheng, C-S.**
 ---- (1986) A method for constructing balanced incomplete block designs with nested rows and columns. **73**, 695-700
 ----, Li, K-C. (1987) Optimality criteria in survey sampling. **74**, 337-345
 ----, Steinberg, D.M. (1991) Trend robust two-level factorial designs. **78**, 325-336
 ----, Wu, C-F.J. (1981) Nearly balanced incomplete block designs. **68**, 493-500
- Cheng, K.F.**
 ---- (1985) Tests for the equality of failure rates. **72**, 211-215
- Cheng, R.C.H.**
 ----, Stephens, M.A. (1989) A goodness-of-fit test using Moran's statistic with estimated parameters. **76**, 385-392
- Chernoff, H.**
 ----, Haitovsky, Y. (1990) Locally optimal design for comparing two probabilities from binomial data subject to misclassification. **77**, 797-805
 ----, Petkau, A.J. (1981) Sequential medical trials involving paired data. **68**, 119-132
- Chesher, A.**
 ---- (1991) The effect of measurement error. **78**, 451-462
- Chhikara, R.S.**
 Deng, L.-Y., ---- (1991) On asymptotically design-unbiased estimators of a finite population mean. **78**, 189-195
- Chi, P.Y.**
 ---- (1980) Testing for homogeneity: the negative binomial distribution. **67**, 252-254
- Chiu, S-T.**
 ---- (1990) Why bandwidth selectors tend to choose smaller bandwidths and a remedy. **77**, 222-226
 ---- (1991) The effect of discretization error on bandwidth selection for kernel density estimation. **78**, 436-441
- Chiu, W.K.**
 ---- (1974) The ranking of means of normal populations for a generalized selection goal. **61**, 579-584
 Lam, K., ---- (1976) On the probability of correctly selecting the best of several normal populations. **63**, 410-411
- Chmiel, J.J.**
 ---- (1976) Some properties of Spearman-type estimators of the variance and percentiles in bioassay. **63**, 621-626
- Choi, S.C.**
 ---- (1977) Tests of equality of dependent correlation coefficients. **64**, 645-647
- Choi, Y.J.**
 ----, Severo, N.C. (1988) An approximation for the maximum likelihood estimator of the infection rate in the simple stochastic epidemic. **75**, 392-394
- Chow, M.**
 Bai, Z.D., ---- (1991) Inadmissibility of the maximum likelihood estimator in the sequential estimation of the size of a population. **78**, 817-823
- Christensen, R.**
 ----, Johnson, W. (1988) Modelling accelerated failure time with a Dirichlet process. **75**, 693-704
- Clarke, M.R.B.**
 ---- (1980) The reduced major axis of a bivariate sample. **67**, 441-446
- Clayton, D.G.**
 ---- (1974) Some odds ratio statistics for the analysis of ordered categorical data. **61**, 525-531
 ---- (1976) An odds ratio comparison for ordered categorical data with censored observations. **63**, 405-408
 ---- (1978) A model for association in bivariate life tables and its application in epidemiological studies of familial tendency in chronic disease incidence. **65**, 141-151
- Clifford, P.**
 Besag, J., ---- (1991) Sequential Monte Carlo *p*-values. **78**, 301-304
 Besag, J.E., ---- (1989) Generalized Monte Carlo significance tests. **76**, 633-642
 ----, Sudbury, A. (1973) A model for spatial conflict. **60**, 581-588
 ----, Sudbury, A.W. (1979) On the use of bounds in the statistical analysis of spatial processes. **66**, 495-503
- Cline, D.B.H.**
 Carroll, R.J., ---- (1988) An asymptotic theory for weighted least-squares with weights estimated by replication. **75**, 35-43
- Coad, D.S.**
 ---- (1991) Sequential tests for an unstable response variable. **78**, 113-121
- Cobb, G.W.**
 ---- (1978) The problem of the Nile: conditional solution to a change-point problem. **65**, 243-251
- Coleman, R.**
 ---- (1972) Sampling procedures for the lengths of random straight lines. **59**, 415-426

- Coles, S.G.**
 ---- (1989) On goodness-of-fit tests for the two-parameter Weibull distribution derived from the stabilized probability plot. *76*, 593-598
- Collins, J.**
 Schafer, R.E., Finkelstein, J.M., ---- (1972) On a goodness-of-fit test for the exponential distribution with mean unknown. *59*, 222-224
- Conniffe, D.**
 ---- (1990) Testing hypotheses with estimated scores. *77*, 97-106
 ----, Stone, J. (1974) The efficiency factor of a class of incomplete block designs. *61*, 633-636
 ----, Stone, J. (1975) Some incomplete block designs of maximum efficiency (comment *63*, 686). *62*, 685-686
- Conolly, M.A.**
 ----, Liang, K-Y. (1988) Conditional logistic regression models for correlated binary data. *75*, 501-506
- Consonni, G.**
 ----, Veronese, P. (1989) Some remarks on the use of improper priors for the analysis of exponential regression models. *76*, 101-106
- Constantine, G.M.**
 ---- (1989) Robust designs for serially correlated observations. *76*, 245-251
- Cook, G.W.**
 Kerridge, D.F., ---- (1976) Yet another series for the normal integral. *63*, 401-403
- Cook, R.D.**
 ---- (1987) Parameter plots in nonlinear regression. *74*, 669-677
 ----, Tsai, C-L. (1985) Residuals in nonlinear regression. *72*, 23-29
 ----, Tsai, C-L., Wei, B.C. (1986) Bias in nonlinear regression. *73*, 615-623
 ----, Weisberg, S. (1983) Diagnostics for heteroscedasticity in regression. *70*, 1-10
 Thomas, W., ---- (1989) Assessing influence on regression coefficients in generalized linear models. *76*, 741-749
- Cooke, P.**
 ---- (1979) Statistical inference for bounds of random variables. *66*, 367-374
 ---- (1980) Optimal linear estimation of bounds of random variables. *67*, 257-258
- Cooper, D.M.**
 ----, Thompson, R. (1977) A note on the estimation of the parameters of the autoregressive-moving average process. *64*, 625-628
 ----, Wood, E.F. (1981) Estimation of the parameters of the Markovian representation of the autoregressive-moving average model. *68*, 320-322
- Copas, J.B.**
 ---- (1972) Empirical Bayes methods and the repeated use of a standard. *59*, 349-360
 ---- (1973) Randomization models for the matched and unmatched 2x2 tables. *60*, 467-476
 ---- (1975) On the unimodality of the likelihood for the Cauchy distribution. *62*, 701-704
 ----, Dickey, J.M. (1978) A remark on likelihood, Bayes and affinity for a preconceived value. *65*, 648-649
- Cordeiro, G.M.**
 ---- (1987) On the corrections to the likelihood ratio statistic. *74*, 265-274
 ----, Ferrari, S.L.deP. (1991) A modified score test statistic having chi-squared distribution to order n^{-1} . *78*, 573-582
 ----, Paula, G.A. (1989) Improved likelihood ratio statistics for exponential family nonlinear models. *76*, 93-100 (correction *78*, 935)
- Cormack, R.M.**
 ---- (1977) The invariance of Cox and Lewis's statistic for the analysis of spatial patterns. *64*, 143-144
 ----, Jupp, P.E. (1991) Inference for Poisson and multinomial models for capture-recapture experiments. *78*, 911-916
- Dolby, G.R., ----, Sinclair, D.F. (1987) On fitting bivariate functional relationships to unpaired and unequally replicated data. *74*, 393-399
- Sandland, R.L., ---- (1984) Statistical inference for Poisson and multinomial models for capture-recapture experiments. *71*, 27-33
- Cornell, J.A.**
 ---- (1972) A note on the equality of least squares estimates using second-order equiradial rotatable designs. *59*, 686-687
- Corsten, L.C.A.**
 Baksalary, J.K., ----, Kala, R. (1978) Reconciliation of two different views on estimation of growth curve parameters. *65*, 662-665
- Costello, P.**
 ----, Wolfe, D.A. (1980) Partially sequential treatments versus control multiple comparisons. *67*, 403-412
- Cotter, S.C.**
 ---- (1979) A screening design for factorial experiments with interactions. *66*, 317-320
- Covey-Crump, P.A.K.**
 ----, Silvey, S.D. (1970) Optimal regression designs with previous observations. *57*, 551-566
- Cox, D.R.**
 ---- (1970) The continuity correction. *57*, 217-219
 ---- (1970) Review of Patil, G.P. and Joshi, S.W., *A Dictionary and Bibliography of Discrete Distributions*. *57*, 465-465
 ---- (1970) Review of Johnson, N.L. and Kotz, S., *Discrete Distributions*. *57*, 465-466
 ---- (1971) A note on polynomial response functions for mixtures. *58*, 155-159
 ---- (1972) Review of Godambe, V.P. and Sprott, D.A., *Foundations of Statistical Inference*. *59*, 235-235
 ---- (1972) Review of Zacks, S., *The theory of statistical inference*. *59*, 237-237
 ---- (1975) Partial likelihood. *62*, 269-276
 ---- (1975) A note on data-splitting for the evaluation of significance levels. *62*, 441-444
 ---- (1975) A note on partially Bayes inference and the linear model. *62*, 651-654
 ---- (1975) A note on empirical Bayes inference in a finite Poisson process. *62*, 709-711
 ---- (1979) A note on the graphical analysis of survival data. *66*, 188-190
 ---- (1980) Local ancillarity. *67*, 279-286
 ---- (1982) On the role of data of possibly lowered sensitivity. *69*, 215-219
 ---- (1983) Some remarks on overdispersion. *70*, 269-274
 ---- (1984) Effective degrees of freedom and the likelihood ratio test. *71*, 487-493
 ---- (1988) A note on design when response has an exponential family distribution. *75*, 161-164
 ---- (1990) Discussion of Begg, C.B., On inferences from Wei's biased coin design for clinical trials, *77*, 467-473. *77*, 483-484
 Atkinson, A.C., ---- (1977) Robust regression via discriminant analysis. *64*, 15-19
 ----, Small, N.J.H. (1978) Testing multivariate normality. *65*, 263-272
 ----, Snell, E.J. (1971) On test statistics calculated from residuals. *58*, 589-594
 ----, Snell, E.J. (1979) On sampling and the estimation of rare errors (correction *69*, 491). *66*, 125-132
 ----, Solomon, P.J. (1986) Analysis of variability with large numbers of small samples. *73*, 543-554
 ----, Solomon, P.J. (1988) On testing for serial correlation in large numbers of small samples. *75*, 145-148
 ----, Wermuth, N. (1990) An approximation to maximum likelihood estimates in reduced models. *77*, 747-761
 Cruddas, A.M., Reid, N., ---- (1989) A time series illustration of approximate conditional likelihood. *76*, 231-237
 Herzberg, A.M., ---- (1972) Some optimal designs for interpolation and extrapolation. *59*, 551-561

- Cox, M.A.A.**
 ---, Plackett, R.L. (1980) Small samples in contingency tables. 67, 1-13
- Cox, N.R.**
 --- (1976) A note on the determination of the nature of turning points of likelihoods. 63, 199-201
 --- (1976) The linear structural relation for several groups of data (comment 64, 427). 63, 231-237
- Cox, T.F.**
 --- (1976) The robust estimation of the density of a forest stand using a new conditioned distance method. 63, 493-499
 ---, Ferry, G. (1991) Robust logistic discrimination. 78, 841-849
 ---, Lewis, T. (1976) A conditioned distance ratio method for analyzing spatial patterns. 63, 483-491
- Cramér, H.**
 --- (1972) Studies in the History of Probability and Statistics. XXVIII: On the history of certain expansions used in mathematical statistics. 59, 205-207
- Crépeau, H.**
 Reid, N., --- (1985) Influence functions for proportional hazards regression. 72, 1-9
- Cressie, N.**
 --- (1976) On the logarithms of high-order spacings. 63, 343-355
 --- (1978) Power results for tests based on high-order gaps. 65, 214-218
 --- (1979) An optimal statistic based on higher order gaps. 66, 619-627
 ---, Seheult, A. (1985) Empirical Bayes estimation in sampling inspection. 72, 451-458
- Critchley, F.**
 --- (1985) Influence in principal components analysis. 72, 627-636
 ---, Ford, I. (1984) On the covariance of two noncentral F random variables and the variance of the estimated linear discriminant function. 71, 637-638
 ---, Ford, I. (1985) Interval estimation in discrimination: the multivariate normal equal covariance case. 72, 109-116
 ---, Ford, I., Rijal, O. (1988) Interval estimation based on the profile likelihood: strong Lagrangian theory with applications to discrimination. 75, 21-28
 ---, Vitellio, C. (1991) The influence of observations on misclassification probability estimates in linear discriminant analysis. 78, 677-690
 Hirst, D.J., Ford, I., --- (1990) An empirical investigation of methods for interval estimation of the log odds ratio in discriminant analysis. 77, 609-615
- Crowder, M.**
 --- (1987) On linear and quadratic estimating functions. 74, 591-597
 --- (1990) On some nonregular tests for a modified Weibull model. 77, 499-506
 ---, Sweeting, T.J. (1989) Bayesian inference for a bivariate binomial distribution. 76, 599-603
- Crowley, J.**
 --- (1974) A note on some recent likelihoods leading to the log rank test. 61, 533-538
 Hsieh, F.Y., ---, Tormey, D.C. (1983) Some test statistics for use in multistate survival analysis. 70, 111-119
- Cruddas, A.M.**
 ---, Reid, N., Cox, D.R. (1989) A time series illustration of approximate conditional likelihood. 76, 231-237
- Crump, K.S.**
 ---, Hoel, D.G. (1974) Mathematical models for estimating mutation rates in cell populations. 61, 237-252
 ---, Howe, R.B. (1972) Nonparametric estimation of the age of a Galton-Watson branching process. 59, 533-538
- Cryer, J.D.**
 ---, Ledolter, J. (1981) Small-sample properties of the maximum likelihood estimator in the first-order moving average model. 68, 691-694
- Csörgő, S.**
 ---, Heathcote, C.R. (1987) Testing for symmetry. 74, 177-184
 ---, Horváth, L. (1981) On the Koziol-Green model for random censorship. 68, 391-401
- Curnow, R.N.**
 --- (1988) The use of correlated information on treatment effects when selecting the best treatment. 75, 287-293
 Fu, Y.-X., --- (1990) Locating a changed segment in a sequence of Bernoulli variables (correction 78, 233). 77, 295-304
 Fu, Y.-X., --- (1990) Maximum likelihood estimation of multiple change points. 77, 563-573
- Cuzick, J.**
 --- (1982) Rank tests for association with right censored data. 69, 351-364
 ---, Lindgren, G. (1980) Frequency estimation from crossings of an unknown level. 67, 65-72
- Cwik, J.**
 ---, Golembiewska, M., Kowalczyk, T., Pleszczynska, E. (1982) Conceptual and statistical problems of sister dependence. 69, 513-520
- Dabrowska, D.M.**
 ---, Doksum, K.A. (1987) Estimates and confidence intervals for median and mean life in the proportional hazard model. 74, 799-807
 ---, Doksum, K.A., Song, J.-K. (1989) Graphical comparison of cumulative hazards for two populations. 76, 763-773
- D'Agostino, R.B.**
 --- (1970) Transformation to normality of the null distribution of g_1 . 57, 679-681
 --- (1971) An omnibus test of normality for moderate and large size samples. 58, 341-348
 --- (1972) Small sample probability points for the D test of normality. 59, 219-221
 ---, Pearson, E.S. (1973) Tests for departure from normality: empirical results for the distributions of b_2 and $\sqrt{b_1}$ (correction 61, 647). 60, 613-622
 ---, Rosman, B. (1974) The power of Geary's test of normality. 61, 181-184
 ---, Tietjen, G.L. (1971) Simulation probability points of b_2 for small samples. 58, 669-672
 ---, Tietjen, G.L. (1973) Approaches to the null distribution of $\sqrt{b_1}$. 60, 169-173
 Pearson, E.S., ---, Bowman, K.O. (1977) Tests for departure from normality: comparison of powers. 64, 231-246
- Dahiya, R.C.**
 --- (1971) On the Pearson chi-squared goodness-of-fit statistic. 58, 685-686
 ---, Gurland, J. (1972) Pearson chi-squared test of fit with random intervals. 59, 147-153
- Dahlberg, S.**
 Farewell, V.T., --- (1983) On the comparison of procedures for testing the equality of survival curves. 70, 707-709
- Dahlhaus, R.**
 ---, Künsch, H.R. (1987) Edge effects and efficient parameter estimation for stationary random fields. 74, 877-882
- Dalal, S.R.**
 --- (1978) Simultaneous confidence procedures for univariate and multivariate Behrens-Fisher type problems. 65, 221-225
 ---, Mudholkar, G.S. (1988) A conservative test and confidence region for comparing heteroscedastic regressions. 75, 149-152
 Gelfand, A.E., --- (1990) A note on overdispersed exponential families. 77, 55-64
- Dale, J.R.**
 --- (1984) Local versus global association for bivariate ordered responses. 71, 507-514
- Daniels, H.E.**
 --- (1972) An exact relation in the theory of carrier-borne epidemics. 59, 211-213
 --- (1980) Exact saddlepoint approximations. 67, 59-63
 --- (1983) Saddlepoint approximations for estimating equations. 70, 89-96
 ---, Young, G.A. (1991) Saddlepoint approximation for the studentized mean, with an application to the bootstrap. 78, 169-179
 Young, G.A., --- (1990) Bootstrap bias. 77, 179-185

- Darby, S.C.**
 ---- (1980) A Bayesian approach to parallel line bioassay. **67**, 607-612
- Darroch, J.N.**
 ---- (1971) A definition of independence for bounded-sum, nonnegative, integer-valued variables. **58**, 357-368
 ---- (1974) Multiplicative and additive interaction in contingency tables. **61**, 207-214
 ----, McCloud, P.I. (1990) Separating two sources of dependence in repeated influenza outbreaks. **77**, 237-243
 ----, Mosimann, J.E. (1985) Canonical and principal components of shape. **72**, 241-252
 ----, Ratcliff, D. (1973) Tests of F -independence with reference to quasi-independence and Waite's fingerprint data. **60**, 395-401
 ----, Waller, J. (1985) Additivity and interaction in three-component experiments with mixtures. **72**, 153-163
- Das, A.**
 ----, Kageyama, S. (1991) A class of E -optimal proper efficiency-balanced designs. **78**, 693-696
- Dasu, T.**
 Oakes, D., ---- (1990) A note on residual life. **77**, 409-410
- Daudin, J.J.**
 ---- (1980) Partial association measures and an application to qualitative regression. **67**, 581-590
- Davenport, J.M.**
 ---- (1975) Two methods of estimating the degrees of freedom of an approximate F (correction **63**, 685). **62**, 682-684
- David, H.A.**
 ---- (1987) Ranking from unbalanced paired-comparison data. **74**, 432-436
 ----, Ghosh, J.K. (1985) The effect of an outlier on L -estimators in symmetric distributions. **72**, 216-218
 ----, Groeneveld, R.A. (1982) Measures of local variation in a distribution: expected length of spacings and variances of order statistics. **69**, 227-232
 ----, Lachenbruch, P.A., Brandis, H.P. (1972) The power function of range and studentized range tests in normal samples. **59**, 161-168
 ----, Rogers, M.P. (1983) Order statistics in overlapping samples, moving order statistics and U -statistics. **70**, 245-249
- Davidian, M.**
 ---- (1990) Estimation of variance functions in assays with possibly unequal replication and nonnormal data. **77**, 43-54
 ----, Carroll, R.J., Smith, W. (1988) Variance functions and the minimum detectable concentration in assays. **75**, 549-556
- Davidson, M.L.**
 Mudholkar, G.S., ----, Subbaiah, P. (1974) Extended linear hypotheses and simultaneous tests in multivariate analysis of variance. **61**, 467-477
- Davidson, R.R.**
 ----, Bradley, R.A. (1971) A regression relationship for multivariate paired comparisons. **58**, 555-560
 ----, Solomon, D.L. (1973) A Bayesian approach to paired comparison experimentation. **60**, 477-487
- Davies, N.**
 ----, Newbold, P. (1979) Some power studies of a portmanteau test of time series model specification. **66**, 153-155
 ----, Pate, M.B., Frost, M.G. (1974) Maximum autocorrelations for moving average processes (comment **61**, 647). **61**, 199-200
 ----, Triggs, C.M., Newbold, P. (1977) Significance levels of the Box-Pierce portmanteau statistic in finite samples. **64**, 517-522
 Petrucci, J.D., ---- (1986) A portmanteau test for self-exciting threshold autoregressive-type nonlinearity in time series. **73**, 687-694
- Davies, P.**
 ----, Phillips, A.J. (1988) Nonparametric tests of population differences and estimation of the probability of misidentification with unidentified paired data. **75**, 753-760
- Davies, R.B.**
 ---- (1973) Numerical inversion of a characteristic function. **60**, 415-417
- (1977) Hypothesis testing when a nuisance parameter is present only under the alternative. **64**, 247-254
 ---- (1987) Hypothesis testing when a nuisance parameter is present only under the alternative. **74**, 33-43
 ----, Harte, D.S. (1987) Tests for Hurst effect. **74**, 95-101
 ----, Hutton, B. (1975) The effect of errors in the independent variables in linear regression (correction **64**, 655). **62**, 383-391
- Davis, A.W.**
 ---- (1970) Exact distributions of Hotelling's generalized T^2_0 (correction **59**, 498). **57**, 187-191
 ---- (1970) Percentile approximations for ordered F ratios. **57**, 457-459
 ---- (1971) Percentile approximations for a class of likelihood ratio criteria. **58**, 349-356
 ---- (1976) Statistical distributions in univariate and multivariate Edgeworth populations. **63**, 661-670
 ---- (1979) On the differential equation for Meijer's $G^{p,0}_{p,p}$ function, and further tables of Wilks's likelihood ratio criterion. **66**, 519-531
 ---- (1980) On the effects of moderate multivariate nonnormality on Wilks's likelihood ratio criterion. **67**, 419-427
 ---- (1987) Moments of linear discriminant functions and an asymptotic confidence interval for the log odds ratio. **74**, 829-840
- Davis, C.E.**
 Harrell, F.E., ---- (1982) A new distribution-free quantile estimator. **69**, 635-640
- Davis, H.T.**
 ----, Feldstein, M.L. (1979) The generalized Pareto law as a model for progressively censored survival data. **66**, 299-306
- Davis, L.J.**
 ---- (1985) Modification of the empirical logit to reduce bias in simple linear logistic regression. **72**, 199-202
 ---- (1985) Weighted averages of the observed odds ratio when the number of tables is large. **72**, 203-205
- Davis, R.L.**
 ----, Arnold, J.C. (1970) An efficient preliminary test estimator for the variance of a normal population when the mean is unknown. **57**, 674-677
- Davison, A.C.**
 ---- (1986) Approximate predictive likelihood (amendment **77**, 667). **73**, 323-332
 ----, Gigli, A. (1989) Deviance residuals and normal scores plots. **76**, 211-221
 ----, Hinkley, D.V. (1988) Saddlepoint approximations in resampling methods. **75**, 417-431
 ----, Hinkley, D.V., Schechtman, E. (1986) Efficient bootstrap simulation. **73**, 555-566
- Daw, R.H.**
 ----, Pearson, E.S. (1972) Studies in the History of Probability and Statistics. XXX: Abraham de Moivre's 1733 derivation of the normal curve - a bibliographical note. **59**, 677-680
- Dawid, A.P.**
 ---- (1973) Posterior expectations for large observations. **60**, 664-667
 ---- (1977) Invariant distributions and analysis of variance models. **64**, 291-297
 ---- (1981) Some matrix-variate distribution theory: notational considerations and a Bayesian application. **68**, 265-274
 ----, Stone, M. (1972) Expectation consistency of inverse probability distributions. **59**, 486-489
 Stone, M., ---- (1972) Un-Bayesian implications of improper Bayes inference in routine statistical problems. **59**, 369-375
- Dean, A.M.**
 Lewis, S.M., ---- (1991) On general balance in row-column designs. **78**, 595-600
- Deaton, L.W.**
 ---- (1980) An empirical Bayes approach to polynomial regression under order restrictions. **67**, 111-117
- deCanl, J.S.**
 ---- (1971) On the number of replications of a paired comparison. **58**, 169-175

- deCanl, J.S.**
 --- (1972) A branch and bound algorithm for maximum likelihood paired comparison ranking. **59**, 131-135
- Deely, J.J.**
 Jackson, D.A., O'Donovan, T.M., Zimmer, W.J., --- (1970) G₂-minimax estimators in the exponential family. **57**, 439-443
- De Gooijer, J.G.**
 ---, Anderson, O.D. (1985) Moments of the sampled space-time autocovariance and autocorrelation function (correction **74**, 667). **72**, 689-693
 Godolphin, E.J., --- (1982) On the maximum likelihood estimation of the parameters of a Gaussian moving average process. **69**, 443-451
- deGraft-Johnson, K.T.**
 ---, Sedransk, J. (1973) Estimation of domain means using two-phase sampling. **60**, 387-393
- De Gruttola, V.**
 Lagakos, S.W., Barraj, L.M., --- (1988) Nonparametric analysis of truncated survival data with application to AIDS. **75**, 515-523
- De Jong, P.**
 --- (1976) The recursive fit of autoregressions. **63**, 525-530
 --- (1988) The likelihood for a state space model. **75**, 165-169
 --- (1988) A cross-validation filter for time series models. **75**, 594-600
 ---, Mackinnon, M.J. (1988) Covariances for smoothed estimates in state space models. **75**, 601-602
- Delcoigne, A.**
 ---, Hansen, P. (1975) Sequence comparison by dynamic programming. **62**, 661-664
- De Leeuw, J.**
 ---, Van der Heijden, P.G.M. (1991) Reduced rank models for contingency tables. **78**, 229-232
- De Leon, A.C.P.**
 ---, Atkinson, A.C. (1991) Optimum experimental design for discriminating between two rival models in the presence of prior information. **78**, 601-608
- De Maré, J.**
 Frisén, M., --- (1991) Optimal surveillance. **78**, 271-280
- De Mets, D.L.**
 ---, Ware, J. (1980) Group sequential methods for clinical trials with a one-sided hypothesis. **67**, 651-660
 ---, Ware, J.H. (1982) Asymmetric group sequential boundaries for monitoring clinical trials. **69**, 661-663
 Kim, K., --- (1987) Design and analysis of group sequential tests based on the type I error spending rate function. **74**, 149-154
 Lan, K.K.G., --- (1983) Discrete sequential boundaries for clinical trials. **70**, 659-663
- Deng, L.-Y.**
 ---, Chhikara, R.S. (1991) On asymptotically design-unbiased estimators of a finite population mean. **78**, 189-195
- Dent, W.T.**
 ---, Cassing, S. (1978) On modified maximum likelihood estimators of the autocorrelation coefficient in linear models. **65**, 211-213
- Denton, G.M.**
 --- (1972) On Downton's carrier-borne epidemic. **59**, 455-461
- DeRouen, T.A.**
 ---, Sarma, Y.R. (1975) G₁-minimax procedures for the case of prior distributions in discriminant analysis. **62**, 403-406
- Deshpande, J.V.**
 --- (1983) A class of tests for exponentiality against increasing failure rate average alternatives. **70**, 514-518
 Bagai, I., ---, Kochar, S.C. (1989) Distribution-free tests for stochastic ordering in the competing risks model. **76**, 775-781
- Deshpande, M.N.**
 ---, Prabhu-Ajgaonkar, S.G. (1977) On multitrial sampling methods. **64**, 422-424
- D'Este, G.M.**
 --- (1981) A Morgenstern-type bivariate gamma distribution. **68**, 339-340
- Desu, M.M.**
 ---, Gehan, E.A., Severo, N.C. (1974) A two-stage estimation procedure when there may be spurious observations. **61**, 593-599
 Lee, E.T., ---, Gehan, E.A. (1975) A Monte Carlo study of the power of some two-sample tests. **62**, 425-432
- Devlin, S.J.**
 ---, Gnanadesikan, R., Kettenring, J.R. (1975) Robust estimation and outlier detection with correlation coefficients. **62**, 531-545
- Devore, J.L.**
 --- (1973) The naive rule for reconstructing a noisy Markov chain. **60**, 227-233
- Dewanji, A.**
 ---, Kalbfleisch, J.D. (1987) Estimation of sojourn time distributions for cyclic semi-Markov processes in equilibrium. **74**, 281-288
- Dey, A.**
 --- (1977) Construction of regular group divisible designs. **64**, 647-649
 Singh, M., --- (1979) Block designs with nested rows and columns. **66**, 321-326
- Dharmadhikari, S.R.**
 Adke, S.R., --- (1980) The maximum likelihood estimation of coefficient of diffusion in a birth and diffusion process. **67**, 571-576
- Dicaire, G.**
 Maag, U.R., --- (1971) On Kolmogorov-Smirnov type one-sample statistics. **58**, 653-656
- DiCiccio, T.J.**
 --- (1984) On parameter transformations and interval estimation. **71**, 477-485
 --- (1988) Likelihood inference for linear regression models. **75**, 29-34
 ---, Field, C.A. (1991) An accurate method for approximate conditional and Bayesian inference about linear regression models from censored data. **78**, 903-910
 ---, Field, C.A., Fraser, D.A.S. (1990) Approximations of marginal tail probabilities and inference for scalar parameters. **77**, 77-95
 ---, Hall, P., Romano, J.P. (1989) Comparison of parametric and empirical likelihood functions. **76**, 465-476
 ---, Martin, M.A. (1991) Approximations of marginal tail probabilities for a class of smooth functions with applications to Bayesian and conditional inference. **78**, 891-902
 ---, Romano, J.P. (1989) On adjustments based on the signed root of the empirical likelihood ratio statistic. **76**, 447-456
- Dickey, D.A.**
 Said, S.E., --- (1984) Testing for unit roots in autoregressive-moving average models of unknown order. **71**, 599-607
- Dickey, J.**
 Günel, E., --- (1974) Bayes factors for independence in contingency tables. **61**, 545-557
- Dickey, J.M.**
 Copas, J.B., --- (1978) A remark on likelihood, Bayes and affinity for a preconceived value. **65**, 648-649
- Dietrich, C.R.**
 --- (1991) Modality of the restricted likelihood for spatial Gaussian random fields. **78**, 833-839
- Diggle, P.J.**
 --- (1975) Robust density estimation using distance methods. **62**, 39-48
 --- (1977) A note on robust density estimation for spatial point patterns. **64**, 91-95
 ---, Gates, D.J., Stibbard, A. (1987) A nonparametric estimator for pairwise-interaction point processes. **74**, 763-770
- Dinse, G.E.**
 ---, Larson, M.G. (1986) A note on semi-Markov models for partially censored data. **73**, 379-386
- Dixon, W.J.**
 Yuen, K.K., --- (1973) The approximate behaviour and performance of the two-sample trimmed *t*. **60**, 369-374

- Do, K.-A.**
 —, Hall, P. (1991) On importance resampling for the bootstrap. *78*, 161-167
- Dobson, A.J.**
 Beath, K.J., — (1991) Regression to the mean for nonnormal populations. *78*, 431-435
- Doksum, D.A.**
 —, Fenstad, G., Aaberge, R. (1977) Plots and tests for symmetry. *64*, 473-487
 —, Sievers, G.L. (1976) Plotting with confidence: graphical comparisons of two populations. *63*, 421-434
- Doksum, K.A.**
 Dabrowska, D.M., — (1987) Estimates and confidence intervals for median and mean life in the proportional hazard model. *74*, 799-807
 Dabrowska, D.M., —, Song, J.-K. (1989) Graphical comparison of cumulative hazards for two populations. *76*, 763-773
- Dolby, G.R.**
 — (1976) The ultrastructural relation: a synthesis of the functional and structural relations (comment *64*, 427). *63*, 39-50
 —, Cormack, R.M., Sinclair, D.F. (1987) On fitting bivariate functional relationships to unpaired and unequally replicated data. *74*, 393-399
 —, Lipton, S. (1972) Maximum likelihood estimation of the general nonlinear functional relationship with replicated observations and correlated errors. *59*, 121-129
- Domb, C.**
 — (1972) A note on the series expansion method for clustering problems. *59*, 209-211
- Donegani, M.**
 — (1991) An adaptive and powerful randomization test. *78*, 930-933
- Donev, A.N.**
 Atkinson, A.C., — (1989) The construction of exact *D*-optimal experimental designs with application to blocking response surface designs. *76*, 515-526
- Donner, A.**
 — (1987) Odds ratio inference with dependent data: a relationship between two procedures. *74*, 220-220
 —, Koval, J.J. (1980) The large sample variance of an interclass correlation. *67*, 719-722
- Downham, D.Y.**
 Bhansali, R.J., — (1977) Some properties of the order of an autoregressive model selected by a generalization of Akaike's EPF criterion. *64*, 547-551
 —, Green, D.H. (1976) Inference for a two-dimensional stochastic growth model. *63*, 551-554
- Downing, D.J.**
 Shuster, J.J., — (1976) Two-way contingency tables for complex sampling schemes. *63*, 271-276
- Downs, T.D.**
 — (1972) Orientation statistics. *59*, 665-676
- Downton, F.**
 — (1976) Nonparametric tests for block experiments. *63*, 137-141
- Draper, N.R.**
 Box, G.E.P., — (1975) Robust designs. *62*, 347-352
 —, Faraggi, D. (1985) Role of the Papadakis estimator in one- and two-dimensional field trials. *72*, 223-226
 —, Guttman, I., Kanemasu, H. (1971) The distribution of certain regression statistics. *58*, 295-298
 —, Tierney, D.E. (1972) Regions of positive and unimodal series expansion of the Edgeworth and Gram-Charlier approximations. *59*, 463-465
- Driessen, S.G.A.J.**
 — (1988) The probability of correct selection. *75*, 618-619
- Dryden, I.L.**
 Mardia, K.V., — (1989) The statistical analysis of shape data. *76*, 271-281
- Duby, C.**
 —, Guyon, X., Prum, B. (1977) The precision of different experimental designs for a random field. *64*, 59-66
- Ducharme, G.R.**
 —, Jhun, M., Romano, J.P., Truong, K.N. (1985) Bootstrap confidence cones for directional data. *72*, 637-645
 —, Milasevic, P. (1987) Spatial median and directional data. *74*, 212-215
- Dudewicz, E.J.**
 Bishop, T.A., —, Juritz, J.M., Stephens, M.A. (1978) Percentage points of a quadratic form in Student *t* variates. *65*, 435-439
- Duffy, D.E.**
 — (1990) On continuity-corrected residuals in logistic regression. *77*, 287-293
 Santner, T.J., — (1986) A note on A. Albert and J.A. Anderson's conditions for the existence of maximum likelihood estimates in logistic regression models. *73*, 755-758
- Duncan, G.T.**
 —, Layard, M.W.J. (1973) A Monte-Carlo study of asymptotically robust tests for correlation coefficients. *60*, 551-558
- Dunsmore, I.R.**
 — (1976) Asymptotic prediction analysis. *63*, 627-630
 Amaral, M.A., — (1980) Optimal estimates of predictive distributions. *67*, 685-689
 Bancroft, G.A., — (1976) Predictive distributions in life tests under competing causes of failure. *63*, 195-198
 Bancroft, G.A., — (1978) Predictive sequential life testing. *65*, 609-613
 Bhattacharjee, S.K., — (1991) The influence of variables in a logistic model. *78*, 851-856
 Boys, R.J., — (1987) Diagnostic and sampling models in screening. *74*, 365-374
- Dunstan, R.**
 Chambers, R.L., — (1986) Estimating distribution functions from survey data. *73*, 597-604
- Dupac, V.**
 — (1980) Parameter estimation in the Poisson field of discs. *67*, 187-190
 —, Herkenrath, U. (1985) Stochastic approximation with delayed observations. *72*, 683-685
- Duran, B.S.**
 —, Tsai, W.S., Lewis, T.O. (1976) A class of location-scale nonparametric tests. *63*, 173-176
- Durbin, J.**
 — (1975) Kolmogorov-Smirnov tests when parameters are estimated with applications to tests of exponentiality and tests on spacings. *62*, 5-22
 — (1980) Approximations for densities of sufficient estimators. *67*, 311-333
 — (1980) The approximate distribution of partial serial correlation coefficients calculated from residuals from regression on Fourier series. *67*, 335-349
 —, Watson, G.S. (1971) Testing for serial correlation in least squares regression. III. *58*, 1-19
- Dutt, J.E.**
 — (1973) A representation of multivariate normal probability integrals by integral transforms. *60*, 637-645
 — (1975) On computing the probability integral of a general multivariate *t*. *62*, 201-205
- Dyer, A.R.**
 — (1974) Comparisons of tests for normality with a cautionary note. *61*, 185-189
- Dykstra, R.L.**
 —, Feltz, C.J. (1989) Nonparametric maximum likelihood estimation of survival functions with a general stochastic ordering and its dual. *76*, 331-341
- Eagleson, G.K.**
 Best, D.J., Cameron, M.A., — (1983) A test for comparing large sets of tau values. *70*, 447-453
 Buckley, M.J., — (1986) Assessing large sets of rank correlations. *73*, 151-157
 Buckley, M.J., — (1989) A graphical method for estimating the residual variance in nonparametric regression. *76*, 203-210

Eagleson, G.K.

Buckley, M.J., —, Silverman, B.W. (1988) The estimation of residual variance in nonparametric regression. 75, 189-199

Eaves, D.

— (1983) On Bayesian nonlinear regression with an enzyme example. 70, 373-379

—, Burr, A.H. (1978) The threshold hypothesis for flash perception. 65, 503-509

Ebrahimi, N.

—, Habibullah, M. (1990) Testing whether the survival distribution is new better than used of specified age. 77, 212-215

—, Soofi, E.S. (1990) Relative information loss under Type II censored exponential data. 77, 429-435

Eccleston, J.A.

—, Russell, K.G. (1975) Connectedness and orthogonality in multi-factor designs. 62, 341-345

—, Russell, K.G. (1977) Adjusted orthogonality in nonorthogonal designs. 64, 339-345

John, J.A., — (1986) Row-column α -designs. 73, 301-306

Edelman, D.

— (1986) Bounds for a nonparametric t table. 73, 242-243

— (1989) A candidate for locally most powerful sequential t test. 76, 197-201

Edwards, A.W.F.

— (1973) The likelihood treatment of linear regression. 60, 73-77

Edwards, D.

Asmussen, S., — (1983) Collapsibility and response variables in contingency tables. 70, 567-578

—, Havranek, T. (1985) A fast procedure for model search in multidimensional contingency tables. 72, 339-351

—, Kreiner, S. (1983) The analysis of contingency tables by graphical models. 70, 553-565

Spurrer, J.D., — (1986) An asymptotically optimal subclass of balanced incomplete block designs for comparison with a control. 73, 191-199

Edwards, R.

Mardia, K.V., — (1982) Weighted distributions and rotating caps. 69, 323-330

Efron, B.

— (1971) Forcing a sequential experiment to be balanced. 58, 403-417

— (1981) Nonparametric estimates of standard error: the jackknife, the bootstrap and other methods. 68, 589-599

— (1985) Bootstrap confidence intervals for a class of parametric problems. 72, 45-58

—, Hinkley, D.V. (1978) Assessing the accuracy of the maximum likelihood estimator: observed versus expected Fisher information. 65, 457-487

—, Morris, C. (1972) Empirical Bayes on vector observations: an extension of Stein's method. 59, 335-347

—, Thisted, R. (1976) Estimating the number of unseen species: how many words did Shakespeare know?. 63, 435-447

Thisted, R., — (1987) Did Shakespeare write a newly-discovered poem?. 74, 445-455

Ejigou, A.

—, McHugh, R. (1981) Relative risk estimation under multiple matching. 68, 85-91

—, McHugh, R. (1984) Testing the homogeneity of the relative risk under multiple matching. 71, 408-411

Ekbohm, G.

— (1976) Comparing means in the paired case with missing data on one response. 63, 169-172

— (1976) On comparing means in the paired case with incomplete data on both responses. 63, 299-304

— (1982) On comparing variances in the paired case with incomplete data. 69, 670-673

Elashoff, R.M.

Sobel, M., — (1975) Group testing with a new goal, estimation. 62, 181-193

El-Atoum, S.A.M.

Mardia, K.V., — (1976) Bayesian inference for the von Mises-Fisher distribution. 63, 203-206

El-Helhawy, A.T.

Bradley, R.A., — (1976) Treatment contrasts in paired comparisons: basic procedures with application to factorials. 63, 255-262

Ellenberg, S.S.

Thall, P.F., Simon, R., — (1988) Two-stage selection and testing designs for comparative clinical trials. 75, 303-310

El-Sayyad, G.M.

—, Freeman, P.R. (1973) Bayesian sequential estimation of a Poisson process rate. 60, 289-296

—, Samiuddin, M., Al-Harbey, A.A. (1989) On parametric density estimation. 76, 343-348

Samiuddin, M., — (1990) On nonparametric kernel density estimates. 77, 865-874

Elston, R.C.

— (1975) On the correlation between correlations. 62, 133-140

Emerson, S.S.

—, Fleming, T.R. (1990) Parameter estimation following group sequential hypothesis testing. 77, 875-892

Engel, J.

Gasser, T., — (1990) The choice of weights in kernel regression estimation. 77, 377-381

Engen, S.

— (1974) On species frequency models. 61, 263-270

— (1975) A note on the geometric series as a species frequency model. 62, 697-699

Enis, P.

Bar-Lev, S., — (1988) On the classical choice of variance stabilising transformations and an application for a Poisson variate. 75, 803-804

Ensor, K.B.

—, Newton, H.J. (1988) The effect of order estimation on estimating the peak frequency of an autoregressive spectral density. 75, 587-589

Epps, T.W.

—, Pulley, L.B. (1983) A test for normality based on the empirical characteristic function. 70, 723-726

—, Singleton, K.J., Pulley, L.B. (1982) A test of separate families of distributions based on the empirical moment generating function. 69, 391-399

Epton, M.A.

Benedetti, J.K., Liu, P.-Y., Sather, H.N., Seinfeld, J., — (1982) Effective sample size for tests of censored survival data. 69, 343-349

Ergle, W.D.

—, Krutchkoff, R.G. (1972) A nonparametric empirical Bayes estimator. 59, 483-485

Eubank, R.L.

—, Speckman, P. (1990) Curve fitting by polynomial-trigonometric regression. 77, 1-9

Evans, D.A.

Brook, D., — (1972) An approach to the probability distribution of cusum run length. 59, 539-549

Evans, M.J.

—, Gilula, Z., Guttman, I. (1989) Latent class analysis of two-way contingency tables by Bayesian methods. 76, 557-563

Fairbanks, K.

—, Madsen, R. (1982) P values for tests using a repeated significance test design. 69, 69-74

Falk, R.W.

— (1989) Hommel's Bonferroni-type inequality for unequally spaced levels. 76, 189-191

Fallahi, H.

Pang, C.-F., Thompson, W.A.jr., — (1989) Maximum likelihood estimation of a convex arrival rate. 76, 626-628

Faraggi, D.

Draper, N.R., — (1985) Role of the Papadakis estimator in one- and two-dimensional field trials. 72, 223-226

Farebrother, R.W.

- (1990) Studies in the History of Probability and Statistics. XLII: further details of contacts between Boscovitch and Simpson in June 1760. **77**, 397-400

Farewell, V.T.

- (1977) A model for a binary variable with time-censored observations. **64**, 43-46
- (1978) Jackknife estimation with structured data. **65**, 444-447
- (1979) Some results on the estimation of logistic models based on retrospective data. **66**, 27-32
- (1982) A note on regression analysis of ordinal data with variability of classification. **69**, 533-538
- , Dahlberg, S. (1983) On the comparison of procedures for testing the equality of survival curves. **70**, 707-709
- , Prentice, R.L. (1980) The approximation of partial likelihood with emphasis on case-control studies. **67**, 273-278
- , Sprott, D.A. (1990) Discussion of Begg, C.B., On inferences from Wei's biased coin design for clinical trials, **77**, 467-473. **77**, 479-480
- Matthews, D.E., ---- (1985) On a singularity in the likelihood for a change-point hazard rate model. **72**, 703-704
- Struthers, C.A., ---- (1989) A mixture model for time to AIDS data with left truncation and an uncertain origin. **76**, 814-817

Fearn, T.

- (1975) A Bayesian approach to growth curves. **62**, 89-100
- (1977) A two-stage model for growth curves which leads to Rao's covariance adjusted estimators. **64**, 141-143

Federer, W.T.

- , Raghavarao, D. (1987) Response models and minimal designs for mixtures of n of m items useful for intercropping and other investigations. **74**, 571-577
- Hedayet, A., Parker, E.T., ---- (1970) The existence and construction of two families of designs for two successive experiments. **57**, 351-355
- Shafiq, M., ---- (1979) Generalized N -ary balanced block designs. **66**, 115-123

Fedorov, V.V.

- (1974) Regression problems with controllable variables subject to error. **61**, 49-56
- Atkinson, A.C., ---- (1975) The design of experiments for discriminating between two rival models. **62**, 57-70
- Atkinson, A.C., ---- (1975) Optimal design: experiments for discriminating between several models. **62**, 289-303
- , Khabarov, V. (1986) Duality of optimal designs for model discrimination and parameter estimation. **73**, 183-190

Feigin, P.D.

- , Reiser, B. (1979) On asymptotic ancillarity and inference for Yule and regular nonergodic processes. **66**, 279-283

Feldstein, M.L.

- Davis, H.T., ---- (1979) The generalized Pareto law as a model for progressively censored survival data. **66**, 299-306

Fellner, W.H.

- (1974) Heuristic estimation of probability densities. **61**, 485-492

Felton, R.

- Seber, G.A.F., ---- (1981) Tag loss and the Petersen mark-recapture experiment. **68**, 211-219

Feltz, C.J.

- Dykstra, R.L., ---- (1989) Nonparametric maximum likelihood estimation of survival functions with a general stochastic ordering and its dual. **76**, 331-341

Fenstad, G.

- Doksum, D.A., ----, Aaberge, R. (1977) Plots and tests for symmetry. **64**, 473-487

Fenstad, G.U.

- (1983) A comparison between the U and V tests in the Behrens-Fisher problem. **70**, 300-302

Fernandes, J.M.

- Quinn, B.G., ---- (1991) A fast efficient technique for the estimation of frequency. **78**, 489-497

Ferrari, S.L.deP.

- Cordeiro, G.M., ---- (1991) A modified score test statistic having chi-squared distribution to order n^{-1} . **78**, 573-582

Ferreira, P.E.

- (1981) Extending Fisher's measure of information. **68**, 695-698
- (1982) Estimating equations in the presence of prior knowledge. **69**, 667-669
- , Minder, C.E. (1981) On a concept of ancillarity. **68**, 344-344

Ferry, G.

- Cox, T.F., ---- (1991) Robust logistic discrimination. **78**, 841-849

Feuerverger, A.

- (1979) On some methods of analysis for weather experiments. **66**, 655-658
- (1989) On the empirical saddlepoint approximation. **76**, 457-464

Field, C.A.

- DiCiccio, T.J., ---- (1991) An accurate method for approximate conditional and Bayesian inference about linear regression models from censored data. **78**, 903-910
- DiCiccio, T.J., ----, Fraser, D.A.S. (1990) Approximations of marginal tail probabilities and inference for scalar parameters. **77**, 77-95
- , Hampel, F.R. (1982) Small-sample asymptotic distributions of M -estimators of location. **69**, 29-46

Fienberg, S.E.

- (1972) The multiple recapture census for closed populations and incomplete 2^k contingency tables. **59**, 591-603
- , Larntz, K. (1976) Log linear representation for paired and multiple comparisons models. **63**, 245-254

Finch, P.D.

- (1979) Description and analogy in the practice of statistics (Reply to comments, **66**, 208). **66**, 195-208
- (1980) Least squares description of a record as signal plus noise. **67**, 539-550

Findley, D.F.

- (1986) The uniqueness of moving average representations with independent and identically distributed random variables for non-Gaussian stationary time series (amendment **77**, 235). **73**, 520-521

Finkelstein, J.M.

- , Schafer, R.E. (1971) Improved goodness-of-fit tests. **58**, 641-645
- Schafer, R.E., ----, Collins, J. (1972) On a goodness-of-fit test for the exponential distribution with mean unknown. **59**, 222-224

Finucan, H.M.

- , Galbraith, R.F., Stone, M. (1974) Moments without tears in simple random sampling from a finite population. **61**, 151-154

Firth, D.

- (1987) On the efficiency of quasi-likelihood estimation. **74**, 233-245
- (1989) Marginal homogeneity and the superposition of Latin squares. **76**, 179-182
- , Glosup, J., Hinkley, D.V. (1991) Model checking with nonparametric curves. **78**, 245-252
- , Harris, I.R. (1991) Quasi-likelihood for multiplicative random effects. **78**, 545-555

Fisher, L.

- , Van Ness, J.W. (1971) Admissible clustering procedures. **58**, 91-104

Fisher, N.I.

- , Lee, A.J. (1981) Nonparametric measures of angular-linear association. **68**, 629-636
- , Lee, A.J. (1982) Nonparametric measures of angular-angular association. **69**, 315-321
- , Lee, A.J. (1983) A correlation coefficient for circular data. **70**, 327-332
- , Lee, A.J. (1986) Correlation coefficients for random variables on a unit sphere or hypersphere. **73**, 159-164
- , Lewis, T. (1983) Estimating the common mean direction of several circular or spherical distributions with differing dispersions (correction **71**, 655). **70**, 333-341

- Fisher, N.I.**
 ----, Switzer, P. (1985) Chi-plots for assessing independence. 72, 253-265
- Flehinger, B.J.**
 ----, Louis, T.A. (1971) Sequential treatment allocation in clinical trials. 58, 419-426
- Fleming, T.R.**
 ---- (1990) Discussion of Begg, C.B., On inferences from Wei's biased coin design for clinical trials. 77, 467-473. 77, 477-478
 Emerson, S.S., ---- (1990) Parameter estimation following group sequential hypothesis testing. 77, 875-892
 Harrington, D.P., ---- (1982) A class of rank test procedures for censored survival data. 69, 553-566
 Therneau, T.M., Grambsch, P.M., ---- (1990) Martingale-based residuals for survival models. 77, 147-160
- Fletcher, D.J.**
 ---- (1987) A new class of change-over designs for factorial experiments. 74, 649-654
- Fligner, M.A.**
 ---- (1985) Pairwise versus joint ranking: another look at the Kruskal-Wallis statistic. 72, 705-709
 ----, Rust, S.W. (1982) A modification of Mood's median test for the generalized Behrens-Fisher problem. 69, 221-226
- Flueck, J.A.**
 ----, Korsh, J.F. (1974) A branch search algorithm for maximum likelihood paired comparison ranking. 61, 621-626
- Flury, B.A.**
 ---- (1990) Principal points. 77, 33-41
- Flury, B.K.**
 ---- (1987) Two generalizations of the common principal components model. 74, 59-69
- Fong, W.-K.**
 ---- (1990) A Bayesian approach to successive sampling with partial replacement of units on two occasions. 77, 383-388
- Ford, I.**
 Critchley, F., ---- (1984) On the covariance of two noncentral F random variables and the variance of the estimated linear discriminant function. 71, 637-638
 Critchley, F., ---- (1985) Interval estimation in discrimination: the multivariate normal equal covariance case. 72, 109-116
 Critchley, F., ----, Rijal, O. (1988) Interval estimation based on the profile likelihood: strong Lagrangian theory with applications to discrimination. 75, 21-28
 ----, Silvey, S.D. (1980) A sequentially constructed design for estimating a nonlinear parametric function. 67, 381-388
- Ford, I.**
 ----, Titterton, D.M., Wu, C.F.J. (1985) Inference and sequential design. 72, 545-551
 Hirst, D.J., ----, Critchley, F. (1990) An empirical investigation of methods for interval estimation of the log odds ratio in discriminant analysis. 77, 609-615
- Fornell, C.**
 Buzas, T.E., ----, Rhee, B.-D. (1989) Conditions under which canonical correlation and redundancy maximization produce identical results. 76, 618-621
- Forsythe, A.**
 ----, Hartigan, J.A. (1970) Efficiency of confidence intervals generated by repeated subsample calculations. 57, 629-639
- Foutz, R.V.**
 Zhang, N.F., ---- (1989) Estimating partial group delay. 76, 57-63
- Fowlkes, E.B.**
 ---- (1987) Some diagnostics for binary logistic regression via smoothing. 74, 503-515
- Frailman, R.**
 Boente, G., ---- (1988) On the asymptotic behaviour of general maximum likelihood estimates for the nonregular case under nonstandard conditions. 75, 45-56
- Franks, G.K.**
 Bohrer, R., ---- (1972) Sharp one-sided confidence bounds for linear regression over intervals. 59, 99-107
- Franco, M.A.P.**
 ---- (1984) A log logistic model for survival time with covariates. 71, 621-623
- Frangos, C.C.**
 ---- (1980) Variance estimation for the second-order jackknife. 67, 715-718
 ----, Stone, M. (1984) On jackknife, cross-validated and classical methods of estimating a proportion with batches of different sizes. 71, 361-366
 Knott, M., ---- (1983) Variance estimation for the jackknife using von Mises expansions. 70, 501-504
- Franke, J.**
 ---- (1985) A Levinson-Durbin recursion for autoregressive-moving average processes (correction 75, 395). 72, 573-581
- Franzini, L.**
 ----, Harvey, A.C. (1983) Testing for deterministic trend and seasonal components in time series models. 70, 673-682
- Fraser, D.A.S.**
 ---- (1990) Tail probabilities from observed likelihoods. 77, 65-76
 DiCiccio, T.J., Field, C.A., ---- (1990) Approximations of marginal tail probabilities and inference for scalar parameters. 77, 77-95
 ----, Guttman, I., Srivastava, M.S. (1991) Conditional inference for treatment and error in multivariate analysis. 78, 565-572
 ----, Lee, H.S., Reid, N. (1990) Nonnormal linear regression: an example of significance in high dimensions. 77, 333-341
 ----, Reid, N. (1988) On conditional inference for a real parameter: a differential approach on the sample space. 75, 251-264
 ----, Reid, N. (1989) Adjustments to profile likelihood. 76, 477-488
- Freedman, L.S.**
 ---- (1981) Watson's U_N^2 statistic for a discrete distribution. 68, 708-711
- Freeman, G.H.**
 ---- (1973) Experimental designs with unequal concurrences for estimating direct and remote effects of treatments. 60, 559-563
 ---- (1976) A cyclic method of constructing regular group divisible incomplete block designs. 63, 555-558
- Freeman, H.**
 ----, Kuzmack, A.M. (1972) Tables of multivariate t in six and more dimensions. 59, 217-219
- Freeman, P.R.**
 ---- (1970) Optimal Bayesian sequential estimation of the median effective dose. 57, 79-89
 ---- (1972) Sequential estimation of the size of a population. 59, 9-17
 ---- (1973) Sequential recapture. 60, 141-153
 ---- (1973) A numerical comparison between sequential tagging and sequential recapture. 60, 499-508
 El-Sayyad, G.M., ---- (1973) Bayesian sequential estimation of a Poisson process rate. 60, 289-296
- Friend, N.**
 Whittemore, A.S., ----, Brown, B.W., Jr., Holly, E.A. (1987) A test to detect clusters of disease (correction 75, 396). 74, 631-635
- Frisén, M.**
 ---- (1980) Consequences of the use of conditional inference in the analysis of a correlated contingency table. 67, 23-30
 ----, De Maré, J. (1991) Optimal surveillance. 78, 271-280
- Frost, M.G.**
 Davies, N., Pate, M.B., ---- (1974) Maximum autocorrelations for moving average processes (comment 61, 647). 61, 199-200
- Frydenberg, M.**
 ----, Jensen, J.L. (1989) Is the 'improved likelihood ratio statistic' really improved in the discrete case?. 76, 655-661
 ----, Lauritzen, S.L. (1989) Decomposition of maximum likelihood in mixed graphical interaction models. 76, 539-555
- Fryer, J.G.**
 ----, Holt, D. (1970) On the robustness of the standard estimates of the exponential mean to contamination. 57, 641-648
 ----, Robertson, C.A. (1972) A comparison of some methods for estimating mixed normal distributions. 59, 639-648
 Robertson, C.A., ---- (1970) The bias and accuracy of moment estimators. 57, 57-65

- Fu, Y.-X.**
 ----, Curnow, R.N. (1990) Locating a changed segment in a sequence of Bernoulli variables (correction 78, 233). 77, 295-304
 ----, Curnow, R.N. (1990) Maximum likelihood estimation of multiple change points. 77, 563-573
- Fujikoshi, Y.**
 ---- (1980) Asymptotic expansions for the distributions of the sample roots under nonnormality (correction 73, 245). 67, 45-51
 ----, Rao, C.R. (1991) Selection of covariables in the growth curve model. 78, 779-785
 ----, Veitch, L.G. (1979) Estimation of dimensionality in canonical correlation analysis. 66, 345-351
- Fujino, Y.**
 ---- (1979) Tests for the homogeneity of a set of variances against ordered alternatives. 66, 133-139
 ---- (1980) Approximate binomial confidence limits. 67, 677-681
- Fuller, W.A.**
 Wolter, K.M., ---- (1982) Estimation of the quadratic errors-in-variables model. 69, 175-182
- Fung, K.Y.**
 Lim, T.K., ---- (1980) Sequential trimmed t tests. 67, 181-186
- Fushimi, M.**
 ---- (1973) An improved version of a Sobel-Weiss Play-the-Winner procedure for selecting the better of two binomial populations. 60, 517-523
- Gabbert, J.T.**
 ----, Krutchkoff, R.G. (1970) Supplementary sample nonparametric empirical Bayes in a quality control situation. 57, 67-69
- Gabler, S.**
 ---- (1981) A comparison of Sampford's sampling procedure versus unequal probability sampling with replacement. 68, 725-727
 ---- (1984) On unequal probability sampling: sufficient conditions for the superiority of sampling without replacement. 71, 171-175
- Gabriel, K.R.**
 ---- (1971) The biplot graphic display of matrices with application to principal component analysis. 58, 453-467
- Gabriel, K.R.**
 Marcus, R., Peritz, E., ---- (1976) On closed testing procedures with special reference to ordered analysis of variance. 63, 655-660
- Gabrielsen, G.**
 ---- (1982) On the unimodality of the likelihood for the Cauchy distribution: some comments. 69, 677-678
- Gail, M.**
 ---- (1974) Value systems for comparing two independent multinomial trials. 61, 91-100
 ----, Ware, J. (1975) Value systems for comparing three or more multinomial trials. 62, 379-382
 ----, Ware, J. (1978) On the robustness to measurement error of tests for exponentiality. 65, 305-309
 Halperin, M., Ware, J.H., Byar, D.P., Mantel, N., Brown, C.C., Koziol, J., ----, Green, S.B. (1977) Testing for interaction in an $I \times J \times K$ contingency table. 64, 271-275
- Gail, M.H.**
 ----, Lubin, J.H., Rubinstein, L.V. (1981) Likelihood calculations for matched case-control studies and survival studies with tied death times. 68, 703-707
 ----, Tan, W.Y., Piantadosi, S. (1988) Tests for no treatment effect in randomized clinical trials. 75, 57-64
 ----, Wieand, S., Piantadosi, S. (1984) Biased estimates of treatment effect in randomized experiments with nonlinear regressions and omitted covariates. 71, 431-444
 Lininger, L., ----, Green, S.B., Byar, D.P. (1979) Comparison of four tests for equality of survival curves in the presence of stratification and censoring. 66, 419-428
 Wacholder, S., ----, Pee, D., Brookmeyer, R. (1989) Alternative variance and efficiency calculations for the case-cohort design. 76, 117-123
 Wieand, S., ----, James, B.R., James, K.I. (1989) A family of nonparametric statistics for comparing diagnostic markers with paired or unpaired data. 76, 585-592
- Galbraith, R.F.**
 Finucan, H.M., ----, Stone, M. (1974) Moments without tears in simple random sampling from a finite population. 61, 151-154
- Ganesalingam, S.**
 ----, McLachlan, G.J. (1978) The efficiency of a linear discriminant function based on unclassified initial samples. 65, 658-662
- Gangopadhyay, A.K.**
 Pawitan, Y., ---- (1991) Efficient bias corrected nonparametric spectral estimation. 78, 825-832
- Gardner, M.J.**
 ---- (1972) On using an estimated regression line in a second sample. 59, 263-274
- Gart, J.J.**
 ---- (1970) Point and interval estimation of the common odds ratio in the combination of 2×2 tables with fixed marginals. 57, 471-475
 ---- (1972) Interaction tests for $2 \times s \times t$ contingency tables (correction 60, 435). 59, 309-316
 ---- (1985) Testing for interaction in multiply matched case-control studies. 72, 468-470
 ---- (1985) Approximate tests and interval estimation of the common relative risk in the combination of 2×2 tables. 72, 673-677
 ---- (1987) The equivalence of two corrections to the approximate mean of an entry in a contingency table. 74, 661-663
 ----, Pettigrew, H.M. (1970) On the conditional moments of the k -statistics for the Poisson distribution. 57, 661-664
 ----, Pettigrew, H.M., Thomas, D.G. (1985) The effect of bias, variance estimation, skewness and kurtosis of the empirical logit on weighted least squares analysis. 72, 179-190
 Li, S.-H., Simon, R., ---- (1979) Small sample properties of the Mantel-Haenszel test (correction 70, 304). 66, 181-183
 Pettigrew, H.M., ----, Thomas, D.G. (1986) The bias and higher cumulants of the logarithm of a binomial variate. 73, 425-435
 Tarone, R.E., ----, Hauck, W.W. (1983) On the asymptotic inefficiency of certain noniterative estimators of a common relative risk or odds ratio. 70, 519-522
- Gaskins, R.A.**
 Good, I.J., ---- (1971) Nonparametric roughness penalties for probability densities. 58, 255-277
 Good, I.J., Lewis, B.C., ----, Howell, L.W. (1979) Population estimation by the removal method assuming proportional trapping. 66, 485-494
- Gasser, T.**
 ---- (1975) Goodness-of-fit tests for correlated data. 62, 563-570
 ----, Engel, J. (1990) The choice of weights in kernel regression estimation. 77, 377-381
 ----, Sroka, L., Jöreskog, K., ----, Jöreskog, K. (1986) Residual variance and residual pattern in nonlinear regression. 73, 625-633
 Tuan, P.D., Möcks, J., Köhler, W., ---- (1987) Variable latencies of noisy signals: estimation and testing in brain potential data. 74, 525-533
- Gastwirth, J.L.**
 Bhattacharya, P.K., ----, Wright, A.L. (1982) Two modified Wilcoxon tests for symmetry about an unknown location parameter. 69, 377-382
 ----, Owens, M.E.B. (1977) On classical tests of normality. 64, 135-139
- Gates, D.J.**
 Diggle, P.J., ----, Stibbard, A. (1987) A nonparametric estimator for pairwise-interaction point processes. 74, 763-770
 ----, Westcott, M. (1980) Further bounds for the distribution of minimum interpoint distance on a sphere. 67, 466-469
- Gates, J.**
 ---- (1986) Measures and tests of alignment. 73, 731-734
- Gay, R.**
 ----, Heyde, C.C. (1990) On a class of random field models which allows long range dependence. 77, 401-403
- Geary, D.N.**
 ---- (1988) Sequential testing in clinical trials with repeated measurements. 75, 311-318

- Geary, R.C.**
 ---- (1970) Relative efficiency of count of sign changes for assessing residual autoregression in least squares regression. 57, 123-127
- Gebhardt, F.**
 ---- (1970) An algorithm for monotone regression with one or more independent variables. 57, 263-271
- Gehan, E.A.**
 Desu, M.M., ----, Severo, N.C. (1974) A two-stage estimation procedure when there may be spurious observations. 61, 593-599
 Lee, E.T., Desu, M.M., ---- (1975) A Monte Carlo study of the power of some two-sample tests. 62, 425-432
- Gelsser, S.**
 ---- (1974) A predictive approach to the random effect model. 61, 101-107
 ---- (1981) Sample reuse procedures for prediction of the unobserved portion of a partially observed vector. 68, 243-250
- Gelfand, A.E.**
 ----, Dalal, S.R. (1990) A note on overdispersed exponential families. 77, 55-64
 ----, Kuo, L. (1991) Nonparametric Bayesian bioassay including ordered polytomous response. 78, 657-666
- Geller, N.L.**
 Tang, D-I., Gnecco, C., ---- (1989) An approximate likelihood ratio test for a normal mean vector with nonnegative components with application to clinical trials. 76, 577-583
- Genest, C.**
 ---- (1987) Frank's family of bivariate distributions. 74, 549-555
- George, E.O.**
 Mudholkar, G.S., ---- (1978) A remark on the shape of the logistic distribution. 65, 667-668
- George, S.L.**
 ---- (1971) Evaluation of empirical Bayes estimators for small numbers of past samples. 58, 244-244
- Ghosh, J.K.**
 David, H.A., ---- (1985) The effect of an outlier on L -estimators in symmetric distributions. 72, 216-218
- Gigli, A.**
 Davison, A.C., ---- (1989) Deviance residuals and normal scores plots. 76, 211-221
- Gilchrist, F.H.L.**
 Bailey, R.A., ----, Patterson, H.D. (1977) Identification of effects and confounding patterns in factorial designs. 64, 347-354
- Gill, C.A.**
 ----, Joanes, D.N. (1979) Bayesian estimation of Shannon's index of diversity. 66, 81-85
- Gill, P.S.**
 ----, Shukla, G.K. (1985) Efficiency of nearest neighbour balanced block designs for correlated observations. 72, 539-544
- Gill, R.**
 ----, Schumacher, M. (1987) A simple test of the proportional hazards assumption. 74, 289-300
- Gilmour, A.R.**
 ----, Anderson, R.D., Rae, A.L. (1985) The analysis of binomial data by a generalized linear mixed model. 72, 593-599
- Gihula, Z.**
 ---- (1979) Singular value decomposition of probability matrices: probabilistic aspects of latent dichotomous variables. 66, 339-344
 ---- (1984) On some similarities between canonical correlation models and latent class models for two-way contingency tables. 71, 523-529
 Evans, M.J., ----, Guttman, I. (1989) Latent class analysis of two-way contingency tables by Bayesian methods. 76, 557-563
- Giovagnoli, A.**
 Azzalini, A., ---- (1987) Some optimal designs for repeated measurements with autoregressive errors. 74, 725-734
 ----, Verdinelli, I. (1983) Bayes D -optimal and E -optimal block designs. 70, 695-706
- Gittins, J.C.**
 ----, Jones, D.M. (1979) A dynamic allocation index for the discounted multiarmed bandit problem. 66, 561-565
- Glasbey, C.A.**
 ---- (1986) A decomposition of some serially-structured variance matrices. 73, 447-453
 ---- (1986) Conservative estimates of the variances of regression parameter estimators for classes of error model. 73, 746-750
 ---- (1988) Standard errors resilient to error variance misspecification. 75, 201-206
- Glaser, R.E.**
 ---- (1980) A characterization of Bartlett's statistic involving incomplete beta functions. 67, 53-58
- Glazebrook, K.D.**
 ---- (1978) On the optimal allocation of two or more treatments in a controlled clinical trial. 65, 335-340
- Gleser, L.J.**
 ---- (1985) A note on G.R. Dolby's unreplicated ultrastructural model. 72, 117-124
 ----, Watson, G.S. (1973) Estimation of a linear transformation. 60, 525-534
- Glosup, J.**
 Firth, D., ----, Hinkley, D.V. (1991) Model checking with nonparametric curves. 78, 245-252
- Glynn, W.J.**
 Anscombe, F.J., ---- (1983) Distribution of the kurtosis statistic b_2 for normal samples. 70, 227-234
- Gnanadesikan, R.**
 Devlin, S.J., ----, Kettenring, J.R. (1975) Robust estimation and outlier detection with correlation coefficients. 62, 531-545
 ----, Lee, E.T. (1970) Graphical techniques for internal comparisons amongst equal degree of freedom groupings in multiresponse experiments. 57, 229-237
- Gnecco, C.**
 Tang, D-I., ----, Geller, N.L. (1989) An approximate likelihood ratio test for a normal mean vector with nonnegative components with application to clinical trials. 76, 577-583
- Godambe, V.P.**
 ---- (1976) Conditional likelihood and unconditional optimum estimating equations. 63, 277-284
 ---- (1980) On sufficiency and ancillarity in the presence of a nuisance parameter. 67, 155-162
 ---- (1984) On ancillarity and Fisher information in the presence of a nuisance parameter. 71, 626-629
 ---- (1985) The foundations of finite sample estimation in stochastic processes. 72, 419-428
 ---- (1991) Orthogonality of estimating functions and nuisance parameters. 78, 143-151
 Bellhouse, D.R., Thompson, M.E., ---- (1977) Two-stage sampling with exchangeable prior distributions. 64, 97-103
 ----, Thompson, M.E. (1984) Robust estimation through estimating equations. 71, 115-125
- Godfrey, L.G.**
 ---- (1979) Testing the adequacy of a time series model. 66, 67-72
- Godio, L.B.**
 Srinivasan, R., ---- (1974) A Cramér-von Mises type statistic for testing symmetry. 61, 196-198
- Godolphin, E.J.**
 ---- (1975) A direct basic form for predictors of autoregressive integrated moving average processes. 62, 483-496
 ---- (1976) On the Cramér-Wold factorization. 63, 367-380
 ---- (1977) A direct representation for the maximum likelihood estimator of a Gaussian moving average process. 64, 375-384
 ---- (1978) Modified maximum likelihood estimation of Gaussian moving averages using a pseudoquadratic convergence criterion. 65, 203-206
 ---- (1980) A method for testing the order of an autoregressive-moving average process. 67, 699-703
 ---- (1984) A direct representation for the large sample maximum likelihood estimator of a Gaussian autoregressive-moving average process. 71, 281-289
 ----, De Gooijer, J.G. (1982) On the maximum likelihood estimation of the parameters of a Gaussian moving average process. 69, 443-451

- Godolphin, E.J.**
 ----, Unwin, J.M. (1983) Evaluation of the covariance matrix for the maximum likelihood estimation of a Gaussian autoregressive-moving average process. *70*, 279-284
- Goetghebuer, E.**
 ----, Ryan, L.M. (1990) A modified log rank test for competing risks with missing failure type. *77*, 207-211
- Goffinet, B.**
 ---- (1987) Alternative conditions for ignoring the process that causes missing data. *74*, 437-439
- Gold, M.S.**
 ---- (1989) The geometric approximation to the cusum run length distribution. *76*, 725-733
- Goldie, C.M.**
 Goudie, I.B.J., ---- (1981) Initial size estimation for the linear pure death process. *68*, 543-550
- Goldstein, H.**
 ---- (1986) Multilevel mixed linear model analysis using iterative generalized least-squares. *73*, 43-56
 ---- (1987) Multilevel covariance component models. *74*, 430-431
 ---- (1989) Restricted unbiased iterative generalized least-squares estimation. *76*, 622-623
 ---- (1991) Nonlinear multilevel models with an application to discrete response data. *78*, 45-51
- Goldstein, H.**
 Healy, M.J.R., ---- (1976) An approach to the scaling of categorized attributes. *63*, 219-229
- Goldstein, M.**
 ---- (1974) Approximate Bayesian inference with incompletely specified prior distributions. *61*, 629-631
 ---- (1976) Bayesian analysis of regression problems. *63*, 51-58
 ---- (1980) The linear Bayes regression estimator under weak prior assumptions. *67*, 621-628
- Golembiewska, M.**
 Cwik, J., ----, Kowalczyk, T., Pleszczynska, E. (1982) Conceptual and statistical problems of sister dependence. *69*, 513-520
- Gombay, E.**
 ----, Horváth, L. (1990) Asymptotic distributions of maximum likelihood tests for change in the mean. *77*, 411-414
- Gomi, A.**
 Sugiura, N., ---- (1985) Pearson diagrams for truncated normal and truncated Weibull distributions. *72*, 219-222
- Good, I.J.**
 ---- (1979) Studies in the History of Probability and Statistics. XXXVII: A.M.Turing's statistical work in World War II. *66*, 393-396
 ----, Gaskins, R.A. (1971) Nonparametric roughness penalties for probability densities. *58*, 255-277
 ----, Lewis, B.C., Gaskins, R.A., Howell, L.W. (1979) Population estimation by the removal method assuming proportional trapping. *66*, 485-494
- Goodman, L.A.**
 ---- (1973) The analysis of multidimensional contingency tables when some variables are posterior to others: a modified path analysis approach. *60*, 179-192
 ---- (1974) Exploratory latent structure analysis using both identifiable and unidentifiable models. *61*, 215-231
 ---- (1979) Multiplicative models for square contingency tables with ordered categories. *66*, 413-418
 ---- (1981) Association models and the bivariate normal for contingency tables with ordered categories. *68*, 347-355
- Gordon, A.D.**
 ---- (1973) A sequence-comparison statistic and algorithm. *60*, 197-200
 ---- (1979) A measure of the agreement between rankings. *66*, 7-15
 ---- (1979) Another measure of the agreement between rankings. *66*, 327-332
- Goria, M.N.**
 ---- (1980) Some locally most powerful generalized rank tests. *67*, 497-500
- Goudie, I.B.J.**
 ---- (1990) A likelihood-based stopping rule for recapture debugging. *77*, 203-206
 ----, Goldie, C.M. (1981) Initial size estimation for the linear pure death process. *68*, 543-550
- Gough, K.J.**
 ---- (1977) The estimation of latent and infectious periods. *64*, 559-565
- Gould, A.**
 ----, Lawless, J.F. (1988) Consistency and efficiency of regression coefficient estimates in location-scale models. *75*, 535-540
- Gould, A.L.**
 ----, Pecore, V.J. (1982) Group sequential methods for clinical trials allowing early acceptance of H_0 and incorporating costs. *69*, 75-80
- Govindarajulu, Z.**
 Gupta, G.D., ---- (1980) Nonparametric tests of randomness against autocorrelated normal alternatives. *67*, 375-379
- Gower, J.C.**
 ---- (1990) Three-dimensional biplots. *77*, 773-785
 ----, Harding, S.A. (1988) Nonlinear biplots. *75*, 445-455
 ----, Payne, R.W. (1975) A comparison of different criteria for selecting binary tests in diagnostic keys. *62*, 665-672
- Grambsch, P.M.**
 Therneau, T.M., ----, Fleming, T.R. (1990) Martingale-based residuals for survival models. *77*, 147-160
- Gratton, R.J.**
 ---- (1979) Generalizing the test graph method for estimating functions of an unknown density. *66*, 663-667
- Gray, H.L.**
 ----, Schucany, W.R., Watkins, T.A. (1975) On the generalized jackknife and its relation to statistical differentials. *62*, 637-642
- Gray, R.**
 Begg, C.B., ---- (1984) Calculation of polychotomous logistic regression parameters using individualized regressions. *71*, 11-18
- Gray, R.J.**
 Begg, C.B., ---- (1987) Methodology for case-control studies with prevalent cases. *74*, 191-195
 Pierce, D.A., ---- (1982) Testing normality of errors in regression models. *69*, 233-236
- Green, D.H.**
 Downham, D.Y., ---- (1976) Inference for a two-dimensional stochastic growth model. *63*, 551-554
- Green, J.R.**
 ---- (1970) A test for dependence. *57*, 205-207
 ---- (1979) Modified Wilcoxon test for two different distributions. *66*, 645-653
- Green, P.J.**
 ---- (1985) Linear models for field trials, smoothing and cross-validation. *72*, 527-537
 Barnett, V., ----, Robinson, A. (1976) Concomitants and correlation estimates. *63*, 323-328
- Green, S.B.**
 Halperin, M., Ware, J.H., Byar, D.P., Mantel, N., Brown, C.C., Koziol, J., Gail, M., ---- (1977) Testing for interaction in an $I \times J \times K$ contingency table. *64*, 271-275
 Koziol, J.A., ---- (1976) A Cramér-von Mises statistic for randomly censored data. *63*, 465-474
 Lininger, L., Gail, M.H., ----, Byar, D.P. (1979) Comparison of four tests for equality of survival curves in the presence of stratification and censoring. *66*, 419-428
- Greenacre, M.J.**
 ---- (1988) Correspondence analysis of multivariate categorical data by weighted least-squares. *75*, 457-467
- Griffin, B.S.**
 ----, Krutchkoff, R.G. (1971) Optimal linear estimators: an empirical Bayes version with application to the binomial distribution. *58*, 195-201
- Groeneveld, R.A.**
 Arnold, B.C., ---- (1974) Bounds for deviations between sample and population statistics. *61*, 387-389

Groeneveld, R.A.

David, H.A., --- (1982) Measures of local variation in a distribution: expected length of spacings and variances of order statistics. **69**, 227-232

Grove, D.M.

--- (1980) The interpretation of forensic evidence using a likelihood ratio. **67**, 243-246

Grubbs, F.E.

Mann, N.R., --- (1972) Approximately optimum confidence bounds on series system reliability for exponential time to failure data. **59**, 191-204

Grupe, M.R.

Tiao, G.C., --- (1980) Hidden periodic autoregressive-moving average models in time series data. **67**, 365-373

Guenther, W.C.

--- (1972) On the number of replications of a paired comparison: an easy solution with standard tables. **59**, 481-483

Guerrero, V.M.

---, Johnson, R.A. (1982) Use of the Box-Cox transformation with binary response models. **69**, 309-314

Guess, F.M.

Hoover, D.R., --- (1990) Response linked censoring: modelling and estimation. **77**, 893-896

Guilkey, D.K.

---, Schmidt, P. (1991) An interpolation test for a unit root in the presence of drift. **78**, 809-815

Günel, E.

--- (1987) Bernoulli trials and the weight of evidence in favour of a null hypothesis. **74**, 440-442
 ---, Dickey, J. (1974) Bayes factors for independence in contingency tables. **61**, 545-557

Gunst, R.F.

Lakshminarayanan, M.Y., --- (1984) Estimation of parameters in linear structural relationships: sensitivity to the choice of the ratio of the error variances. **71**, 569-573
 Reilman, M.A., ---, Lakshminarayanan, M.Y. (1985) Structural model estimation with correlated measurement errors. **72**, 669-672
 Wellman, J., --- (1991) Influence diagnostics for linear measurement error models. **78**, 373-380

Gupta, A.K.

---, Tang, J. (1984) Distribution of likelihood ratio statistic for testing equality of covariance matrices of multivariate Gaussian models. **71**, 555-559

Gupta, G.D.

---, Govindarajulu, Z. (1980) Nonparametric tests of randomness against autocorrelated normal alternatives. **67**, 375-379

Gupta, R.P.

Kochar, S.C., --- (1987) Competitors of the Kendall-tau test for testing independence against positive quadrant dependence. **74**, 664-666

Gupta, S.

--- (1989) Efficient designs for comparing test treatments with a control. **76**, 783-787

Gupta, S.C.

---, Jones, B. (1983) Equireplicate balanced block designs with unequal block sizes. **70**, 433-440

Gupta, S.S.

---, Nagel, K., Panchapakesan, S. (1973) On the order statistics from equally correlated normal random variables. **60**, 403-413

Gupta, V.K.

---, Nigam, A.K. (1987) Mixed orthogonal arrays for variance estimation with unequal numbers of primary selections per stratum. **74**, 735-742
 ---, Nigam, A.K., Kumar, P. (1982) On a family of sampling schemes with inclusion probability proportional to size. **69**, 191-196
 ---, Singh, R. (1989) On *E*-optimal block designs. **76**, 184-188

Gurland, J.

Dahiya, R.C., --- (1972) Pearson chi-squared test of fit with random intervals. **59**, 147-153
 Mehta, J.S., --- (1973) A test for equality of means in the presence of correlation and missing values. **60**, 211-213

Guttman, I.

--- (1971) A remark on the optimal regression designs with previous observations of Covey-Crump and Silvey. **58**, 683-685
 Draper, N.R., ---, Kanemasu, H. (1971) The distribution of certain regression statistics. **58**, 295-298
 Evans, M.J., Gilula, Z., --- (1989) Latent class analysis of two-way contingency tables by Bayesian methods. **76**, 557-563
 Fraser, D.A.S., ---, Srivastava, M.S. (1991) Conditional inference for treatment and error in multivariate analysis. **78**, 565-572

Guyon, X.

--- (1982) Parameter estimation for a stationary process on a *d*-dimensional lattice. **69**, 95-105
 Doby, C., ---, Prum, B. (1977) The precision of different experimental designs for a random field. **64**, 59-66

Haas, G.

---, Bain, L., Antle, C.E. (1970) Inferences for the Cauchy distribution based on maximum likelihood estimators. **57**, 403-408

Habbema, J.D.F.

---, Hermans, J., van der Burgt, A.T. (1974) Cases of doubt in allocation problems. **61**, 313-324

Habibullah, M.

Ebrahimi, N., --- (1990) Testing whether the survival distribution is new better than used of specified age. **77**, 212-215

Haggan, V.

---, Ozaki, T. (1981) Modelling nonlinear random vibrations using an amplitude-dependent autoregressive time series model. **68**, 189-196

Hahn, G.J.

---, Hendrickson, R.W. (1971) A table of percentage points of the distribution of the largest absolute value of *k* Student *t* variates and its applications. **58**, 323-332

Haigh, J.

--- (1971) A neat way to prove asymptotic normality. **58**, 677-678

Haitovsky, Y.

--- (1987) On multivariate ridge regression. **74**, 563-570
 Chernoff, H., --- (1990) Locally optimal design for comparing two probabilities from binomial data subject to misclassification. **77**, 797-805
 Zelen, M., --- (1991) Testing hypotheses with binary data subject to misclassification errors: analysis and experimental design. **78**, 857-865

Hall, A.

--- (1989) Testing for a unit root in the presence of moving average errors (correction 77, 235). **76**, 49-56

Hall, A.D.

Nicholls, D.F., --- (1979) The exact likelihood function of multivariate autoregressive-moving average models. **66**, 259-264

Hall, D.L.

---, Joiner, B.L. (1982) Representations of the space of distributions useful in robust estimation of location. **69**, 55-59

Hall, P.

--- (1981) On nonparametric multivariate binary discrimination. **68**, 287-294
 --- (1981) Optimal near neighbour estimator for use in discriminant analysis. **68**, 572-575
 --- (1982) Cross-validation in density estimation. **69**, 383-390
 --- (1982) Improving the normal approximation when constructing one-sided confidence intervals for binomial or Poisson parameters. **69**, 647-652
 --- (1985) Correcting segment counts for edge effects when estimating intensity. **72**, 459-463
 --- (1987) On the bootstrap and likelihood-based confidence regions. **74**, 481-493
 --- (1989) On efficient bootstrap simulation. **76**, 613-617
 --- (1989) Antithetic resampling for the bootstrap. **76**, 713-724
 --- (1990) On the bias of variable bandwidth curve estimators. **77**, 529-535
 Barndorff-Nielsen, O.E., --- (1988) On the level-error after Bartlett adjustment of the likelihood ratio statistic. **75**, 374-378

- Hall, P.**
Bowman, A.W., ---, Titterton, D.M. (1984) Cross-validation in nonparametric estimation of probabilities and probability densities. *71*, 341-351
DiCiccio, T.J., ---, Romano, J.P. (1989) Comparison of parametric and empirical likelihood functions. *76*, 465-476
Do, K.-A., --- (1991) On importance resampling for the bootstrap. *78*, 161-167
---, Hannan, E.J. (1988) On stochastic complexity and nonparametric density estimation. *75*, 705-714
---, Kay, J.W., Titterton, D.M. (1990) Asymptotically optimal difference-based estimation of variance in nonparametric regression. *77*, 521-528
---, Marron, J.S. (1990) On variance estimation in nonparametric regression. *77*, 415-419
---, Martin, M.A. (1988) On bootstrap resampling and iteration. *75*, 661-671
---, Sheather, S.J., Jones, M.C., Marron, J.S. (1991) On optimal data-based bandwidth selection in kernel density estimation. *78*, 263-269
---, Wand, M.P. (1988) On nonparametric discrimination using density differences. *75*, 541-547
---, Watson, G.S., Cabrera, J. (1987) Kernel density estimation with spherical data. *74*, 751-762
---, Welsh, A.H. (1983) A test for normality based on the empirical characteristic function (correction *71*, 655). *70*, 485-489
- Hall, W.B.**
---, Jarrett, R.G. (1981) Nonresolvable incomplete block designs with few replicates. *68*, 617-627
---, Williams, E.R. (1973) Cyclic superimposed designs. *60*, 47-53
Jarrett, R.G., --- (1978) Generalized cyclic incomplete block designs. *65*, 397-401
- Hall, W.J.**
---, Wellner, J.A. (1980) Confidence bands for a survival curve from censored data. *67*, 133-143
- Hallin, M.**
---, Lefevre, C., Puri, M.L. (1988) On time-reversibility and the uniqueness of moving average representations for non-Gaussian stationary time series. *75*, 170-171
- Halperin, M.**
--- (1980) Sample size determination in retrospective case-control studies. *67*, 577-580
---, Lan, K.K.G., Hamdy, M.I. (1988) Some implications of an alternative definition of the multiple comparison problem. *75*, 773-778
---, Ware, J.H., Byar, D.P., Mantel, N., Brown, C.C., Koziol, J., Gail, M., Green, S.B. (1977) Testing for interaction in an $I \times J \times K$ contingency table. *64*, 271-275
- Halpern, J.W.**
Miller, R.G., --- (1980) Robust estimators for quantal bioassay. *67*, 103-110
Miller, R.G., --- (1982) Regression with censored data. *69*, 521-531
Whittemore, A.S., --- (1989) Testing odds-ratio equality for several diseases. *76*, 795-798
- Hamdan, M.A.**
--- (1970) The equivalence of tetrachoric and maximum likelihood estimates of p in 2×2 tables. *57*, 212-215
- Hamdy, M.I.**
Halperin, M., Lan, K.K.G., --- (1988) Some implications of an alternative definition of the multiple comparison problem. *75*, 773-778
- Hamilton, D.**
--- (1986) Confidence regions for parameter subsets in nonlinear regression. *73*, 57-64
---, Wiens, D. (1987) Correction factors for F ratios in nonlinear regression. *74*, 423-425
- Hamilton, D.C.**
---, Watts, D.G. (1978) Interpreting partial autocorrelation functions of seasonal time series models. *65*, 135-140
- Hammond, K.**
Smith, S.P., --- (1988) Rank regression with log gamma residuals. *75*, 741-751
- Hampel, F.R.**
Field, C.A., --- (1982) Small-sample asymptotic distributions of M -estimators of location. *69*, 29-46
- Han, C-P.**
--- (1975) Some relationships between noncentral chi-squared and normal distributions. *62*, 213-214
- Handa, B.R.**
--- (1972) Choice of initial states in estimating transition probabilities of a finite ergodic Markov chain. *59*, 407-414
- Hanif, M.**
Samiuddin, M., ---, Asad, H. (1978) Some comparisons of the Bartlett and cube root tests of homogeneity of variance. *65*, 218-221
- Hannan, E.J.**
--- (1979) A note on autoregressive-moving average identification. *66*, 672-674
Cameron, M.A., --- (1979) Transient signals. *66*, 243-258
Hall, P., --- (1988) On stochastic complexity and nonparametric density estimation. *75*, 705-714
---, Kavalieris, L. (1984) A method for autoregressive-moving average estimation. *71*, 273-280
---, Kavalieris, L., Mackisack, M.S. (1986) Recursive estimation of linear systems. *73*, 119-133
---, Rissanen, J. (1982) Recursive estimation of mixed autoregressive-moving average order (correction *70*, 303). *69*, 81-94
---, Thomson, P.J. (1971) The estimation of coherence and group delay. *58*, 469-481
---, Thomson, P.J. (1973) Estimating group delay. *60*, 241-253
- Hansen, P.**
Delcoigne, A., --- (1975) Sequence comparison by dynamic programming. *62*, 661-664
- Hanumara, R.C.**
---, Strain, W.F. (1980) A note on the application of the percentage points of the extreme roots of a Wishart matrix. *67*, 501-502
- Harding, S.A.**
Gower, J.C., --- (1988) Nonlinear biplots. *75*, 445-455
- Härdle, W.**
Azzalini, A., Bowman, A.W., --- (1989) On the use of nonparametric regression for model checking. *76*, 1-11
---, Marron, J.S. (1985) Asymptotic nonequivalence of some bandwidth selectors in nonparametric regression. *72*, 481-484
- Harkness, W.**
Antle, C.E., Klimko, L.A., --- (1970) Confidence intervals for the parameters of the logistic distribution. *57*, 397-402
- Harrell, F.E.**
---, Davis, C.E. (1982) A new distribution-free quantile estimator. *69*, 635-640
---, Sen, P.K. (1979) Statistical inference for censored bivariate normal distributions based on induced order statistics. *66*, 293-298
- Harrington, D.P.**
---, Fleming, T.R. (1982) A class of rank test procedures for censored survival data. *69*, 553-566
Lipsitz, S.R., Laird, N.M., --- (1990) Finding the design matrix for the marginal homogeneity model. *77*, 353-358
Lipsitz, S.R., Laird, N.M., --- (1991) Generalized estimating equations for correlated binary data: using the odds ratio as a measure of association. *78*, 153-160
- Harris, I.R.**
--- (1989) Predictive fit for natural exponential families. *76*, 675-684
Firth, D., --- (1991) Quasi-likelihood for multiplicative random effects. *78*, 545-555
- Harris, P.**
--- (1985) Testing for variance homogeneity of correlated variables. *72*, 103-107
--- (1985) An asymptotic expansion for the null distribution of the efficient score statistic (correction *74*, 667). *72*, 653-659

- Harris, P.**
 ---- (1986) A note on Bartlett adjustments to likelihood ratio tests. **73**, 735-737
 ----, Peers, H.W. (1980) The local power of the efficient scores test statistic. **67**, 525-529
- Harrison, J.**
 ----, West, M. (1991) Dynamic linear model diagnostics. **78**, 797-808
- Harrison, M.J.**
 ----, McCabe, B.P.M. (1975) Autocorrelation with heteroscedasticity: a note on the robustness of the Durbin-Watson, Geary and Henshaw tests. **62**, 214-216
- Hart, A.A.M.**
 Nagelkerke, N.J.D., ---- (1980) The sequential comparison of survival curves. **67**, 247-249
- Hart, M.L.**
 ----, Money, A.H. (1976) On Wilks's multivariate generalization of the correlation ratio. **63**, 59-67
- Harte, D.S.**
 Davies, R.B., ---- (1987) Tests for Hurst effect. **74**, 95-101
- Hartigan, J.A.**
 Forsythe, A., ---- (1970) Efficiency of confidence intervals generated by repeated subsample calculations. **57**, 629-639
- Hartley, H.O.**
 ----, Pfaffenberger, R.C. (1972) Quadratic forms in order statistics used as goodness-of-fit criteria. **59**, 605-611
- Harvey, A.C.**
 Franzini, L., ---- (1983) Testing for deterministic trend and seasonal components in time series models. **70**, 673-682
 ----, Phillips, G.D.A. (1979) Maximum likelihood estimation of regression models with autoregressive-moving average disturbances. **66**, 49-58
- Harville, D.A.**
 ---- (1974) Bayesian inference for variance components using only error contrasts. **61**, 383-385
 Zimmerman, D.L., ---- (1989) On the unbiasedness of the Papadakis estimator and other nonlinear estimators of treatment contrasts in field-plot experiments. **76**, 253-259
- Hassanein, K.M.**
 ---- (1971) Percentile estimators for the parameters of the Weibull distribution. **58**, 673-676
- Hastings, W.K.**
 ---- (1970) Monte Carlo sampling methods using Markov chains and their applications. **57**, 97-109
 ---- (1974) Variance reduction and nonnormality. **61**, 143-149
- Hauck, W.W.**
 Tarone, R.E., Gart, J.J., ---- (1983) On the asymptotic inefficiency of certain noniterative estimators of a common relative risk or odds ratio. **70**, 519-522
- Havranek, T.**
 Edwards, D., ---- (1985) A fast procedure for model search in multidimensional contingency tables. **72**, 339-351
- Hawkes, A.G.**
 ---- (1971) Spectra of some self-exciting and mutually exciting point processes. **58**, 83-90
- Hayakawa, T.**
 ---- (1975) The likelihood ratio criterion for a composite hypothesis under a local alternative. **62**, 451-460
 ----, Puri, M.L. (1985) Asymptotic distributions of likelihood ratio criteria for testing latent roots and latent vectors of a covariance matrix under an elliptical population. **72**, 331-338
- Hayre, L.S.**
 ---- (1979) Two-population sequential tests with three hypotheses. **66**, 465-474
 ----, Turnbull, B.W. (1981) Sequential estimation in two-armed exponential clinical trials. **68**, 411-416
 ----, Turnbull, B.W. (1981) Estimation of the odds ratio in the two-armed bandit problem. **68**, 661-668
- Healy, M.J.R.**
 ---- (1978) A mean difference estimator of standard deviation in symmetrically censored normal samples. **65**, 643-646
 ---- (1979) Comment on Finch, P.D., Description and analogy in the practice of statistics. **66**, 195-206. **66**, 206-206
 ----, Goldstein, H. (1976) An approach to the scaling of categorized attributes. **63**, 219-229
- Heathcote, C.R.**
 ---- (1977) The integrated squared error estimation of parameters. **64**, 255-264
 Chambers, R.L., ---- (1981) On the estimation of slope and the identification of outliers in linear regression. **68**, 21-33
 Csörgő, S., ---- (1987) Testing for symmetry. **74**, 177-184
 ----, Nicholls, D.F. (1990) Least-squares estimation of the contact rate in models for the spread of infectious diseases. **77**, 161-168
 ----, Silvapulle, M.J. (1981) Minimum mean squared estimation of location and scale parameters under misspecification of the model. **68**, 501-514
- Heckman, J.J.**
 ----, Honoré, B.E. (1989) The identifiability of the competing risks model. **76**, 325-330
- Hedayet, A.**
 ----, Parker, E.T., Federer, W.T. (1970) The existence and construction of two families of designs for two successive experiments. **57**, 351-355
- Heilbron, D.**
 ---- (1978) Comparison of estimators of the variance of systematic sampling. **65**, 429-433
- Heller, G.**
 ----, Simonoff, J.S. (1990) A comparison of estimators for regression with a censored response variable. **77**, 515-520
- Hemon, D.**
 ---- (1977) Optimal use of extraneous information concerning a nuisance parameter. **64**, 51-57
- Henderson, R.**
 ----, Milner, A. (1991) On residual plots for relative risk regression. **78**, 631-636
- Henderson, R.A.**
 ---- (1990) A problem with the likelihood ratio test for a change-point hazard rate model. **77**, 835-843
- Hendrickson, R.W.**
 Hahn, G.J., ---- (1971) A table of percentage points of the distribution of the largest absolute value of k Student t variates and its applications. **58**, 323-332
- Henery, R.J.**
 ---- (1986) Interpretation of average ranks. **73**, 224-227
- Hensler, G.L.**
 ----, Mehrotra, K.G., Michalek, J.E. (1977) A note on some exact efficiency calculations for survival distributions. **64**, 635-637
- Herkenrath, U.**
 Dupac, V., ---- (1985) Stochastic approximation with delayed observations. **72**, 683-685
- Hermans, J.**
 Habbema, J.D.F., ----, van der Burgt, A.T. (1974) Cases of doubt in allocation problems. **61**, 313-324
- Hermans, M.**
 ----, Rasson, J.P. (1985) A new Sobolev test for uniformity on the circle. **72**, 698-702
- Herr, D.G.**
 ---- (1976) A geometric characterization of connectedness in a two-way design. **63**, 93-100
- Herzberg, A.M.**
 Andrews, D.F., ---- (1973) A simple method for constructing exact tests for sequentially designed experiments. **60**, 489-497
 ----, Cox, D.R. (1972) Some optimal designs for interpolation and extrapolation. **59**, 551-561
 ----, Wynn, H.P. (1972) Review of Fedorov, V.V., *Theory of optimal experiments*. **59**, 697-698
- Hettmansperger, T.P.**
 ----, Malin, J.S. (1975) A modified Mood's test for location with no shape assumptions on the underlying distributions. **62**, 527-529
 McKean, J.W., ---- (1978) A robust analysis of the general linear model based on one-step R -estimates. **65**, 571-579

Hettmansperger, T.P.

- Schrader, R.M., --- (1980) Robust analysis of variance based upon a likelihood ratio criterion. **67**, 93-101
 Shoemaker, L.H., --- (1982) Robust estimates and tests for the one- and two-sample scale models. **69**, 47-53

Heyde, C.C.

- (1975) Remarks on efficiency in estimation for branching processes. **62**, 49-55
 Gay, R., --- (1990) On a class of random field models which allows long range dependence. **77**, 401-403
 ---, Seneta, E. (1972) Studies in the History of Probability and Statistics. XXXI: The simple branching process, a turning point test and a fundamental inequality - a historical note on I.J.Bienaymé. **59**, 680-683

Hill, C.

- (1981) Asymptotic relative efficiency of survival tests with covariates. **68**, 699-702

Hill, D.L.

- , Rao, P.V. (1977) Tests of symmetry based on Cramér-von Mises statistics. **64**, 489-494

Hill, G.W.

- (1976) New approximations to the von Mises distribution (correction **64**, 655). **63**, 673-676

Hill, J.R.

- (1990) A general framework for model-based statistics. **77**, 115-126
 Bedrick, E.J., --- (1990) Outlier tests for logistic regression: a conditional approach. **77**, 815-827

Hill, P.D.H.

- (1978) A note on the equivalence of *D*-optimal design measures for three rival linear models. **65**, 666-667

Hillier, G.H.

- (1986) Joint tests for zero restrictions on nonnegative regression coefficients. **73**, 657-669

Hillmer, S.C.

- Tiao, G.C., --- (1978) Some consideration of decomposition of a time series. **65**, 497-502

Hinde, J.

- , Aitkin, M. (1987) Canonical likelihoods: a new likelihood treatment of nuisance parameters. **74**, 45-58

Hines, R.J.O'H

- Hines, W.G.S., --- (1979) The Eberhardt statistic and the detection of nonrandomness of spatial point distributions. **66**, 73-79

Hines, W.G.S.

- , Hines, R.J.O'H (1979) The Eberhardt statistic and the detection of nonrandomness of spatial point distributions. **66**, 73-79

Hinkley, D.V.

- (1970) Inference about the change-point in a sequence of random variables. **57**, 1-17
 --- (1971) Inference about the change-point from cumulative sum tests. **58**, 509-523
 --- (1972) Time-ordered classification. **59**, 509-523
 --- (1975) On power transformations to symmetry (correction **63**, 218). **62**, 101-111
 --- (1976) On estimating a symmetric distribution. **63**, 680-681
 --- (1977) Jackknife confidence limits using Student *t* approximations (correction **65**, 677). **64**, 21-28
 --- (1977) Conditional inference about a normal mean with known coefficient of variation (correction **65**, 677). **64**, 105-108
 --- (1978) Improving the jackknife with special reference to correlation estimation. **65**, 13-21
 --- (1978) Likelihood inference about location and scale parameters. **65**, 253-261
 --- (1979) Likelihood inference for a simple growth model. **66**, 659-662
 --- (1980) Likelihood as approximate pivotal distribution. **67**, 287-292
 --- (1985) Transformation diagnostics for linear models. **72**, 487-496

- (1988) More on score tests for transformation in regression. **75**, 366-369

- Davison, A.C., --- (1988) Saddlepoint approximations in resampling methods. **75**, 417-431

- Davison, A.C., ---, Schechtman, E. (1986) Efficient bootstrap simulation. **73**, 555-566

- Efron, B., --- (1978) Assessing the accuracy of the maximum likelihood estimator: observed versus expected Fisher information. **65**, 457-487

- Firth, D., Glosup, J., --- (1991) Model checking with nonparametric curves. **78**, 245-252

- , Hinkley, E.A. (1970) Inference about the change-point in a sequence of binomial variables. **57**, 477-488

- , Schechtman, E. (1987) Conditional bootstrap methods in the mean-shift model. **74**, 85-93

- , Shi, S. (1989) Importance sampling and the nested bootstrap. **76**, 435-446

- , Wei, B.C. (1984) Improvements of jackknife confidence limit methods. **71**, 331-339

Hinkley, E.A.

- Hinkley, D.V., --- (1970) Inference about the change-point in a sequence of binomial variables. **57**, 477-488

Hipel, K.W.

- Camacho, F., McLeod, A.I., --- (1987) Contemporaneous bivariate time series. **74**, 103-113

Hirji, T.

- , Shahani, A.K. (1978) Testing of hypotheses with trinomials generated by gauges. **65**, 228-231

Hirotsu, C.

- (1978) Ordered alternatives for interaction effects. **65**, 561-570
 --- (1979) An *F* approximation and its application. **66**, 577-584

- (1982) Use of cumulative efficient scores for testing ordered alternatives in discrete models. **69**, 567-577

- (1983) Defining the pattern of association in two-way contingency tables. **70**, 579-589

- (1986) Cumulative chi-squared statistic as a tool for testing goodness of fit. **73**, 165-173

- (1991) An approach to comparing treatments based on repeated measures. **78**, 583-594

Hirst, D.J.

- , Ford, I., Critchley, F. (1990) An empirical investigation of methods for interval estimation of the log odds ratio in discriminant analysis. **77**, 609-615

Ho, C.H.

- Aitchison, J., --- (1989) The multivariate Poisson-log normal distribution. **76**, 643-653

Hochberg, Y

- (1988) A sharper Bonferroni procedure for multiple tests of significance. **75**, 800-802

Hoel, D.G.

- Chase, G.R., --- (1975) Serial dilutions: error effects and optimal designs. **62**, 329-334

- Crump, K.S., --- (1974) Mathematical models for estimating mutation rates in cell populations. **61**, 237-252

- , Sobel, M., Weiss, G.H. (1972) A two-stage procedure for choosing the better of two binomial populations. **59**, 317-322

- Kastenbaum, M.A., ---, Bowman, K.O. (1970) Sample size requirements: one-way analysis of variance. **57**, 421-430

- Kastenbaum, M.A., ---, Bowman, K.O. (1970) Sample size requirements: randomized block designs. **57**, 573-577

- Simon, R., Weiss, G.H., --- (1975) Sequential analysis of binomial clinical trials. **62**, 195-200

Hoel, P.G.

- , Jennrich, R.I. (1979) Optimal designs for dose response experiments in cancer research. **66**, 307-316

Hokomb, D.F.

- , Iwasawa, M., Roberts, F.D.K. (1972) Clustering of randomly placed spheres. **59**, 207-209

Hokomb, E.W.

- Paulson, A.S., ---, Leitch, R.A. (1975) The estimation of the parameters of the stable laws. **62**, 163-170

- Holgate, P.**
 ---- (1970) The modality of some compound Poisson distributions. **57**, 666-667
 ---- (1973) An estimator for the size of an animal population. **60**, 135-140
 ---- (1981) Studies in the History of Probability and Statistics. XXXIX: Buffon's cycloid (correction **69**, 491). **68**, 712-716
 ---- (1986) Studies in the History of Probability and Statistics. XLI: Waring and Sylvester on random algebraic equations. **73**, 228-231
 Brown, S., ---- (1974) The thinned plantation. **61**, 253-261
- Hollander, M.**
 ---- (1971) A nonparametric test for bivariate symmetry. **58**, 203-212
 ----, Proschan, F. (1975) Tests for the mean residual life (correction **63**, 412). **62**, 585-593
 ----, Sethuraman, J. (1978) Testing for agreement between two groups of judges. **65**, 403-411
- Holly, E.A.**
 Whittemore, A.S., Friend, N., Brown, B.W.jr., ---- (1987) A test to detect clusters of disease (correction **75**, 396). **74**, 631-635
- Holst, L.**
 ---- (1971) A note on finding the size of a finite population. **58**, 228-229
 ---- (1972) Asymptotic normality and efficiency for certain goodness-of-fit tests (correction **59**, 699). **59**, 137-145
- Holt, D.**
 Fryer, J.G., ---- (1970) On the robustness of the standard estimates of the exponential mean to contamination. **57**, 641-648
- Holt, J.D.**
 ---- (1978) Competing risk analyses with special reference to matched pair experiments. **65**, 159-165
 ----, Prentice, R.L. (1974) Survival analyses in twin studies and matched pair experiments. **61**, 17-30
- Hommel, G.**
 ---- (1988) A stagewise rejective multiple test procedure based on a modified Bonferroni test. **75**, 383-386
 ---- (1989) A comparison of two modified Bonferroni procedures. **76**, 624-625
- Honoré, B.E.**
 Heckman, J.J., ---- (1989) The identifiability of the competing risks model. **76**, 325-330
- Hoogerdoorn, A.**
 Van Es, B., ---- (1990) Kernel estimation in Wicksell's corpuscle problem. **77**, 139-145
- Hoover, D.R.**
 ----, Guess, F.M. (1990) Response linked censoring: modelling and estimation. **77**, 893-896
- Hopper, J.L.**
 Becker, N., ---- (1983) The infectiousness of a disease in a community of households. **70**, 29-39
- Hori, M.**
 Akeda, Y., ---- (1976) On random sequential packing in two and three dimensions. **63**, 361-366
- Horn, P.S.**
 ---- (1982) The finite distribution of t statistics based on two symmetric order statistics as a sum of orphant probabilities. **69**, 681-682
 ---- (1990) Robust quantile estimators for skewed populations. **77**, 631-636
- Horváth, L.**
 Csörgő, S., ---- (1981) On the Koziol-Green model for random censorship. **68**, 391-401
 Gombay, E., ---- (1990) Asymptotic distributions of maximum likelihood tests for change in the mean. **77**, 411-414
- Hosking, J.R.M.**
 ---- (1979) The asymptotic distribution of R^2 for autoregressive-moving average time series models when parameters are estimated. **66**, 156-157
 ---- (1980) The asymptotic distribution of the sample inverse autocorrelations of an autoregressive-moving average process (correction **69**, 491). **67**, 223-226
 ---- (1981) Fractional differencing. **68**, 165-176
 ---- (1984) Testing whether the shape parameter is zero in the generalized extreme-value distribution. **71**, 367-374
- Hosoya, Y.**
 ---- (1988) The second-order Fisher information. **75**, 265-274
- Hougaard, P.**
 ---- (1984) Life table methods for heterogeneous populations: distributions describing the heterogeneity. **71**, 75-83
 ---- (1986) Survival models for heterogeneous populations derived from stable distributions (correction **75**, 395). **73**, 387-396
 ---- (1986) A class of multivariate failure time distributions (correction **75**, 395). **73**, 671-678
- Howe, R.B.**
 Crump, K.S., ---- (1972) Nonparametric estimation of the age of a Galton-Watson branching process. **59**, 533-538
 Myers, R.H., ---- (1971) On alternative approximate F tests for hypotheses involving variance components. **58**, 393-396
- Howell, L.W.**
 Good, I.J., Lewis, B.C., Gaskins, R.A., ---- (1979) Population estimation by the removal method assuming proportional trapping. **66**, 485-494
- Howie, A.J.**
 ----, Macaulay, A.B. (1972) Some problems of inference for a two-state system with incomplete information. **59**, 395-406
- Hsieh, F.Y.**
 ----, Crowley, J., Tormey, D.C. (1983) Some test statistics for use in multistate survival analysis. **70**, 111-119
- Hsuan, F.**
 ----, Hwang, F.K., Parnes, M. (1982) A class of selection problems for which more sampling is more informative. **69**, 280-283
- Huang, J.S.**
 ----, Kotz, S. (1984) Correlation structure in iterated Farlie-Gumbel-Morgenstern distributions. **71**, 633-636
- Hubert, L.**
 ----, Schultz, J. (1975) Maximum likelihood paired-comparison ranking and quadratic assignment. **62**, 655-659
- Huda, S.**
 ----, Mukerjee, R. (1984) Minimizing the maximum variance of the difference between two estimated responses. **71**, 381-385
 Mukerjee, R., ---- (1985) Minimax second- and third-order designs to estimate the slope of a response surface. **72**, 173-178
 Mukerjee, R., ---- (1988) Optimal design for the estimation of variance components. **75**, 75-80
- Huggins, R.M.**
 ---- (1989) On the statistical analysis of capture experiments. **76**, 133-140
 Basawa, I.V., ----, Staudte, R.G. (1985) Robust tests for time series with an application to first-order autoregressive processes. **72**, 559-571
- Hughes, D.T.**
 ----, Saw, J.G. (1972) Approximating the percentage points of Hotelling's generalized T_0^2 statistic. **59**, 224-226
- Hui, Y.V.**
 Li, W.K., ---- (1989) Robust multiple time series modelling. **76**, 309-315
- Hurvich, C.M.**
 ---- (1988) A mean squared error criterion for time series data windows. **75**, 485-490
 ----, Shumway, R., Tsai, C.-L. (1990) Improved estimators of the Kullback-Leibler information for autoregressive model selection in small samples. **77**, 709-719
 ----, Tsai, C.-L. (1989) Regression and time series model selection in small samples. **76**, 297-307
 ----, Tsai, C.-L. (1991) Bias of the corrected AIC criterion for underfitted regression and time series models. **78**, 499-509
- Hutcheson, K.**
 Sugg, M.N., ---- (1976) Gauss-Krawtchouk quadrature approximations for moments of multinomial type distributions. **63**, 395-400

- Hutchison, M.C.**
 ---- (1971) A Monte Carlo comparison of some ratio estimators. **58**, 313-321
- Hutton, B.**
 Davies, R.B., ---- (1975) The effect of errors in the independent variables in linear regression (correction **64**, 655). **62**, 383-391
- Hwang, F.K.**
 ---- (1976) Group testing with a dilution effect. **63**, 671-673
 Hsuan, F., ----, Parnes, M. (1982) A class of selection problems for which more sampling is more informative. **69**, 280-283
- Hyde, J.**
 ---- (1977) Testing survival under right censoring and left truncation. **64**, 225-230
- Iglewicz, B.**
 Martinez, J., ---- (1981) A test for departure from normality based on a biweight estimator of scale. **68**, 331-333
 Mendoza, G., ---- (1977) A three-phase sequential model for clinical trials. **64**, 201-205
- Inaba, T.**
 ----, Shirahata, S. (1986) Measures of dependence in normal models and exponential models by information gain. **73**, 345-352
- Inutsuka, M.**
 Sasabuchi, S., ----, Kulatunga, D.D.S. (1983) A multivariate version of isotonic regression. **70**, 465-472
- Ipinyomi, R.A.**
 ----, John, J.A. (1985) Nested generalized cyclic row-column designs. **72**, 403-409
- Ireson, M.J.**
 ----, Rao, P.V. (1985) Interval estimation of slope with right-censored data. **72**, 601-608
- Isogawa, Y.**
 ----, Okamoto, M. (1980) Linear prediction in the factor analysis model. **67**, 482-484
- Iwasawa, M.**
 Holcomb, D.F., ----, Roberts, F.D.K. (1972) Clustering of randomly placed spheres. **59**, 207-209
- Izenman, A.J.**
 ---- (1976) On the extremal quotient from a gamma sample. **63**, 185-190
- Jackson, D.A.**
 ----, O'Donovan, T.M., Zimmer, W.J., Deely, J.J. (1970) G₂-minimax estimators in the exponential family. **57**, 439-443
- Jacroux, M.**
 ---- (1980) On the determination and construction of *E*-optimal block designs with unequal numbers of replicates. **67**, 661-667
 ----, Ray, R.S. (1990) On the construction of trend-free run orders of treatments. **77**, 187-191
- Jain, N.**
 Agrawal, M.C., ---- (1989) A new predictive product estimator. **76**, 822-823
- James, A.T.**
 ---- (1978) Comments on Efron, B. and Hinkley, D.V., Assessing the accuracy of the maximum likelihood estimator: observed versus expected Fisher information, **65**, 457-482. **65**, 484-485
 Brien, C.J., ----, Venables, W.N. (1988) An analysis of correlation matrices: variables cross-classified by two factors. **75**, 469-476
 Brien, C.J., Venables, W.N., ----, Mayo, O. (1984) An analysis of correlation matrices: equal correlations. **71**, 545-554
 ----, Wilkinson, G.N. (1971) Factorization of the residual operator and canonical decomposition of nonorthogonal factors in the analysis of variance. **58**, 279-294
- James, B.R.**
 ----, James, K.L., Siegmund, D. (1987) Tests for a change-point. **74**, 71-83
 Wieand, S., Gail, M.H., ----, James, K.L. (1989) A family of nonparametric statistics for comparing diagnostic markers with paired or unpaired data. **76**, 585-592
- James, I.R.**
 ---- (1986) On estimating equations with censored data. **73**, 35-42
 ---- (1987) Tests for location with *k* samples and censored data. **74**, 599-607
- Barndorff-Nielsen, O.E., ----, Leigh, G.M. (1989) A note on a semiparametric estimator of mortality. **76**, 803-805
- Buckley, J., ---- (1979) Linear regression with censored data. **66**, 429-436
- James, K.L.**
 James, B.R., ----, Siegmund, D. (1987) Tests for a change-point. **74**, 71-83
 Wieand, S., Gail, M.H., James, B.R., ---- (1989) A family of nonparametric statistics for comparing diagnostic markers with paired or unpaired data. **76**, 585-592
- Janacek, G.**
 ---- (1975) Estimation of the minimum mean square error of prediction. **62**, 175-180
- Jarrett, R.G.**
 ---- (1977) Bounds for the efficiency factor of block designs. **64**, 67-72
 ---- (1979) A note on the intervals between coal-mining disasters. **66**, 191-193
 ---- (1984) Bounds and expansions for the Fisher information when the moments are known. **71**, 101-113
 Hall, W.B., ---- (1981) Nonresolvable incomplete block designs with few replicates. **68**, 617-627
 ----, Hall, W.B. (1978) Generalized cyclic incomplete block designs. **65**, 397-401
- Jefferson, T.R.**
 Mazumdar, M., ---- (1983) Maximum likelihood estimates for multinomial probabilities via geometric programming. **70**, 257-261
- Jefferys, W.H.**
 ---- (1990) Robust estimation when more than one variable per equation of condition has error. **77**, 597-607
- Jensen-Steinmetz, C.**
 Gasser, T., Sroka, L., ---- (1986) Residual variance and residual pattern in nonlinear regression. **73**, 625-633
- Jennison, C.**
 ---- (1987) Efficient group sequential tests with unpredictable group sizes. **74**, 155-165
 ----, Turnbull, B.W. (1985) Repeated confidence intervals for the median survival time. **72**, 619-625
 ----, Turnbull, B.W. (1991) Exact calculations for sequential t , χ^2 and *F* tests. **78**, 133-141
- Jennrich, R.I.**
 ---- (1983) A note on the behaviour of the log rank permutation test under unequal censoring. **70**, 133-137
 ---- (1984) Some exact tests for comparing survival curves in the presence of unequal right censoring. **71**, 57-64
 Hoel, P.G., ---- (1979) Optimal designs for dose response experiments in cancer research. **66**, 307-316
- Jensen, D.R.**
 ---- (1979) Linear models without moments. **66**, 611-617
 ----, Mayer, L.S., Myers, R.H. (1975) Optimal designs and large-sample tests for linear hypotheses. **62**, 71-78
- Jensen, J.L.**
 ---- (1986) Similar tests and the standardized log likelihood ratio statistic. **73**, 567-572
 Frydenberg, M., ---- (1989) Is the 'improved likelihood ratio statistic' really improved in the discrete case? **76**, 655-661
- Jensen, S.T.**
 ----, Johansen, S., Lauritzen, S.L. (1991) Globally convergent algorithms for maximizing a likelihood function. **78**, 867-877
- Jernigan, R.W.**
 Munson, P.J., ---- (1989) A cubic spline extension of the Durbin-Watson test. **76**, 39-47
- Jewell, N.P.**
 ---- (1985) Least squares regression with data arising from stratified samples of the dependent variable. **72**, 11-21
 ----, Raab, G.M. (1981) Difficulties in obtaining consistent estimators of variance parameters. **68**, 221-226
 Quesenberry, C.P., ---- (1986) Regression analysis based on stratified samples. **73**, 605-614

- Jewell, N.P.**
 Rotnitzky, A., --- (1990) Hypothesis testing of regression parameters in semiparametric generalized linear models for cluster correlated data. 77, 485-497
 Tsai, W.-Y., ---, Wang, M.-C. (1987) A note on the product-limit estimator under right censoring and left truncation. 74, 883-886
- Jeyaratnam, S.**
 --- (1982) A sufficient condition on the covariance matrix for F tests in the linear model to be valid. 69, 679-680
- Jhaji, H.S.**
 Srivastava, S.K., --- (1981) A class of estimators of the population mean in survey sampling using auxiliary information. 68, 341-343
- Jhun, M.**
 Ducharme, G.R., ---, Romano, J.P., Truong, K.N. (1985) Bootstrap confidence cones for directional data. 72, 637-645
- Jiang, J.-M.**
 Titterton, D.M., --- (1983) Recursive estimation procedures for missing-data problems (correction 76, 408). 70, 613-624
- Joanes, D.N.**
 --- (1972) Sequential tests of composite hypotheses (comment 62, 221). 59, 633-637
 Gill, C.A., --- (1979) Bayesian estimation of Shannon's index of diversity. 66, 81-85
- Joe, H.**
 --- (1987) Estimation of quantiles of the maximum of N observations. 74, 347-354
- Johannes, J.M.**
 ---, Rasche, R.H. (1980) Additional information on significance values for Durbin's c^+ , c^- and c statistics. 67, 511-514
- Johansen, S.**
 --- (1980) The Welch-James approximation to the distribution of the residual sum of squares in a weighted linear regression (correction 69, 491). 67, 85-92
 Jensen, S.T., ---, Lauritzen, S.L. (1991) Globally convergent algorithms for maximizing a likelihood function. 78, 867-877
- John, J.A.**
 --- (1973) Generalized cyclic designs in factorial experiments. 60, 55-63
 Ipinyomi, R.A., --- (1985) Nested generalized cyclic row-column designs. 72, 403-409
 ---, Eccleston, J.A. (1986) Row-column α -designs. 73, 301-306
 Lewis, S.M., --- (1976) Testing main effects in fractions of asymmetrical factorial experiments. 63, 678-680
- John, S.**
 --- (1971) Some optimal multivariate tests. 58, 123-127
 --- (1972) The distribution of a statistic used for testing sphericity of normal distributions. 59, 169-173
 --- (1974) Acceptability and statistical inference. 61, 285-290
- Johnson, M.A.**
 --- (1970) A note on the interpretation of Springer's simulation studies of the Kiefer-Wolfowitz process. 57, 673-674
- Johnson, N.L.**
 --- (1974) Extensions and corrections to 'Tables to facilitate fitting S_U frequency curves'. 61, 203-205
 ---, Kitchen, J.O. (1971) Some notes on tables to facilitate fitting S_B curves. 58, 223-226
 ---, Kitchen, J.O. (1971) Tables to facilitate fitting S_B curves II: both terminals known. 58, 657-668
 ---, Kotz, S. (1972) Power transformations of gamma variables. 59, 226-229
 ---, Kotz, S. (1973) Extended and multivariate Tukey lambda distributions. 60, 655-661
 Tadikamalla, P.R., --- (1982) Systems of frequency curves generated by transformations of logistic variables. 69, 461-465
- Johnson, N.S.**
 --- (1979) Nonnull properties of Kendall's partial rank correlation coefficient. 66, 333-337
- Johnson, R.A.**
 Guerrero, V.M., --- (1982) Use of the Box-Cox transformation with binary response models. 69, 309-314
- Wehrly, T.E., --- (1980) Bivariate models for dependence of angular observations and a related Markov process. 67, 255-256
- Johnson, W.**
 --- (1985) Influence measures for logistic regression: another point of view. 72, 59-65
 Christensen, R., --- (1988) Modelling accelerated failure time with a Dirichlet process. 75, 693-704
- Johnson, W.E.**
 Wei, L.J., --- (1985) Combining dependent tests with incomplete repeated measurements. 72, 359-364
- Joiner, B.L.**
 Hall, D.L., --- (1982) Representations of the space of distributions useful in robust estimation of location. 69, 55-59
- Jones, B.**
 Gupta, S.C., --- (1983) Equireplicate balanced block designs with unequal block sizes. 70, 433-440
- Jones, D.**
 ---, Whitehead, J. (1979) Sequential forms of the log rank and modified Wilcoxon tests for censored data. 66, 105-113
 Whitehead, J., --- (1979) The analysis of sequential clinical trials. 66, 443-452
- Jones, D.A.**
 --- (1983) Statistical analysis of empirical models fitted by optimization. 70, 67-88
- Jones, D.M.**
 Gittins, J.C., --- (1979) A dynamic allocation index for the discounted multiarmed bandit problem. 66, 561-565
- Jones, E.R.**
 ---, Mitchell, T.J. (1978) Design criteria for detecting model inadequacy. 65, 541-551
- Jones, H.L.**
 --- (1974) Jackknife estimation of functions of stratum means. 61, 343-348
- Jones, M.C.**
 --- (1991) Kernel density estimation for length biased data. 78, 511-519
 Hall, P., Sheather, S.J., ---, Marron, J.S. (1991) On optimal data-based bandwidth selection in kernel density estimation. 78, 263-269
- Jones, P.W.**
 --- (1974) A note on the Bayesian sequential estimation of a binomial parameter. 61, 642-644
 --- (1975) The two-armed bandit. 62, 523-524
- Jones, R.H.**
 ---, Ackerson, L.M. (1990) Serial correlation in unequally spaced longitudinal data. 77, 721-731
- Jöreskog, K.G.**
 --- (1970) A general method for analysis of covariance structures. 57, 239-251
- Jørgensen, B.**
 --- (1983) Maximum likelihood estimation and large-sample inference for generalized linear and nonlinear regression models. 70, 19-28
- Jørgensen, M.A.**
 --- (1987) Jackknifing fixed points of iterations. 74, 207-211
- Joshi, P.C.**
 --- (1972) Some slippage tests of mean for a single outlier in linear regression. 59, 109-120
 --- (1973) Two identities involving order statistics. 60, 428-429
 ---, Lalitha, S. (1986) Tests for two outliers in a linear model. 73, 236-239
- Juola, R.C.**
 --- (1970) Population symmetry and the regions $\{X \leq t^2/X\}$. 57, 668-669
- Jupp, P.E.**
 --- (1987) A nonparametric correlation coefficient and a two-sample test for random vectors or directions. 74, 887-890
 Cornack, R.M., --- (1991) Inference for Poisson and multinomial models for capture-recapture experiments. 78, 911-916

Jupp, P.E.

---, Mardia, K.V. (1980) A general correlation coefficient for directional data and related regression problems (correction 68, 738). 67, 163-173

Juritz, J.M.

Bishop, T.A., Dudewicz, E.J., ---, Stephens, M.A. (1978) Percentage points of a quadratic form in Student *t* variates. 65, 435-439

Kadane, J.B.

Kass, R.E., Tierney, L., --- (1989) Approximate methods for assessing influence and sensitivity in Bayesian analysis. 76, 663-674

Tierney, L., Kass, R.E., --- (1989) Approximate marginal densities of nonlinear functions (correction 78, 233-234). 76, 425-433

Kageyama, S.

Das, A., --- (1991) A class of *E*-optimal proper efficiency-balanced designs. 78, 693-696

Mukerjee, R., --- (1985) On resolvable and affine resolvable variance-balanced designs. 72, 165-172

Kaiser, L.

--- (1983) Asymptotic equivalence of an expansion test and an approximate degrees of freedom test. 70, 505-509

Kala, R.

Baksalary, J.K., Corsten, L.C.A., --- (1978) Reconciliation of two different views on estimation of growth curve parameters. 65, 662-665

Kalbfleisch, J.D.

--- (1974) Some efficiency calculations for survival distributions. 61, 31-38

--- (1975) Sufficiency and conditionality. 62, 251-268

Dewanji, A., --- (1987) Estimation of sojourn time distributions for cyclic semi-Markov processes in equilibrium. 74, 281-288

---, MacKay, R.J. (1979) On constant-sum models for censored survival data. 66, 87-90

---, McIntosh, A.A. (1977) Efficiency in survival distributions with time-dependent covariates. 64, 47-50

---, Prentice, R.L. (1973) Marginal likelihoods based on Cox's regression and life model. 60, 267-278

---, Prentice, R.L. (1981) Estimation of the average hazard ratio. 68, 105-112

Struthers, C.A., --- (1986) Misspecified proportional hazard models. 73, 363-369

Kale, B.K.

Bendre, S.M., --- (1987) Masking effect on tests for outliers in normal samples. 74, 891-896

Kallinen, A.

Pukkila, T.M., Koreisha, S., --- (1990) The identification of ARMA models. 77, 537-548

Kamakura, T.

---, Yanagimoto, T. (1983) Evaluation of the regression parameter estimators in the proportional hazards model. 70, 530-533

Kaminsky, K.S.

---, Mann, N.R., Nelson, P.I. (1975) Best and simplified linear invariant prediction of order statistics in location and scale families. 62, 525-527

Kamps, U.

--- (1989) Estimation based on equioverlapping samples. 76, 799-802

Kanemasu, H.

Draper, N.R., Guttman, I., --- (1971) The distribution of certain regression statistics. 58, 295-298

Kaneshiro, C.

Bennett, B.M., --- (1974) On the small-sample properties of the Mantel-Haenszel test for relative risk. 61, 233-236

Kang, G.

---, Bates, D.M. (1990) Approximate inferences in multiresponse regression analysis. 77, 321-331

Kang, H.

--- (1987) The tapering estimation of the first-order autoregressive parameters. 74, 643-645

Kano, Y.

---, Berkane, M., Bentler, P.M. (1990) Covariance structure analysis with heterogeneous kurtosis parameters. 77, 575-585

Kanofsky, P.

---, Srinivasan, R. (1972) An approach to the construction of parametric confidence bands on cumulative distribution functions. 59, 623-631

Kappenman, R.F.

--- (1970) On a comparison of the proportions exceeding a fixed value in two different normal populations. 57, 669-670

Kass, R.E.

--- (1990) Data-translated likelihood and Jeffreys's rules. 77, 107-114

---, Tierney, L., Kadane, J.B. (1989) Approximate methods for assessing influence and sensitivity in Bayesian analysis. 76, 663-674

Tierney, L., ---, Kadane, J.B. (1989) Approximate marginal densities of nonlinear functions (correction 78, 233-234). 76, 425-433

Kastenbaum, M.A.

---, Hoel, D.G., Bowman, K.O. (1970) Sample size requirements: one-way analysis of variance. 57, 421-430

---, Hoel, D.G., Bowman, K.O. (1970) Sample size requirements: randomized block designs. 57, 573-577

Katiyar, R.S.

Mathai, A.M., --- (1979) Exact percentage points for testing independence. 66, 353-356

Katsura, K.

Ogata, Y., --- (1991) Maximum likelihood estimates of the fractal dimension for random spatial patterns. 78, 463-474

Kavalieris, L.

--- (1991) A note on estimating autoregressive-moving average order. 78, 920-922

Hannan, E.J., --- (1984) A method for autoregressive-moving average estimation. 71, 273-280

Hannan, E.J., ---, Mackisack, M.S. (1986) Recursive estimation of linear systems. 73, 119-133

Kay, J.W.

Hall, P., ---, Titterton, D.M. (1990) Asymptotically optimal difference-based estimation of variance in nonparametric regression. 77, 521-528

Thompson, A.M., ---, Titterton, D.M. (1991) Noise estimation in signal restoration using regularization. 78, 475-488

Kay, R.

--- (1979) Spectral analysis of a stationary time series using initially scarce data. 66, 91-96

---, Little, S. (1987) Transformations of the explanatory variables in the logistic regression model for binary data. 74, 495-501

---, Reed, G. (1986) On the asymptotic variance of higher order crossings with special reference to a fast white noise test. 73, 143-149

---, Slud, E.V. (1981) On goodness of fit of time series models: an application of higher order crossings. 68, 551-556

Kedem, B.

--- (1976) Sufficient statistics associated with a two-state second-order Markov chain. 63, 127-132

--- (1978) Sufficiency and the number of level crossings by a stationary process. 65, 207-210

Kedem, G.

Phadke, M.S., --- (1978) Computation of the exact likelihood function of multivariate moving average models. 65, 511-519

Keefe, T.J.

--- (1982) On the relationship between two tests for homogeneity of the marginal distributions in a two-way classification (correction 71, 219). 69, 683-684

Keen, K.J.

---, Srivastava, M.S. (1991) The asymptotic variance of the interclass correlation coefficient. 78, 225-228

Srivastava, M.S., --- (1988) Estimation of the interclass correlation coefficient. 75, 731-739

- Keenan, D.M.**
 ---- (1985) A Tukey nonadditivity-type test for time series nonlinearity. **72**, 39-44
- Keiding, N.**
 ---- (1974) Estimation in the birth process (correction **61**, 647). **61**, 71-80
- Kelly, F.P.**
 ----, Ripley, B.D. (1976) A note on Strauss's model for clustering. **63**, 357-360
- Kemp, C.D.**
 Loukas, S., ----, Papageorgiou, H. (1986) Even point estimation for the bivariate Poisson distribution. **73**, 222-223
 Papageorgiou, H., ----, Loukas, S. (1983) Some methods of estimation for the bivariate Hermite distribution. **70**, 479-484
- Kempthorne, O.**
 ---- (1979) Comment on Finch, P.D., Description and analogy in the practice of statistics, **66**, 195-206. **66**, 206-207
 ---- (1990) Discussion of Begg, C.B., On inferences from Wei's biased coin design for clinical trials, **77**, 467-473. **77**, 481-483
- Kempthorne, P.J.**
 ---- (1984) Admissible variable-selection procedures when fitting regression models by least squares for prediction. **71**, 593-597
- Kempton, R.A.**
 ---- (1975) A generalized form of Fisher's logarithmic series. **62**, 29-38
- Kendall, M.G.**
 ---- (1971) Studies in the History of Probability and Statistics. XXVI: The work of Ernst Abbe (correction **59**, 498). **58**, 369-373
- Kent, J.T.**
 ---- (1982) Robust properties of likelihood ratio tests (comment **69**, 492). **69**, 19-27
 ---- (1983) Information gain and a general measure of correlation. **70**, 163-173
 ---- (1986) The underlying structure of nonnested hypothesis tests. **73**, 333-343
 ----, O'Quigley, J. (1988) Measures of dependence for censored survival data. **75**, 525-534
 Mardia, K.V., ---- (1991) Rao score tests for goodness of fit and independence. **78**, 355-363
- Kerr, J.R.**
 Preece, D.A., Pearce, S.C., ---- (1973) Orthogonal designs for three-dimensional experiments. **60**, 349-358
- Kerridge, D.F.**
 ----, Cook, G.W. (1976) Yet another series for the normal integral. **63**, 401-403
- Kettenring, J.R.**
 ---- (1971) Canonical analysis of several sets of variables. **58**, 433-451
 Devlin, S.J., Gnanadesikan, R., ---- (1975) Robust estimation and outlier detection with correlation coefficients. **62**, 531-545
- Khabarov, V.**
 Fedorov, V.V., ---- (1986) Duality of optimal designs for model discrimination and parameter estimation. **73**, 183-190
- Khan, R.A.**
 ---- (1981) A note on Page's two-sided cumulative sum procedure. **68**, 717-719
- Khatrl, C.G.**
 ---- (1978) A remark on the necessary and sufficient conditions for a quadratic form to be distributed as chi-squared. **65**, 239-240
- Kiefer, J.**
 ---- (1975) Optimal design: variation in structure and performance under change of criterion. **62**, 277-288
- Kiefer, N.M.**
 ---- (1982) Testing for dependence in multivariate probit models. **69**, 161-166
- Kim, D.**
 ---- (1991) A Bayesian significance test of the stationarity of regression parameters. **78**, 667-675
- Kim, H-J.**
 ----, Siegmund, D. (1989) The likelihood ratio test for a change-point in simple linear regression. **76**, 409-423
- Kim, K.**
 ---- (1988) Improved approximation for estimation following closed sequential tests. **75**, 121-128
 ----, De Mets, D.L. (1987) Design and analysis of group sequential tests based on the type I error spending rate function. **74**, 149-154
- Kimber, A.C.**
 ---- (1985) Tests for the exponential, Weibull and Gumbel distributions based on the stabilized probability plot. **72**, 661-663
- Kingman, J.F.C.**
 ---- (1972) On random sequences with spherical symmetry. **59**, 492-494
- Kirkwood, G.P.**
 Sandland, R.L., ---- (1981) Estimation of survival in marked populations with possibly dependent sighting probabilities. **68**, 531-541
- Kitchen, J.O.**
 Johnson, N.L., ---- (1971) Some notes on tables to facilitate fitting S_B curves. **58**, 223-226
 Johnson, N.L., ---- (1971) Tables to facilitate fitting S_B curves II: both terminals known. **58**, 657-668
- Klimko, L.A.**
 Antle, C.E., ----, Harkness, W. (1970) Confidence intervals for the parameters of the logistic distribution. **57**, 397-402
 Wahrenberger, D.L., Antle, C.E., ---- (1977) Bayesian rules for the two-armed bandit problem. **64**, 172-174
- Knoke, J.D.**
 ---- (1975) Testing for randomness against autocorrelated alternatives: the parametric case. **62**, 571-575
 ---- (1977) Testing for randomness against autocorrelation: alternative tests. **64**, 523-529
- Knott, M.**
 ---- (1975) On the minimum efficiency of least squares. **62**, 129-132
 ----, Frangos, C.C. (1983) Variance estimation for the jackknife using von Mises expansions. **70**, 501-504
- Knowles, M.**
 ----, Siegmund, D., Zhang, H. (1991) Confidence regions in semilinear regression. **78**, 15-31
- Kocher, S.C.**
 ---- (1979) Distribution-free comparison of two probability distributions with reference to their hazard rates. **66**, 437-441
 ---- (1981) A new distribution-free test for the equality of two failure rates. **68**, 423-426
 Bagai, I., Deshpande, J.V., ---- (1989) Distribution-free tests for stochastic ordering in the competing risks model. **76**, 775-781
 ----, Gupta, R.P. (1987) Competitors of the Kendall-tau test for testing independence against positive quadrant dependence. **74**, 664-666
- Koehler, K.**
 ---- (1979) A general formula for moments of the Pearson goodness-of-fit statistic for alternatives. **66**, 397-399
- Köhler, W.**
 Tuan, P.D., Möcks, J., ----, Gasser, T. (1987) Variable latencies of noisy signals: estimation and testing in brain potential data. **74**, 525-533
- Kohn, R.**
 ---- (1977) Note concerning the Akaike and Hannan estimation procedures for an autoregressive-moving average process. **64**, 622-625
 Ansley, C.F., ---- (1982) A geometrical derivation of the fixed interval smoothing algorithm. **69**, 486-487
 Ansley, C.F., ---- (1983) Exact likelihood of vector autoregressive-moving average process with missing or aggregated data. **70**, 275-278
 Ansley, C.F., ---- (1985) On the rate of convergence of the innovation representation of a moving average process. **72**, 325-330
 Ansley, C.F., ---- (1986) Prediction mean squared error for state space models with estimated parameters. **73**, 467-473
 Ansley, C.F., ---- (1987) Efficient generalized cross-validation for state space models. **74**, 139-148

- Kohn, R.**
 ---, Ansley, C.F. (1983) Fixed interval estimation in state space models when some of the data are missing or aggregated. **70**, 683-688
 ---, Ansley, C.F. (1984) A note on Kalman filtering for the seasonal moving average model. **71**, 648-650
 ---, Ansley, C.F. (1985) Efficient estimation and prediction in time series regression models. **72**, 694-697
 ---, Ansley, C.F. (1986) Fast filtering for seasonal moving average models. **73**, 522-524
 ---, Ansley, C.F. (1987) Signal extraction for finite nonstationary time series. **74**, 411-421
 ---, Ansley, C.F. (1989) A fast algorithm for signal extraction, influence and cross-validation in state space models. **76**, 65-79
- Kok, K.-L.**
 ---, Patterson, H.D. (1976) Algebraic results in the theory of serial factorial design. **63**, 559-565
- Kokolakis, G.E.**
 --- (1981) On the expected probability of correct classification. **68**, 477-483
- Kokon, J.O.**
 Boyer, J.E., --- (1983) Variances for adaptive trimmed means. **70**, 97-102
- Kong, F.**
 Levin, B., --- (1990) Bartlett's bias correction to the profile score function is a saddlepoint correction. **77**, 219-221
- Konishi, S.**
 --- (1978) An approximation to the distribution of the sample correlation coefficient. **65**, 654-656
 --- (1981) Normalizing transformations of some statistics in multivariate analysis. **68**, 647-651
- Kopecky, K.J.**
 Pierce, D.A., --- (1979) Testing goodness of fit for the distribution of errors in regression models. **66**, 1-5
- Koreksha, S.**
 Pukkila, T.M., ---, Kallinen, A. (1990) The identification of ARMA models. **77**, 537-548
- Korin, B.P.**
 --- (1972) Some comments on the homoscedasticity criterion M and the multivariate analysis of variance tests T^2 , W and R . **59**, 215-216
- Korn, E.L.**
 ---, Liu, P.-Y. (1983) Interactive effects of mixtures of stimuli in life table analysis. **70**, 103-110
- Korsh, J.F.**
 Flueck, J.A., --- (1974) A branch search algorithm for maximum likelihood paired comparison ranking. **61**, 621-626
- Kott, P.S.**
 --- (1986) Some asymptotic results for the systematic and stratified sampling of a finite population (correction **74**, 667). **73**, 485-491
 --- (1988) Model-based finite population correction for the Horvitz-Thompson estimator. **75**, 797-799
- Kotz, S.**
 Huang, J.S., --- (1984) Correlation structure in iterated Farlie-Gumbel-Morgenstern distributions. **71**, 633-636
 Johnson, N.L., --- (1972) Power transformations of gamma variables. **59**, 226-229
 Johnson, N.L., --- (1973) Extended and multivariate Tukey lambda distributions. **60**, 655-661
- Koutras, M.**
 --- (1986) On the generalized noncentral chi-squared distribution induced by an elliptical gamma law. **73**, 528-532
- Koutrouvelis, I.A.**
 --- (1980) A goodness-of-fit test of simple hypotheses based on the empirical characteristic function. **67**, 238-240
 --- (1982) Estimation of location and scale in Cauchy distributions using the empirical characteristic function. **69**, 205-213
- Koval, J.J.**
 Donner, A., --- (1980) The large sample variance of an interclass correlation. **67**, 719-722
- Kovar, J.G.**
 Rao, J.N.K., ---, Mantel, H.J. (1990) On estimating distribution functions and quantiles from survey data using auxiliary information. **77**, 365-375
- Kowalczyk, T.**
 Cwik, J., Golembiewska, M., ---, Pleszczynska, E. (1982) Conceptual and statistical problems of sister dependence. **69**, 513-520
- Kozłol, J.A.**
 --- (1980) Goodness-of-fit tests for randomly censored data. **67**, 693-696
 --- (1982) A class of invariant procedures for assessing multivariate normality. **69**, 423-427
 ---, Green, S.B. (1976) A Cramér-von Mises statistic for randomly censored data. **63**, 465-474
 ---, Petkau, A.J. (1978) Sequential testing of the equality of two survival distributions using the modified Savage statistic. **65**, 615-623
 Halperin, M., Ware, J.H., Byar, D.P., Mantel, N., Brown, C.C., ---, Gail, M., Green, S.B. (1977) Testing for interaction in an $I \times J \times K$ contingency table. **64**, 271-275
- Kraemer, H.C.**
 --- (1981) Intergroup concordance: definition and estimation. **68**, 641-646
- Kreiner, S.**
 Edwards, D., --- (1983) The analysis of contingency tables by graphical models. **70**, 553-565
- Kremers, W.K.**
 ---, Robson, D.S. (1987) Unbiased estimation when sampling from renewal processes: the single sample and k -sample random means cases. **74**, 329-336
- Krewski, D.**
 Burnett, R., ---, Bleuer, S. (1989) Efficiency robust score tests for rodent tumorigenicity experiments. **76**, 317-324
- Krieger, A.M.**
 Pfeffermann, D., --- (1991) Poststratification using regression estimators when information on strata means and sizes is missing. **78**, 409-419
- Krishnaiah, P.R.**
 ---, Lee, J.C., Chang, T.C. (1976) The distributions of the likelihood ratio statistics for tests of certain covariance structures of complex multivariate normal populations. **63**, 543-549
- Krutchkoff, R.G.**
 Andrews, R.L., Arnold, J.C., --- (1972) Shrinkage of the posterior mean in the normal case. **59**, 693-695
 Ergle, W.D., --- (1972) A nonparametric empirical Bayes estimator. **59**, 483-485
 Gabbert, J.T., --- (1970) Supplementary sample nonparametric empirical Bayes in a quality control situation. **57**, 67-69
 Griffin, B.S., --- (1971) Optimal linear estimators: an empirical Bayes version with application to the binomial distribution. **58**, 195-201
 Rencher, A.C., --- (1975) Some empirical Bayes estimators allowing for varying error variances. **62**, 643-650
- Krysio, R.J.**
 --- (1972) On estimating the infection rate of the simple stochastic epidemic. **59**, 213-214
 --- (1974) On the extended simple stochastic epidemic model. **61**, 200-202
- Krzyszowski, W.J.**
 --- (1979) Some linear transformations for mixtures of binary and continuous variables, with particular reference to linear discriminant analysis. **66**, 33-39
 --- (1983) Distance between populations using mixed continuous and categorical variables. **70**, 235-243
 --- (1989) On confidence regions in canonical variate analysis. **76**, 107-116
 Mitchell, A.F.S., --- (1985) The Mahalanobis distance and elliptic distributions (correction **76**, 407). **72**, 464-467

- Kudô, A.**
 ----, Yao, J.S. (1982) Tables for testing ordered alternatives in an analysis of variance without replications. **69**, 237-238
- Kuk, A.Y.C.**
 ---- (1984) All subsets regression in a proportional hazards model. **71**, 587-592
 ---- (1988) Estimation of distribution functions and medians under sampling with unequal probabilities. **75**, 97-103
 ---- (1990) Asking sensitive questions indirectly. **77**, 436-438
- Kulatunga, D.D.S.**
 Sasabuchi, S., Inutsuka, M., ---- (1983) A multivariate version of isotonic regression. **70**, 465-472
 Sasabuchi, S., ---- (1985) Some approximations for the null distribution of the E^2 statistic used in order restricted inference. **72**, 476-480
- Kumar, P.**
 Gupta, V.K., Nigam, A.K., ---- (1982) On a family of sampling schemes with inclusion probability proportional to size. **69**, 191-196
- Kumar, S.**
 Roberts, G., Rao, J.N.K., ---- (1987) Logistic regression analysis of survey sample data. **74**, 1-12
- Kumazawa, Y.**
 ---- (1987) A note on an estimator of life expectancy with random censorship. **74**, 655-658
- Kumon, M.**
 ----, Amari, S.-I. (1984) Estimation of a structural parameter in the presence of a large number of nuisance parameters. **71**, 445-459
- Kunert, J.**
 ---- (1985) Optimal repeated measurements designs for correlated observations and analysis by weighted least squares. **72**, 375-389
 ---- (1987) Neighbour balanced block designs for correlated errors. **74**, 717-724
- Kunert, J.**
 ---- (1991) Cross-over designs for two treatments and correlated errors. **78**, 315-324
- Künsch, H.R.**
 ---- (1987) Intrinsic autoregressions and related models on the two-dimensional lattice. **74**, 517-524
 Dahlhaus, R., ---- (1987) Edge effects and efficient parameter estimation for stationary random fields. **74**, 877-882
- Kuo, L.**
 ---- (1988) Linear Bayes estimators of the potency curve in bioassay. **75**, 91-96
 Gelfand, A.E., ---- (1991) Nonparametric Bayesian bioassay including ordered polytomous response. **78**, 657-666
- Kupper, L.L.**
 ----, Meydrecht, E.F. (1973) A new approach to mean squared error estimation of response surfaces. **60**, 573-579
- Kuzmack, A.M.**
 Freeman, H., ---- (1972) Tables of multivariate t in six and more dimensions. **59**, 217-219
- Läärä, E.**
 ----, Matthews, J.N.S. (1985) The equivalence of two models for ordinal data. **72**, 206-207
- Lachenbruch, P.A.**
 ---- (1975) Zero-mean difference discrimination and the absolute linear discriminant function. **62**, 397-401
 David, H.A., ----, Brandis, H.P. (1972) The power function of range and studentized range tests in normal samples. **59**, 161-168
 Woolson, R.F., ---- (1980) Rank tests for censored matched pairs (correction **71**, 220). **67**, 597-606
 Woolson, R.F., ---- (1981) Rank tests for censored randomized block designs. **68**, 427-435
- Lachin, J.M.**
 Wei, L.J., Su, J.Q., ---- (1990) Interim analyses with repeated measurements in a sequential clinical trial. **77**, 359-364
- Lagakos, S.W.**
 ---- (1981) The graphical evaluation of explanatory variables in proportional hazard regression models. **68**, 93-98
 ---- (1988) The loss in efficiency from misspecifying covariates in proportional hazards regression models. **75**, 156-160
 ----, Barraj, L.M., De Gruttola, V. (1988) Nonparametric analysis of truncated survival data with application to AIDS. **75**, 515-523
 ----, Reid, N. (1981) Estimating convolutions from partially censored data. **68**, 113-117
 ----, Sommer, C.J., Zelen, M. (1978) Semi-Markov models for partially censored data. **65**, 311-317
 ----, Williams, J.S. (1978) Models for censored survival analysis: a cone class of variable-sum models. **65**, 181-189
 Williams, J.S., ---- (1977) Models for censored survival analysis: constant-sum and variable-sum models. **64**, 215-224
- Laird, N.M.**
 ---- (1978) Empirical Bayes methods for two-way contingency tables. **65**, 581-590
 Lipsitz, S.R., ----, Harrington, D.P. (1990) Finding the design matrix for the marginal homogeneity model. **77**, 353-358
 Lipsitz, S.R., ----, Harrington, D.P. (1991) Generalized estimating equations for correlated binary data: using the odds ratio as a measure of association. **78**, 153-160
- Lakatos, E.**
 Zucker, D.M., ---- (1990) Weighted log rank type statistics for comparing survival curves when there is a time lag in the effectiveness of treatment. **77**, 853-864
- Lakshminarayanan, M.Y.**
 ----, Gunst, R.F. (1984) Estimation of parameters in linear structural relationships: sensitivity to the choice of the ratio of the error variances. **71**, 569-573
 Reilman, M.A., Gunst, R.F., ---- (1985) Structural model estimation with correlated measurement errors. **72**, 669-672
- Lalitha, S.**
 Joshi, P.C., ---- (1986) Tests for two outliers in a linear model. **73**, 236-239
- Lam, F.C.**
 ----, Longnecker, M.T. (1983) A modified Wilcoxon rank sum test for paired data. **70**, 510-513
- Lam, H.K.**
 Shenton, L.R., Bowman, K.O., ---- (1979) Comments on a paper by R.C.Gear on standardized mean deviation. **66**, 400-401
- Lam, K.**
 ---- (1986) A new procedure for selecting good populations. **73**, 201-206
 ----, Chiu, W.K. (1976) On the probability of correctly selecting the best of several normal populations. **63**, 410-411
- Lan, K.K.G.**
 Carroll, R.J., Spiegelman, C.H., ----, Bailey, K.T., Abbott, R.D. (1984) On errors-in-variables for binary regression models. **71**, 19-25
 Halperin, M., ----, Hamdy, M.I. (1988) Some implications of an alternative definition of the multiple comparison problem. **75**, 773-778
 ----, De Mets, D.L. (1983) Discrete sequential boundaries for clinical trials. **70**, 659-663
- Langenberg, P.**
 ----, Srinivasan, R. (1979) Null distribution of the Hollander-Proschan statistic for decreasing mean residual life. **66**, 679-680
- Langholz, B.**
 ----, Thomas, D., Chen, T., Rhodes, P. (1990) Tests of effect in 1:J matched case-control studies based on a modified likelihood approach. **77**, 897-900
- Lanke, J.**
 Rao, J.N.K., ---- (1984) Simplified unbiased variance estimation for multistage designs. **71**, 387-395
- Larimore, W.E.**
 ---- (1983) Predictive inference, sufficiency, entropy and an asymptotic likelihood principle. **70**, 175-181
- Larntz, K.**
 Fienberg, S.E., ---- (1976) Log linear representation for paired and multiple comparisons models. **63**, 245-254
- Larson, M.G.**
 Dinse, G.E., ---- (1986) A note on semi-Markov models for partially censored data. **73**, 379-386

- Laslett, G.M.**
 ---- (1982) The survival curve under monotone density constraints with applications to two-dimensional line segment processes. **69**, 153-160
- Latta, R.B.**
 ---- (1977) Generalized Wilcoxon statistics for the two-sample problem with censored data. **64**, 633-635
- Laud, P.**
 Saunders, R., ---- (1980) The multidimensional Kolmogorov goodness-of-fit test. **67**, 237-237
- Lauder, I.J.**
 ---- (1981) Latent variable models for statistical diagnosis. **68**, 365-372
 ---- (1983) Direct kernel assessment of diagnostic probabilities. **70**, 251-256
 Aitchison, J., ---- (1979) Statistical diagnosis from imprecise data. **66**, 475-483
- Lauritzen, S.L.**
 Frydenberg, M., ---- (1989) Decomposition of maximum likelihood in mixed graphical interaction models. **76**, 539-555
 Jensen, S.T., Johansen, S., ---- (1991) Globally convergent algorithms for maximizing a likelihood function. **78**, 867-877
 Wermuth, N., ---- (1983) Graphical and recursive models for contingency tables. **70**, 537-552
- Lawal, H.B.**
 ---- (1984) Comparisons of the X^2 , Y^2 , Freeman-Tukey and Williams's improved G^2 test statistics in small samples of one-way multinomials. **71**, 415-418
 ----, Upton, G.J.G. (1980) An approximation to the distribution of the X^2 goodness-of-fit statistic for use with small expectations. **67**, 447-453
- Lawless, J.F.**
 ---- (1972) Conditional confidence interval procedures for the location and scale parameters of the Cauchy and logistic distributions. **59**, 377-386
 ---- (1974) Approximations to confidence intervals for parameters in the extreme value and Weibull distributions. **61**, 123-129
 ---- (1986) A note on lifetime regression models. **73**, 509-512
 Gould, A., ---- (1988) Consistency and efficiency of regression coefficient estimates in location-scale models. **75**, 535-540
 ----, McLeish, D.L. (1984) The information in aggregate data from Markov chains. **71**, 419-430
- Lawley, D.N.**
 ----, Maxwell, A.E. (1973) Regression and factor analysis. **60**, 331-338
- Lawrance, A.J.**
 ---- (1987) The score statistic for regression transformation. **74**, 275-279
 Atkinson, A.C., ---- (1989) A comparison of asymptotically equivalent test statistics for regression transformation. **76**, 223-229
- Layard, M.W.J.**
 ---- (1974) A Monte Carlo comparison of tests for equality of covariance matrices. **61**, 461-465
 Duncan, G.T., ---- (1973) A Monte-Carlo study of asymptotically robust tests for correlation coefficients. **60**, 551-558
- Laycock, P.J.**
 ---- (1975) Optimal design: regression models for directions. **62**, 305-311
 Morris, J.E., ---- (1974) Discriminant analysis of directional data. **61**, 335-341
- Le, C.T.**
 ---- (1984) On relative risk estimation under multiple matching (amendment 73, 245). **71**, 195-196
 ---- (1984) Logistic models for crossover designs. **71**, 216-217
- Ledolter, J.**
 Abraham, B., ---- (1984) A note on inverse correlations. **71**, 609-614
 Cryer, J.D., ---- (1981) Small-sample properties of the maximum likelihood estimator in the first-order moving average model. **68**, 691-694
- Lee, A.J.**
 Fisher, N.I., ---- (1981) Nonparametric measures of angular-linear association. **68**, 629-636
 Fisher, N.I., ---- (1982) Nonparametric measures of angular-angular association. **69**, 315-321
 Fisher, N.I., ---- (1983) A correlation coefficient for circular data. **70**, 327-332
 Fisher, N.I., ---- (1986) Correlation coefficients for random variables on a unit sphere or hypersphere. **73**, 159-164
- Lee, C-H.**
 ----, Martin, R.D. (1986) Ordinary and proper location M -estimates for autoregressive-moving average models. **73**, 679-686
- Lee, E.T.**
 Gnanadesikan, R., ---- (1970) Graphical techniques for internal comparisons amongst equal degree of freedom groupings in multiresponse experiments. **57**, 229-237
 ----, Desu, M.M., Gehan, E.A. (1975) A Monte Carlo study of the power of some two-sample tests. **62**, 425-432
- Lee, H.S.**
 Fraser, D.A.S., ----, Reid, N. (1990) Nonnormal linear regression: an example of significance in high dimensions. **77**, 333-341
- Lee, J.C.**
 Krishnaiah, P.R., ----, Chang, T.C. (1976) The distributions of the likelihood ratio statistics for tests of certain covariance structures of complex multivariate normal populations. **63**, 543-549
- Lee, R.D.**
 Upton, G.J.G., ---- (1976) The importance of the patient horizon in the sequential analysis of binomial clinical trials. **63**, 335-342
- Lee, S-Y.**
 ---- (1979) Constrained estimation in covariance structure analysis. **66**, 539-545
 ---- (1985) On testing functional constraints in structural equation models. **72**, 125-131
- Lee, S-Y.**
 ---- (1990) Multilevel analysis of structural equation models. **77**, 763-772
- Lee, Y-H.K.**
 ---- (1974) A note on Rao's reduction of Potthoff and Roy's generalized linear model. **61**, 349-351
- Lee, Y-S.**
 ---- (1971) Asymptotic formulae for the distribution of a multivariate test statistic: power comparisons of certain multivariate tests. **58**, 647-651
 ---- (1972) Tables of upper percentage points of the multiple correlation coefficient. **59**, 175-189
 ---- (1972) Some results on the distribution of Wilks's likelihood-ratio criterion. **59**, 649-664
- Lefevre, C.**
 Hallin, M., ----, Puri, M.L. (1988) On time-reversibility and the uniqueness of moving average representations for non-Gaussian stationary time series. **75**, 170-171
- Lefrançois, B.**
 ---- (1991) Detecting over-influential observations in time series. **78**, 91-99
- Leigh, G.M.**
 ---- (1988) A comparison of estimates of natural mortality from fish tagging experiments. **75**, 347-353
 Barndorff-Nielsen, O.E., James, I.R., ---- (1989) A note on a semiparametric estimator of mortality. **76**, 803-805
- Leitch, R.A.**
 Paulson, A.S., Holcomb, E.W., ---- (1975) The estimation of the parameters of the stable laws. **62**, 163-170
- Leite, J.G.**
 ----, Oishi, J., Pereira, C.A.deB. (1988) A note on the exact maximum likelihood estimation of the size of a finite and closed population. **75**, 178-180
- Lellouch, J.**
 Moreau, T., O'Quigley, J., ---- (1986) On D.Schoenfeld's approach for testing the proportional hazards assumption. **73**, 513-515

- Lenk, P.J.**
 ---- (1991) Towards a practicable Bayesian nonparametric density estimator. *78*, 531-543
- Leonard, T.**
 ---- (1972) Bayesian methods for binomial data. *59*, 581-589
 ---- (1973) A Bayesian method for histograms. *60*, 297-308
 ---- (1974) A modification to the Bayes estimate for the mean of a normal distribution. *61*, 627-628
 ---- (1976) Some alternative approaches to multiparameter estimation. *63*, 69-75
 O'Hagan, A., ---- (1976) Bayes estimation subject to uncertainty about parameter constraints. *63*, 201-203
- Lepage, Y.**
 ---- (1971) A combination of Wilcoxon's and Ansari-Bradley's statistics. *58*, 213-217
 ---- (1973) A table for a combined Wilcoxon Ansari-Bradley statistic. *60*, 113-116
- Leurgans, S.**
 ---- (1983) Three classes of censored data rank tests: strengths and weaknesses under censoring. *70*, 651-658
 ---- (1983) On distribution-free tests for bivariate observations. *70*, 727-728
 ---- (1987) Linear models, random censoring and synthetic data. *74*, 301-309
- Levenbach, H.**
 ---- (1972) Estimation of autoregressive parameters from a marginal likelihood function. *59*, 61-71
- Levent, I.**
 Sirvanci, M., ---- (1982) Cramér-von Mises statistic for testing exponentiality with censored samples (correction *71*, 220). *69*, 641-646
- Levin, B.**
 ---- (1984) Simple improvements on Cornfield's approximation to the mean of a noncentral hypergeometric random variable. *71*, 630-632
 ---- (1990) The saddlepoint correction in conditional logistic likelihood analysis. *77*, 275-285
 ----, Kong, F. (1990) Bartlett's bias correction to the profile score function is a saddlepoint correction. *77*, 219-221
- Lewis, B.C.**
 Good, I.J., ----, Gaskins, R.A., Howell, L.W. (1979) Population estimation by the removal method assuming proportional trapping. *66*, 485-494
- Lewis, J.I.**
 ---- (1972) A k -sample test based on range intervals. *59*, 155-160
- Lewis, P.A.W.**
 Amemiya, Y., Anderson, T.W., ---- (1990) Percentage points for a test of rank in multivariate components of variance. *77*, 637-641
 ----, Shedler, G.S. (1976) Simulation of nonhomogeneous Poisson processes with log linear rate function. *63*, 501-505
- Lewis, S.M.**
 ---- (1975) Robust estimation of density for a two-dimensional point process. *62*, 519-521
 ----, Dean, A.M. (1991) On general balance in row-column designs. *78*, 595-600
 ----, John, J.A. (1976) Testing main effects in fractions of asymmetrical factorial experiments. *63*, 678-680
- Lewis, T.**
 Cox, T.F., ---- (1976) A conditioned distance ratio method for analyzing spatial patterns. *63*, 483-491
 Fisher, N.I., ---- (1983) Estimating the common mean direction of several circular or spherical distributions with differing dispersions (correction *71*, 655). *70*, 333-341
 ----, Saunders, I.W., Westcott, M. (1984) The moments of the Pearson chi-squared statistic and the minimum expected value in two-way tables (correction *76*, 407). *71*, 515-522
- Lewis, T.O.**
 Duran, B.S., Tsai, W.S., ---- (1976) A class of location-scale nonparametric tests. *63*, 173-176
- Leybourne, S.J.**
 ----, McCabe, B.P.M. (1989) On the distribution of some test statistics for coefficient constancy. *76*, 169-177
- Li, K-C.**
 Cheng, C-S., ---- (1987) Optimality criteria in survey sampling. *74*, 337-345
- Li, L.**
 ----, Schucany, W.R. (1975) Some properties of a test for concordance of two groups of rankings. *62*, 417-423
- Li, S-H.**
 ----, Simon, R., Gart, J.J. (1979) Small sample properties of the Mantel-Haenszel test (correction *70*, 304). *66*, 181-183
- Li, W.K.**
 ---- (1985) Distribution of residual autocorrelations in multivariate autoregressive index models. *72*, 686-688
 ---- (1988) A goodness-of-fit test in robust time series modelling. *75*, 355-361
 ---- (1991) Testing model adequacy for some Markov regression models for time series. *78*, 83-89
- Li, W.K.**
 ---- (1991) Some Lagrange multiplier tests for seasonal differencing. *78*, 381-387
 ----, Hui, Y.V. (1989) Robust multiple time series modelling. *76*, 309-315
 ----, McLeod, A.I. (1986) Fractional time series modelling. *73*, 217-221
 Mak, T.K., ---- (1988) A new method for estimating subgroup means under misclassification. *75*, 105-111
- Lian, M.G.**
 Martz, H.F., ---- (1974) Empirical Bayes estimation of the binomial parameter. *61*, 517-523
- Liang, K-L.**
 ---- (1987) Estimating functions and approximate conditional likelihood. *74*, 695-702
- Liang, K-Y.**
 ---- (1983) On information and ancillarity in the presence of a nuisance parameter. *70*, 607-612
 ---- (1984) The asymptotic efficiency of conditional likelihood methods. *71*, 305-313
 ---- (1985) Odds ratio inference with dependent data. *72*, 678-682
 ---- (1987) A locally most powerful test for homogeneity with many strata. *74*, 259-264
 Conolly, M.A., ---- (1988) Conditional logistic regression models for correlated binary data. *75*, 501-506
 ----, Self, S.G. (1985) Tests for homogeneity of odds ratio when the data are sparse. *72*, 353-358
 ----, Zeger, S.L. (1986) Longitudinal data analysis using generalized linear models. *73*, 13-22
 Zeger, S.L., ----, Self, S.G. (1985) The analysis of binary longitudinal data with time-independent covariates. *72*, 31-38
- Liao, H.**
 ----, Sedransk, J. (1975) Sequential sampling for the comparison of domain means. *62*, 690-693
- Liddell, I.G.**
 ----, Ord, J.K. (1978) Linear-circular correlation coefficients: some further results. *65*, 448-450
- Liggett, W.**
 ---- (1988) Estimation of the error probability density from replicate measurements on several items. *75*, 557-567
 ---- (1989) Estimation of an asymmetrical density from several small samples. *76*, 13-21
- Lim, T.K.**
 ----, Fung, K.Y. (1980) Sequential trimmed t tests. *67*, 181-186
- Lin, C-C.**
 ----, Mudholkar, G.S. (1980) A simple test for normality against asymmetric alternatives. *67*, 455-461
- Lin, D.Y.**
 ---- (1991) Nonparametric sequential testing in clinical trials with incomplete multivariate observations. *78*, 123-131
 Wei, L.J., Ying, Z., ---- (1990) Linear regression analysis of censored survival data based on rank tests. *77*, 845-851

- Lin, P.-E.**
 ----, Stivers, L.E. (1974) On difference of means with incomplete data. **61**, 325-334
- Lindgren, G.**
 ---- (1974) Spectral moment estimation by means of level crossings. **61**, 401-418
 Björnham, Å., ---- (1976) Frequency estimation from crossings of an observed mean level. **63**, 507-512
 Cuzick, J., ---- (1980) Frequency estimation from crossings of an unknown level. **67**, 65-72
- Lindley, D.V.**
 ---- (1977) A problem in forensic science. **64**, 207-213
- Lindsay, B.**
 ---- (1982) Conditional score functions: some optimality results. **69**, 503-512
- Lininger, L.**
 ----, Gail, M.H., Green, S.B., Byar, D.P. (1979) Comparison of four tests for equality of survival curves in the presence of stratification and censoring. **66**, 419-428
- Lipsitz, S.R.**
 ----, Laird, N.M., Harrington, D.P. (1990) Finding the design matrix for the marginal homogeneity model. **77**, 353-358
 ----, Laird, N.M., Harrington, D.P. (1991) Generalized estimating equations for correlated binary data: using the odds ratio as a measure of association. **78**, 153-160
- Lipton, S.**
 Dolby, G.R., ---- (1972) Maximum likelihood estimation of the general nonlinear functional relationship with replicated observations and correlated errors. **59**, 121-129
- Littell, R.C.**
 ----, Boyett, J.M. (1977) Designs for $R \times C$ factorial paired comparison experiments. **64**, 73-77
- Little, R.J.A.**
 ---- (1976) Comments on Rubin, D.B., Inference and missing data, **63**, 581-590. **63**, 590-591
 ---- (1976) Inference about means from incomplete multivariate data. **63**, 593-604
 ----, Schluchter, M.D. (1985) Maximum likelihood estimation for mixed continuous and categorical data with missing values. **72**, 497-512
- Little, S.**
 Kay, R., ---- (1987) Transformations of the explanatory variables in the logistic regression model for binary data. **74**, 495-501
- Liu, P.-Y.**
 Benedetti, J.K., ----, Sather, H.N., Seinfeld, J., Epton, M.A. (1982) Effective sample size for tests of censored survival data. **69**, 343-349
 Korn, E.L., ---- (1983) Interactive effects of mixtures of stimuli in life table analysis. **70**, 103-110
- Ljung, G.M.**
 ---- (1982) The likelihood function for a stationary Gaussian autoregressive-moving average process with missing observations. **69**, 265-268
 ---- (1986) Diagnostic testing of univariate time series models. **73**, 725-730
 ----, Box, G.E.P. (1978) On a measure of lack of fit in time series models. **65**, 297-303
 ----, Box, G.E.P. (1979) The likelihood function of stationary autoregressive-moving average models. **66**, 265-270
- Lloyd, E.H.**
 Anis, A.A., ---- (1976) The expected value of the adjusted rescaled Hurst range of independent normal summands. **63**, 111-116
- Lo, S.-H.**
 Bassiakos, Y.C., Meng, X.-L., ---- (1991) A general estimator of the treatment effect when the data are heavily censored. **78**, 741-748
- Loader, C.R.**
 ---- (1991) Inference for a hazard rate change point. **78**, 749-757
- Locke, C.**
 ----, Spurrier, J.D. (1976) The use of U -statistics for testing normality against nonsymmetric alternatives (correction **64**, 175). **63**, 143-147
- , Spurrier, J.D. (1977) The use of U -statistics for testing normality against alternatives with both tails heavy or both tails light. **64**, 638-640
- Lockhart, R.A.**
 ----, McLaren, C.G. (1985) Asymptotic points for a test of symmetry about a specified median. **72**, 208-210
 ----, Stephens, M.A. (1985) Tests of fit for the von Mises distribution. **72**, 647-652
 Meester, S.G., ---- (1988) Testing for normal errors in designs with many blocks. **75**, 569-575
- Lombard, F.**
 ---- (1987) Rank tests for change-point problems. **74**, 615-624
- Longford, N.T.**
 ---- (1987) A fast scoring algorithm for maximum likelihood estimation in unbalanced mixed models with nested random effects. **74**, 817-827
- Longnecker, M.T.**
 Lam, F.C., ---- (1983) A modified Wilcoxon rank sum test for paired data. **70**, 510-513
- Louis, T.A.**
 ---- (1975) Optimal allocation in sequential tests comparing the means of two Gaussian populations (correction **63**, 218). **62**, 359-369
 ---- (1981) Nonparametric analysis of an accelerated failure time model. **68**, 381-390
 Flehinger, B.J., ---- (1971) Sequential treatment allocation in clinical trials. **58**, 419-426
- Loukas, S.**
 ----, Kemp, C.D., Papageorgiou, H. (1986) Even point estimation for the bivariate Poisson distribution. **73**, 222-223
 Papageorgiou, H., Kemp, C.D., ---- (1983) Some methods of estimation for the bivariate Hermite distribution. **70**, 479-484
- Louter, A.S.**
 Abrahamse, A.P.J., ---- (1971) On a new test for autocorrelation in least squares regression. **58**, 53-60
- Loynes, R.M.**
 ---- (1979) A note on Prescott's upper bound for normed residuals. **66**, 387-389
- Lubin, J.H.**
 ---- (1981) An empirical evaluation of the use of conditional and unconditional likelihoods for case-control data. **68**, 567-571
 Gail, M.H., ----, Rubinstein, L.V. (1981) Likelihood calculations for matched case-control studies and survival studies with tied death times. **68**, 703-707
- Lucas, H.A.**
 ----, Seber, G.A.F. (1977) Estimating coverage and particle density using the line intercept method. **64**, 618-622
- Lucas, J.M.**
 ---- (1977) Design efficiencies for varying numbers of centre points. **64**, 145-147
- Lundy, M.**
 ---- (1985) Applications of the annealing algorithm to combinatorial problems in statistics. **72**, 191-198
- Lustbader, E.D.**
 ---- (1980) Time-dependent covariates in survival analysis. **67**, 697-698
- Lütkepohl, H.**
 ---- (1982) Discounted polynomials for multiple time series model building. **69**, 107-115
- Luukkonen, R.**
 ----, Saikkonen, P., Teräsvirta, T. (1988) Testing linearity against smooth transition autoregressive models. **75**, 491-499
- Lwin, T.**
 ---- (1975) Exponential family distribution with a truncation parameter. **62**, 218-220
- Lysne, D.**
 ----, Tjøstheim, D. (1987) Loss of spectral peaks in autoregressive spectral estimation. **74**, 200-206
- Maag, U.R.**
 ----, Dicaire, G. (1971) On Kolmogorov-Smirnov type one-sample statistics. **58**, 653-656

Macaulay, A.B.

Howie, A.J., ---- (1972) Some problems of inference for a two-state system with incomplete information. **59**, 395-406

Macdonald, P.D.M.

---- (1970) Statistical inference from the fraction labelled mitoses curve. **57**, 489-503

Machado, S.G.

---- (1983) Two statistics for testing for multivariate normality. **70**, 713-718

MacKay, R.J.

Kalbfleisch, J.D., ---- (1979) On constant-sum models for censored survival data. **66**, 87-90

MacKenzie, D.A.

---- (1977) Studies in the History of Probability and Statistics. XXXVI: Arthur Black - a forgotten pioneer of mathematical statistics. **64**, 613-616

Mackinnon, M.J.

De Jong, P., ---- (1988) Covariances for smoothed estimates in state space models. **75**, 601-602

Mackisack, M.S.

Hannan, E.J., Kavalieris, L., ---- (1986) Recursive estimation of linear systems. **73**, 119-133
 ----, Poskitt, D.S. (1989) Autoregressive frequency estimation. **76**, 565-575

MacLean, C.J.

---- (1974) Estimation and testing of an exponential polynomial rate function within the nonstationary Poisson process. **61**, 81-85

MacNeill, I.B.

---- (1972) Censored overlapping Poisson counts. **59**, 427-434
 ---- (1974) Tests for periodic components in multiple time series. **61**, 57-70
 ---- (1977) A test of whether several time series share common periodicities. **64**, 495-508

Madan, D.B.

Babich, G., ---- (1980) The relevance of a probabilistic form of invertibility. **67**, 704-705

Madigan, D.

----, Mosurski, K. (1990) An extension of the results of Asmussen and Edwards on collapsibility in contingency tables. **77**, 315-319

Madsen, R.

Fairbanks, K., ---- (1982) *P* values for tests using a repeated significance test design. **69**, 69-74

Mak, T.K.

---- (1981) Large-sample results in the estimation of a linear transformation. **68**, 323-325
 ---- (1985) Interpretation and estimation in ranking theory. **72**, 227-229
 Chan, N.N., ---- (1983) Estimation of multivariate linear functional relationships. **70**, 263-267
 Chan, N.N., ---- (1984) Heteroscedastic errors in a linear functional relationship. **71**, 212-215
 ----, Li, W.K. (1988) A new method for estimating subgroup means under misclassification. **75**, 105-111
 ----, Ng, K.W. (1981) Analysis of familial data: linear-model approach. **68**, 457-461

Malin, J.S.

Hettmansperger, T.P., ---- (1975) A modified Mood's test for location with no shape assumptions on the underlying distributions. **62**, 527-529

Maller, R.A.

---- (1988) On the exponential model for survival. **75**, 582-586

Mallet, A.

---- (1986) A maximum likelihood estimation method for random coefficient regression models. **73**, 645-656

Mallows, C.L.

----, Vardi, Y. (1982) Bounds on the efficiency of estimates based on overlapping data. **69**, 287-296

Mangat, N.S.

----, Singh, R. (1990) An alternative randomised response procedure. **77**, 439-442

Manly, B.F.J.

---- (1970) The choice of a Wald test on the mean of a normal population. **57**, 91-95
 ---- (1970) On the distribution of the decisive sample number of certain sequential tests. **57**, 367-376
 ----, Rayner, J.C.W. (1987) The comparison of sample covariance matrices using likelihood ratio tests. **74**, 841-847

Mann, N.R.

Kaminsky, K.S., ----, Nelson, P.I. (1975) Best and simplified linear invariant prediction of order statistics in location and scale families. **62**, 525-527
 ----, Grubbs, F.E. (1972) Approximately optimum confidence bounds on series system reliability for exponential time to failure data. **59**, 191-204

Mantel, H.J.

Rao, J.N.K., Kovar, J.G., ---- (1990) On estimating distribution functions and quantiles from survey data using auxiliary information. **77**, 365-375

Mantel, N.

---- (1985) Propriety of the Mantel-Haenszel variance for the log rank test. **72**, 471-472
 Halperin, M., Ware, J.H., Byar, D.P., ----, Brown, C.C., Koziol, J., Gail, M., Green, S.B. (1977) Testing for interaction in an $I \times J \times K$ contingency table. **64**, 271-275

Marcus, R.

---- (1976) The powers of some tests of the equality of normal means against an ordered alternative. **63**, 177-183
 ----, Peritz, E., Gabriel, K.R. (1976) On closed testing procedures with special reference to ordered analysis of variance. **63**, 655-660

Mardia, K.V.

---- (1970) Measures of multivariate skewness and kurtosis with applications. **57**, 519-530
 ---- (1971) The effect of nonnormality on some multivariate tests and robustness to nonnormality in the linear model. **58**, 105-121
 ---- (1976) Linear-circular correlation coefficients and rhythmometry. **63**, 403-405
 Bingham, C., ---- (1978) A small circle distribution on the sphere. **65**, 379-389
 Jupp, P.E., ---- (1980) A general correlation coefficient for directional data and related regression problems (correction **68**, 738). **67**, 163-173
 ----, Dryden, I.L. (1989) The statistical analysis of shape data. **76**, 271-281
 ----, Edwards, R. (1982) Weighted distributions and rotating caps. **69**, 323-330
 ----, El-Atoum, S.A.M. (1976) Bayesian inference for the von Mises-Fisher distribution. **63**, 203-206
 ----, Kent, J.T. (1991) Rao score tests for goodness of fit and independence. **78**, 355-363
 ----, Marshall, R.J. (1984) Maximum likelihood estimation of models for residual covariance in spatial regression. **71**, 135-146
 ----, Puri, M.L. (1978) A spherical correlation coefficient robust against scale. **65**, 391-395
 ----, Sutton, T.W. (1975) On the modes of a mixture of two von Mises distributions. **62**, 699-701
 ----, Watkins, A.J. (1989) On multimodality of the likelihood in the spatial linear model. **76**, 289-295

Margolin, B.H.

---- (1977) The distribution of internally studentized statistics via Laplace transform inversion. **64**, 573-582
 ----, Maurer, W. (1976) Tests of the Kolmogorov-Smirnov type for exponential data with unknown scale, and related problems. **63**, 149-160
 Simpson, D.G., ---- (1986) Recursive nonparametric testing for dose-response relationships subject to downturns at high doses. **73**, 589-596

Maritz, J.S.

---- (1979) A note on exact robust confidence intervals for location. **66**, 163-166

- Maritz, J.S.**
Breth, M., ----, Williams, E.J. (1978) On distribution-free lower confidence limits for the mean of a nonnegative random variable (comment 66, 689). **65**, 529-534
- Markowski, E.P.**
---- (1984) Inference using near-neighbour trimmed rank statistics for simple linear regression models. **71**, 51-56
- Marriott, F.H.C.**
---- (1982) Optimization methods of cluster analysis. **69**, 417-421
- Marron, J.S.**
Hall, P., ---- (1990) On variance estimation in nonparametric regression. **77**, 415-419
Hall, P., Sheather, S.J., Jones, M.C., ---- (1991) On optimal data-based bandwidth selection in kernel density estimation. **78**, 263-269
Härdle, W., ---- (1985) Asymptotic nonequivalence of some bandwidth selectors in nonparametric regression. **72**, 481-484
- Marshall, R.J.**
---- (1980) Autocorrelation estimation of time series with randomly missing observations. **67**, 567-570
Mardia, K.V., ---- (1984) Maximum likelihood estimation of models for residual covariance in spatial regression. **71**, 135-146
- Marshall, T.F.deC.**
Pearce, S.C., Caliński, T., ---- (1974) The basic contrasts of an experimental design with special reference to the analysis of data. **61**, 449-460
- Martin, M.A.**
DiCiccio, T.J., ---- (1991) Approximations of marginal tail probabilities for a class of smooth functions with applications to Bayesian and conditional inference. **78**, 891-902
Hall, P., ---- (1988) On bootstrap resampling and iteration. **75**, 661-671
- Martin, R.D.**
---- (1982) The Cramér-Rao bound and robust M -estimates for autoregressions. **69**, 437-442
Lee, C-H., ---- (1986) Ordinary and proper location M -estimates for autoregressive-moving average models. **73**, 679-686
- Martin, R.J.**
---- (1979) A subclass of lattice processes applied to a problem in planar sampling. **66**, 209-217
---- (1981) A note on the adequacy of fit of a spatial model to some agricultural uniformity data. **68**, 336-338
---- (1982) Some aspects of experimental design and analysis when the errors are correlated. **69**, 597-612
---- (1986) On the design of experiments under spatial correlation (correction 75, 396). **73**, 247-277
- Martinez, J.**
----, Iglewicz, B. (1981) A test for departure from normality based on a halfweight estimator of scale. **68**, 331-333
- Martz, H.F.**
Bennett, G.K., ---- (1972) A continuous empirical Bayes smoothing technique. **59**, 361-368
----, Lian, M.G. (1974) Empirical Bayes estimation of the binomial parameter. **61**, 517-523
- Maruyama, T.**
---- (1970) Rate of decrease of genetic variability in a subdivided population. **57**, 299-311
- Marx, B.D.**
----, Smith, E.P. (1990) Principal component estimation for generalized linear regression. **77**, 23-31
- Marzec, L.**
----, Marzec, P. (1991) On testing the equality in dispersion of two probability distributions. **78**, 923-925
- Marzec, P.**
Marzec, L., ---- (1991) On testing the equality in dispersion of two probability distributions. **78**, 923-925
- Masarotto, G.**
---- (1987) Robust and consistent estimates of autoregressive-moving average parameters. **74**, 791-797
- Mathai, A.M.**
----, Katiyar, R.S. (1979) Exact percentage points for testing independence. **66**, 353-356
- Matloff, N.S.**
---- (1981) Use of regression functions for improved estimation of means. **68**, 685-689
- Matthews, D.E.**
---- (1988) Likelihood-based confidence intervals for functions of many parameters. **75**, 139-144
----, Farewell, V.T. (1985) On a singularity in the likelihood for a change-point hazard rate model. **72**, 703-704
- Matthews, J.N.S.**
---- (1987) Optimal crossover designs for the comparison of two treatments in the presence of carryover effects and autocorrelated errors (correction 75, 396). **74**, 311-320
---- (1989) Estimating dispersion parameters in the analysis of data from crossover trials. **76**, 239-244
Läärä, E., ---- (1985) The equivalence of two models for ordinal data. **72**, 206-207
- Matthews, J.P.**
---- (1970) A central limit theorem for absorbing Markov chains. **57**, 129-139
- Maurer, W.**
Margolin, B.H., ---- (1976) Tests of the Kolmogorov-Smirnov type for exponential data with unknown scale, and related problems. **63**, 149-160
- Mauro, D.W.**
---- (1983) A note on the consistency of Kaplan-Meier least squares estimators. **70**, 534-535
- Maxwell, A.E.**
Lawley, D.N., ---- (1973) Regression and factor analysis. **60**, 331-338
- Mayer, L.S.**
Jensen, D.R., ----, Myers, R.H. (1975) Optimal designs and large-sample tests for linear hypotheses. **62**, 71-78
- Mayo, O.**
Brien, C.J., Venables, W.N., James, A.T., ---- (1984) An analysis of correlation matrices: equal correlations. **71**, 545-554
- Mazumdar, M.**
----, Jefferson, T.R. (1983) Maximum likelihood estimates for multinomial probabilities via geometric programming. **70**, 257-261
- McAleer, M.**
---- (1983) Exact tests of a model against nonnested alternatives. **70**, 285-288
- McCabe, B.P.M.**
Harrison, M.J., ---- (1975) Autocorrelation with heteroscedasticity: a note on the robustness of the Durbin-Watson, Geary and Henshaw tests. **62**, 214-216
Leybourne, S.J., ---- (1989) On the distribution of some test statistics for coefficient constancy. **76**, 169-177
- McClave, J.T.**
---- (1973) On the bias of autoregressive approximations to moving averages. **60**, 599-605
- McCloud, P.I.**
Darroch, J.N., ---- (1990) Separating two sources of dependence in repeated influenza outbreaks. **77**, 237-243
- McCullagh, P.**
---- (1977) A logistic model for paired comparisons with ordered categorical data. **64**, 449-453
---- (1978) A class of parametric models for the analysis of square contingency tables with ordered categories. **65**, 413-418
---- (1982) Some applications of quasisymmetry. **69**, 303-308
---- (1984) Local sufficiency. **71**, 233-244
---- (1984) Tensor notation and cumulants of polynomials. **71**, 461-476
- McDermott, M.P.**
Mudholkar, G.S., ---- (1989) A class of tests for equality of ordered means. **76**, 161-168
- McGinlay, P.B.**
Bardsley, W.G., ----, Wright, A.J. (1986) The F test for model discrimination with exponential functions. **73**, 501-508

McGregor, J.R.

---, Babb, J.C. (1989) Serially correlated differences in the paired comparison of time series. **76**, 735-739

McHugh, R.

Ejigou, A., --- (1981) Relative risk estimation under multiple matching. **68**, 85-91

Ejigou, A., --- (1984) Testing the homogeneity of the relative risk under multiple matching. **71**, 408-411

McIntosh, A.A.

Kalbfleisch, J.D., --- (1977) Efficiency in survival distributions with time-dependent covariates. **64**, 47-50

McKay, R.J.

--- (1977) Simultaneous procedures for variable selection in multiple discriminant analysis. **64**, 283-290

McKean, J.W.

---, Hettmansperger, T.P. (1978) A robust analysis of the general linear model based on one-step R -estimates. **65**, 571-579

McKeon, J.J.

--- (1974) F approximations to the distribution of Hotelling's T_0^2 . **61**, 381-383

McKinlay, S.M.

--- (1978) The effect of nonzero second-order interaction on combined estimators of the odds ratio. **65**, 191-202

McLachlan, G.J.

--- (1974) The asymptotic distributions of the conditional error rate and risk in discriminant analysis. **61**, 131-135

--- (1976) The bias of the apparent error rate in discriminant analysis. **63**, 239-244

Ganesalingam, S., --- (1978) The efficiency of a linear discriminant function based on unclassified initial samples. **65**, 658-662

McLaren, A.D.

--- (1975) Comments on Kalbfleisch, J.D., Sufficiency and conditionality. **62**, 251-259. **62**, 264-268

McLaren, C.G.

Lockhart, R.A., --- (1985) Asymptotic points for a test of symmetry about a specified median. **72**, 208-210

McLeish, D.L.

Lawless, J.F., --- (1984) The information in aggregate data from Markov chains. **71**, 419-430

---, Small, C.G. (1986) Likelihood methods for the discrimination problem. **73**, 397-403

---, Tosh, D. (1983) The estimation of extreme quantiles in logit bioassay. **70**, 625-632

Small, C.G., --- (1989) Projection as a method for increasing sensitivity and eliminating nuisance parameters. **76**, 693-703

McLeod, A.I.

--- (1977) Improved Box-Jenkins estimators. **64**, 531-534

--- (1984) Duality and other properties of multiplicative seasonal autoregressive-moving average models. **71**, 207-211

Camacho, F., ---, Hipel, K.W. (1987) Contemporaneous bivariate time series. **74**, 103-113

Li, W.K., --- (1986) Fractional time series modelling. **73**, 217-221

McNeil, D.R.

--- (1972) On the simple stochastic epidemic. **59**, 494-497

---, Weiss, G.H. (1977) A large population approach to estimation of parameters in Markov population models. **64**, 553-558

Meeker, W.Q.

--- (1978) Sequential tests of independence for 2×2 contingency tables. **65**, 85-90

Meeks, S.L.

--- (1979) Conditional estimation following tests. **66**, 668-671

Meester, S.G.

---, Lockhart, R.A. (1988) Testing for normal errors in designs with many blocks. **75**, 569-575

Mehrotra, K.G.

Hensler, G.L., ---, Michalek, J.E. (1977) A note on some exact efficiency calculations for survival distributions. **64**, 635-637

---, Michalek, J.E., Mihalko, D. (1982) A relationship between two forms of linear rank procedures for censored data. **69**, 674-676

---, Nanda, P. (1974) Unbiased estimation of parameters by order statistics in the case of censored samples. **61**, 601-606

Mehta, C.R.

--- (1981) Sequential comparison of two exponential distributions with censored survival data. **68**, 669-675

Begg, C.B., --- (1979) Sequential analysis of comparative clinical trials. **66**, 97-103

---, Patel, N.R., Wei, L.J. (1988) Constructing exact significant tests with restricted randomization rules. **75**, 295-302

Wei, L.J., Smythe, R.T., --- (1989) Interval estimation with restricted randomisation rules. **76**, 363-368

Mehta, J.S.

---, Gurland, J. (1973) A test for equality of means in the presence of correlation and missing values. **60**, 211-213

---, Srinivasan, R. (1970) On the Behrens-Fisher problem. **57**, 649-655

Mendoza, G.

---, Iglewicz, B. (1977) A three-phase sequential model for clinical trials. **64**, 201-205

Meng, X.-L.

Bassiakos, Y.C., ---, Lo, S.-H. (1991) A general estimator of the treatment effect when the data are heavily censored. **78**, 741-748

Merikoski, J.K.

---, Pukkila, T.M. (1983) A note on the expectation of products of autocorrelations (correction **71**, 655). **70**, 528-529

Meshalkin, L.D.

--- (1973) Maximum number of statistically significant associations between risk factors and the frequency of an event in observational studies. **60**, 175-178

Meydrecht, E.F.

Kupper, L.L., --- (1973) A new approach to mean squared error estimation of response surfaces. **60**, 573-579

Michael, J.R.

--- (1983) The stabilized probability plot. **70**, 11-17

Michalek, J.E.

Hensler, G.L., Mehrotra, K.G., --- (1977) A note on some exact efficiency calculations for survival distributions. **64**, 635-637

Mehrotra, K.G., ---, Mihalko, D. (1982) A relationship between two forms of linear rank procedures for censored data. **69**, 674-676

Mickey, M.R.

--- (1975) Approximate tail probabilities for Student's t distribution. **62**, 216-217

Mielke, P.W.

---, Berry, K.J., Brockwell, P.J., Williams, J.S. (1981) A class of nonparametric tests based on multiresponse permutation procedures. **68**, 720-724

Mielke, P.W.jr

---, Berry, K.J. (1988) Cumulant methods for analysing independence of r -way contingency tables and goodness-of-fit frequency data. **75**, 790-793

Mihalko, D.

Mehrotra, K.G., Michalek, J.E., --- (1982) A relationship between two forms of linear rank procedures for censored data. **69**, 674-676

Mijares, T.A.

--- (1990) The normal approximation to the Bartlett-Nanda-Pillai trace test in multivariate analysis. **77**, 230-233

--- (1990) On the normal approximation to the Lawley-Hotelling trace criterion. **77**, 443-443

Mikulski, P.W.

---, Smith, P.J. (1976) A variance bound for unbiased estimation in inverse sampling. **63**, 216-217

Milasevic, P.

Ducharme, G.R., --- (1987) Spatial median and directional data. **74**, 212-215

Milhøj, A.

--- (1981) A test of fit in time series models. **68**, 177-187

--- (1984) Bias correction in the frequency domain estimation of time series models. **71**, 91-99

Miller, K.S.

---, Rochwarger, M.M. (1970) Estimation of spectral moments of time series. **57**, 513-518

Miller, R.G.

- (1973) Nonparametric estimators of the mean tolerance in bioassay. **60**, 535-542
- (1974) The jackknife - a review. **61**, 1-15
- (1976) Least squares regression with censored data. **63**, 449-464
- , Halpern, J.W. (1980) Robust estimators for quantal bioassay. **67**, 103-110
- , Halpern, J.W. (1982) Regression with censored data. **69**, 521-531

Milner, A.

- Henderson, R., ---- (1991) On residual plots for relative risk regression. **78**, 631-636

Minder, C.E.

- Ferreira, P.E., ---- (1981) On a concept of ancillarity. **68**, 344-344

Minkin, S.

- (1983) Assessing the quadratic approximation to the log likelihood function in nonnormal linear models. **70**, 367-372

Mitchell, A.F.S.

- , Krzanowski, W.J. (1985) The Mahalanobis distance and elliptic distributions (correction **76**, 407). **72**, 464-467

Mitchell, T.J.

- Jones, E.R., ---- (1978) Design criteria for detecting model inadequacy. **65**, 541-551

Miura, C.

- Shuster, J.J., ---- (1972) Two-way analysis of reciprocals. **59**, 478-481

Möcks, J.

- Tuan, P.D., ----, Köhler, W., Gasser, T. (1987) Variable latencies of noisy signals: estimation and testing in brain potential data. **74**, 525-533

Mohn, E.

- (1979) Confidence estimation of measures of location in the log normal distribution. **66**, 567-575

Molina, C.E.A.

- , Smith, T.M.F. (1986) The effect of sample design on the comparison of associations. **73**, 23-33

Molinari, L.

- (1977) Distribution of the chi-squared test in nonstandard situations. **64**, 115-121

Mommsen, T.P.

- Blunck, M., ---- (1978) Systematic errors in fitting linear transformations of the Michaelis-Menten equation. **65**, 363-368

Monahan, J.F.

- (1984) A note on enforcing stationarity in autoregressive-moving average models. **71**, 403-404
- Boos, D.D., ---- (1986) Bootstrap methods using prior information. **73**, 77-83

Money, A.H.

- Hart, M.L., ---- (1976) On Wilks's multivariate generalization of the correlation ratio. **63**, 59-67

Moolgavkar, S.H.

- Venzon, D.J., ---- (1988) Origin-invariant relative risk functions for case-control and survival studies. **75**, 325-333

Moore, B.R.

- (1980) A modification of the Rayleigh test for vector data. **67**, 175-180

Moore, D.F.

- (1986) Asymptotic properties of moment estimators for overdispersed counts and proportions. **73**, 583-588

Moore, D.S.

- (1973) A note on Srinivasan's goodness-of-fit test. **60**, 209-211

Moran, M.A.

- (1975) On the expectation of errors of allocation associated with a linear discriminant function. **62**, 141-148

Moran, P.A.P.

- (1970) On asymptotically optimal tests of composite hypotheses. **57**, 47-55
- (1970) A note on serial correlation coefficients. **57**, 670-673
- (1973) Asymptotic properties of homogeneity tests. **60**, 79-85

- (1975) The estimation of standard errors in Monte Carlo simulation experiments. **62**, 1-4

- (1979) The closest pair of N random points on the surface of a sphere. **66**, 158-162

- (1980) Calculation of the normal distribution function. **67**, 675-676

- Besag, J.E., ---- (1975) On the estimation and testing of spatial interaction in Gaussian lattice processes. **62**, 555-562

Moreau, T.

- , O'Quigley, J., Lellouch, J. (1986) On D.Schoenfeld's approach for testing the proportional hazards assumption. **73**, 513-515

Morgan, B.J.T.

- Catchpole, E.A., ---- (1991) A note on Seber's model for ring-recovery data. **78**, 917-919

- , Titterton, D.M. (1977) A comparison of iterative methods for obtaining maximum likelihood estimates in contingency tables with a missing diagonal. **64**, 265-269

Morgan, J.P.

- Uddin, N., ---- (1990) Some constructions for balanced incomplete block designs with nested rows and columns. **77**, 193-202

Morris, C.

- Efron, B., ---- (1972) Empirical Bayes on vector observations: an extension of Stein's method. **59**, 335-347

Morris, J.E.

- , Laycock, P.J. (1974) Discriminant analysis of directional data. **61**, 335-341

Morrison, D.F.

- (1973) A test for the equality of means of correlated variates with missing data on one response. **60**, 101-105

- , Bhoj, D.S. (1973) Power of the likelihood ratio test on the mean vector of the multivariate normal distribution with missing observations. **60**, 365-368

Morton, R.

- (1978) Regression analysis of life tables and related nonparametric tests. **65**, 329-333

- (1981) Efficiency of estimating equations and the use of pivots. **68**, 227-233

- (1981) Estimating equations for an ultrastructural relationship. **68**, 735-737

- (1987) A generalized linear model with nested strata of extra-Poisson variation. **74**, 247-257

- (1987) Asymmetry of estimators in nonlinear regression. **74**, 679-685

- (1991) Analysis of extra-multinomial data derived from extra-Poisson variables conditional on their total. **78**, 1-6

Mosimann, J.E.

- Darroch, J.N., ---- (1985) Canonical and principal components of shape. **72**, 241-252

Mosurski, K.

- Madigan, D., ---- (1990) An extension of the results of Asmussen and Edwards on collapsibility in contingency tables. **77**, 315-319

Mudholkar, G.S.

- Dalal, S.R., ---- (1988) A conservative test and confidence region for comparing heteroscedastic regressions. **75**, 149-152

- Lin, C.-C., ---- (1980) A simple test for normality against asymmetric alternatives. **67**, 455-461

- , Davidson, M.L., Subbaiah, P. (1974) Extended linear hypotheses and simultaneous tests in multivariate analysis of variance. **61**, 467-477

- , George, E.O. (1978) A remark on the shape of the logistic distribution. **65**, 667-668

- , McDermott, M.P. (1989) A class of tests for equality of ordered means. **76**, 161-168

Mudholkar, G.S.

- , Trivedi, M.C. (1980) A normal approximation for the distribution of the likelihood ratio statistic in multivariate analysis of variance. **67**, 485-488

Muirhead, R.J.

- (1974) Bounds for the distribution function of the extreme latent roots of a sample covariance matrix. **61**, 641-642

Muirhead, R.J.

- , Waternaux, C.M. (1980) Asymptotic distributions in canonical correlation analysis and other multivariate procedures for nonnormal populations. **67**, 31-43

Mukerjee, H.

- (1988) Order restricted inference in a repeated measures model. **75**, 616-617

Mukerjee, R.

- Huda, S., --- (1984) Minimizing the maximum variance of the difference between two estimated responses. **71**, 381-385
 ---, Chandra, T.K. (1991) Bartlett-type adjustment for the conditional likelihood ratio statistic of Cox and Reid. **78**, 365-372
 ---, Huda, S. (1985) Minimax second- and third-order designs to estimate the slope of a response surface. **72**, 173-178
 ---, Huda, S. (1988) Optimal design for the estimation of variance components. **75**, 75-80
 ---, Kageyama, S. (1985) On resolvable and affine resolvable variance-balanced designs. **72**, 165-172
 ---, Sengupta, S. (1989) Optimal estimation of finite population total under a general correlated model. **76**, 789-794
 ---, Sengupta, S. (1990) Optimal estimation of a finite population mean in the presence of linear trend. **77**, 625-630

Mulholland, H.P.

- (1970) On singularities of sampling distributions, in particular for ratios of quadratic forms. **57**, 155-174
 --- (1977) On the null distribution of $\sqrt{b_1}$ for samples of size at most 25, with tables. **64**, 401-409

Müller, H.-G.

- (1991) Smooth optimum kernel estimators near endpoints. **78**, 521-530
 ---, Stadtmüller, U. (1988) Detecting dependencies in smooth regression models. **75**, 639-650
 ---, Stadtmüller, U., Schmitt, T. (1987) Bandwidth choice and confidence intervals for derivatives of noisy data. **74**, 743-749
 ---, Wang, J.-L. (1990) Nonparametric analysis of changes in hazard rates for censored survival data: an alternative to change-point models. **77**, 305-314

Müller, P.-H.

- , Vahl, H. (1976) Pearson's system of frequency curves whose left boundary and first three moments are known. **63**, 191-194

Munson, P.J.

- , Jernigan, R.W. (1989) A cubic spline extension of the Durbin-Watson test. **76**, 39-47

Murota, K.

- , Takeuchi, K. (1981) The studentized empirical characteristic function and its application to test for the shape of distribution. **68**, 55-65

Murray, G.D.

- (1977) A note on the estimation of probability density functions. **64**, 150-152
 --- (1979) The estimation of multivariate normal density functions using incomplete data. **66**, 375-380
 --- (1983) Nonconvergence of the minimax order algorithm. **70**, 490-491

Myers, R.H.

- Jensen, D.R., Mayer, L.S., --- (1975) Optimal designs and large-sample tests for linear hypotheses. **62**, 71-78
 ---, Howe, R.B. (1971) On alternative approximate F tests for hypotheses involving variance components. **58**, 393-396

Nagaraja, H.N.

- (1982) A note on linear functions of ordered correlated normal random variables. **69**, 284-285

Nagarsenker, B.N.

- , Pillai, K.C.S. (1973) Distribution of the likelihood ratio criterion for testing a hypothesis specifying a covariance matrix. **60**, 359-364

Nagarsenker, P.B.

- (1980) On a test of equality of several exponential survival distributions. **67**, 475-478
 --- (1984) On Bartlett's test for homogeneity of variances. **71**, 405-407

Nagel, K.

- Gupta, S.S., ---, Panchapakesan, S. (1973) On the order statistics from equally correlated normal random variables. **60**, 403-413

Nagelkerke, N.J.D.

- (1991) A note on a general definition of the coefficient of determination. **78**, 691-692
 ---, Hart, A.A.M. (1980) The sequential comparison of survival curves. **67**, 247-249

Naik, U.D.

- (1974) On a generalization of the Behrens-Fisher problem. **61**, 636-640
 --- (1975) On testing equality of means of correlated variables with incomplete data. **62**, 615-622

Nair, V.N.

- (1981) Plots and tests for goodness of fit with randomly censored data. **68**, 99-103
 --- (1986) On testing against ordered alternatives in analysis of variance models. **73**, 493-499

Nakamura, T.

- (1990) Corrected score function for errors-in-variables models: methodology and application to generalized linear models. **77**, 127-137

Nanda, P.

- Mehrotra, K.G., --- (1974) Unbiased estimation of parameters by order statistics in the case of censored samples. **61**, 601-606

Nayak, T.K.

- (1988) Estimating population size by recapture sampling. **75**, 113-120
 --- (1991) Estimating the number of component processes of a superimposed process. **78**, 75-81

Nazaret, W.A.

- (1987) Bayesian log linear estimates for three-way contingency tables. **74**, 401-410

Neave, H.R.

- (1970) Spectral analysis of a stationary time series using initially scarce data. **57**, 111-122

Nebenzahl, E.

- , Sobel, M. (1972) Play-the-winner sampling for a fixed sample size binomial selection problem. **59**, 1-8

Nelder, J.A.

- , Pregibon, D. (1987) An extended quasi-likelihood function. **74**, 221-232

Nelson, L.S.

- (1977) Tables for testing ordered alternatives in an analysis of variance. **64**, 335-338

Nelson, P.I.

- Kaminsky, K.S., Mann, N.R., --- (1975) Best and simplified linear invariant prediction of order statistics in location and scale families. **62**, 525-527

Newbold, P.

- (1971) Optimum allocation in stratified two-phase sampling for proportions. **58**, 681-683
 --- (1974) The exact likelihood function for a mixed autoregressive-moving average process. **61**, 423-426
 --- (1980) The equivalence of two tests of time series model adequacy. **67**, 463-465
 Ansley, C.F., --- (1979) On the finite sample distribution of residual autocorrelations in autoregressive-moving average models. **66**, 547-553
 Davies, N., --- (1979) Some power studies of a portmanteau test of time series model specification. **66**, 153-155
 Davies, N., Triggs, C.M., --- (1977) Significance levels of the Box-Ferre portmanteau statistic in finite samples. **64**, 517-522

Newton, H.J.

- (1980) Efficient estimation of multivariate moving average autocovariances. **67**, 227-231
 Ensor, K.B., --- (1988) The effect of order estimation on estimating the peak frequency of an autoregressive spectral density. **75**, 587-589
 ---, Pagano, M. (1984) Simultaneous confidence bands for autoregressive spectra. **71**, 197-202

- Ng, K.W.**
Mak, T.K., ---- (1981) Analysis of familial data: linear-model approach. **68**, 457-461
- Ng, V.M.**
---- (1980) On the estimation of parametric density functions. **67**, 505-506
- Nguyen, H.T.**
----, Rogers, G.S., Walker, E.A. (1984) Estimation in change-point hazard rate models. **71**, 299-304
- Nicholls, D.F.**
---- (1973) Frequency domain estimation procedures for linear models. **60**, 202-205
---- (1976) The efficient estimation of vector linear time series models. **63**, 381-390
---- (1977) A comparison of estimation methods for vector linear time series models. **64**, 85-90
Heathcote, C.R., ---- (1990) Least-squares estimation of the contact rate in models for the spread of infectious diseases. **77**, 161-168
----, Hall, A.D. (1979) The exact likelihood function of multivariate autoregressive-moving average models. **66**, 259-264
- Nicholson, W.L.**
---- (1970) Estimation of linear properties of particle size distributions. **57**, 273-297
- Nigam, A.K.**
Gupta, V.K., ---- (1987) Mixed orthogonal arrays for variance estimation with unequal numbers of primary selections per stratum. **74**, 735-742
Gupta, V.K., ----, Kumar, P. (1982) On a family of sampling schemes with inclusion probability proportional to size. **69**, 191-196
Rao, J.N.K., ---- (1990) Optimal controlled sampling designs. **77**, 807-814
- Nimmo-Smith, I.**
---- (1979) Linear regression and sphericity. **66**, 390-392
- Nomakuchi, K.**
----, Shi, N.-Z. (1988) A test for a multiple isotonic regression problem. **75**, 181-184
- Norman, J.E.**
Tolley, H.D., ---- (1979) Time on trial estimates with bivariate risks. **66**, 285-291
- Nurminen, M.**
---- (1981) Asymptotic efficiency of general noniterative estimators of common relative risk. **68**, 525-530
- Nyquist, H.**
Pukkila, T.M., ---- (1985) On the frequency domain estimation of the innovation variance of a stationary univariate time series. **72**, 317-323
- Oakes, D.**
---- (1977) The asymptotic information in censored survival data. **64**, 441-448
---- (1986) Semiparametric inference in a model for association in bivariate survival data. **73**, 353-361
----, Dasu, T. (1990) A note on residual life. **77**, 409-410
- O'Brien, P.C.**
---- (1980) A likelihood test for multivariate serial correlation (correction **67**, 492). **67**, 531-537
- Ochi, Y.**
----, Prentice, R.L. (1984) Likelihood inference in a correlated probit regression model. **71**, 531-543
- Odeh, R.E.**
---- (1972) On the power of Jonckheere's k -sample test against ordered alternatives. **59**, 467-471
- Odén, A.**
---- (1973) Simultaneous confidence intervals in inverse linear regression. **60**, 339-343
- O'Donovan, T.M.**
Jackson, D.A., ----, Zimmer, W.J., Deely, J.J. (1970) G_2 -minimax estimators in the exponential family. **57**, 439-443
- Ofosu, J.B.**
---- (1973) A two-sample procedure for selecting the population with the largest mean from several normal populations with unknown variances (correction **62**, 221). **60**, 117-124
- Ogata, Y.**
----, Katsura, K. (1991) Maximum likelihood estimates of the fractal dimension for random spatial patterns. **78**, 463-474
- Oh, C.**
----, Severo, N.C., Slivka, J. (1991) Approximations to the maximum likelihood estimate in some pure birth processes. **78**, 295-299
- O'Hagan, A.**
---- (1973) Bayes estimation of a convex quadratic. **60**, 565-571
---- (1976) On posterior joint and marginal modes. **63**, 329-333
---- (1981) A moment of indecision. **68**, 329-330
----, Leonard, T. (1976) Bayes estimation subject to uncertainty about parameter constraints. **63**, 201-203
- Oishi, J.**
Leite, J.G., ----, Pereira, C.A.deB. (1988) A note on the exact maximum likelihood estimation of the size of a finite and closed population. **75**, 178-180
- Oja, H.**
---- (1981) Two location and scale-free goodness-of-fit tests. **68**, 637-640
---- (1983) New tests for normality. **70**, 297-299
- Okamoto, M.**
Isogawa, Y., ---- (1980) Linear prediction in the factor analysis model. **67**, 482-484
- Olkin, I.**
---- (1972) Monotonicity properties of Dirichlet integrals with applications to the multinomial distribution and the analysis of variance. **59**, 303-307
----, Vaeth, M. (1981) Maximum likelihood estimation in a two-way analysis of variance with correlated errors in one classification. **68**, 653-660
- Olsson, B.**
Sandvik, L., ---- (1982) A nearly distribution-free test for comparing dispersion in paired samples. **69**, 484-485
- Oman, S.D.**
---- (1991) Multiplicative effects in mixed model analysis of variance. **78**, 729-739
Brown, P.J., ---- (1991) Double points in nonlinear calibration. **78**, 33-43
----, Seiden, E. (1988) Switch-back designs. **75**, 81-89
- O'Neill, M.E.**
---- (1982) On tests of homogeneity of factorially-structured populations: an additive approach. **69**, 167-174
- O'Neill, T.**
---- (1979) Distribution-free estimation of cure time. **66**, 184-187
- O'Quigley, J.**
Kent, J.T., ---- (1988) Measures of dependence for censored survival data. **75**, 525-534
Moreau, T., ----, Lellouch, J. (1986) On D.Schoenfeld's approach for testing the proportional hazards assumption. **73**, 513-515
- Orav, E.J.**
Ryan, L.M., ---- (1988) On the use of covariates for rodent bioassay and screening experiments (correction **76**, 407). **75**, 631-637
- Orban, J.**
----, Wolfe, D.A. (1978) Optimality criteria for the selection of a partially sequential indicator set. **65**, 357-362
- Ord, J.K.**
Liddell, I.G., ---- (1978) Linear-circular correlation coefficients: some further results. **65**, 448-450
- Ott, L.**
Blight, B.J.N., ---- (1975) A Bayesian approach to model inadequacy for polynomial regression. **62**, 79-88
- Overton, W.S.**
Burnham, K.P., ---- (1978) Estimation of the size of a closed population when capture probabilities vary among animals (correction **68**, 345). **65**, 625-633
- Owen, A.B.**
---- (1988) Empirical likelihood ratio confidence intervals for a single functional. **75**, 237-249

Owens, M.E.B.

Gastwirth, J.L., ---- (1977) On classical tests of normality. **64**, 135-139

Ozaki, T.

Haggan, V., ---- (1981) Modelling nonlinear random vibrations using an amplitude-dependent autoregressive time series model. **68**, 189-196

Öztürk, A.

---- (1986) On the *W* test for the extreme value distribution. **73**, 738-740

Padgett, W.J.

----, Wei, L.J. (1980) Maximum likelihood estimation of a distribution function with increasing failure rate based on censored observations. **67**, 470-474

----, Wei, L.J. (1982) Estimation of the ratio of scale parameters in the two-sample problem with arbitrary right censorship. **69**, 252-256

Pagano, M.

Newton, H.J., ---- (1984) Simultaneous confidence bands for autoregressive spectra. **71**, 197-202

Palmgren, J.

---- (1981) The Fisher information matrix for log linear models arguing conditionally on observed explanatory variables. **68**, 563-566

---- (1987) Precision of double sampling estimators for comparing two probabilities. **74**, 687-694

Paloheimo, J.E.

---- (1971) On a theory of search. **58**, 61-75

---- (1972) A spatial bivariate Poisson distribution. **59**, 489-492

Panchapakesan, S.

Gupta, S.S., Nagel, K., ---- (1973) On the order statistics from equally correlated normal random variables. **60**, 403-413

Pandikow, W.

Zajta, A.J., ---- (1977) A table of selected percentiles for the Cramér-von Mises-Lehmann test: equal sample sizes. **64**, 165-167

Pandit, S.M.

----, Wu, S.M. (1975) Unique estimates of the parameters of a continuous stationary stochastic process. **62**, 497-501

Pang, C-F.

----, Thompson, W.A.jr, Fallahi, H. (1989) Maximum likelihood estimation of a convex arrival rate. **76**, 626-628

Pantula, S.G.

Zhang, J., ----, Boos, D.D. (1991) Robust methods for testing the pattern of a single covariance matrix. **78**, 787-795

Papageorgiou, H.

Loukas, S., Kemp, C.D., ---- (1986) Even point estimation for the bivariate Poisson distribution. **73**, 222-223

----, Kemp, C.D., Loukas, S. (1983) Some methods of estimation for the bivariate Hermite distribution. **70**, 479-484

Parker, E.T.

Hedayet, A., ----, Federer, W.T. (1970) The existence and construction of two families of designs for two successive experiments. **57**, 351-355

Parnes, M.

Hsuan, F., Hwang, F.K., ---- (1982) A class of selection problems for which more sampling is more informative. **69**, 280-283

Parr, W.C.

---- (1983) A note on the jackknife, the bootstrap and the delta method estimators of bias and variance. **70**, 719-722

Schucany, W.R., ----, Boyer, J.E. (1978) Correlation structure in Farlie-Gumbel-Morgenstern distributions. **65**, 650-653

Pate, M.B.

Davies, N., ----, Frost, M.G. (1974) Maximum autocorrelations for moving average processes (comment **61**, 647). **61**, 199-200

Patefield, W.M.

---- (1978) The unreplicated ultrastructural relation: large sample properties. **65**, 535-540

---- (1985) Information from the maximized likelihood function. **72**, 664-668

Patel, H.I.

---- (1985) Analysis of incomplete data in a two-period crossover design with reference to clinical trials. **72**, 411-418

---- (1986) Analysis of repeated measures designs with changing covariates in clinical trials. **73**, 707-715

---- (1991) Analysis of incomplete data from a clinical trial with repeated measurements. **78**, 609-619

Patel, N.R.

Mehta, C.R., ----, Wei, L.J. (1988) Constructing exact significant tests with restricted randomization rules. **75**, 295-302

Paterson, L.J.

---- (1983) Circuits and efficiency in incomplete block designs. **70**, 215-225

---- (1983) An upper bound for the minimum canonical efficiency factor of incomplete block designs. **70**, 441-446

----, Wild, P.R. (1986) Triangles and efficiency factors. **73**, 289-299

Patterson, H.D.

---- (1970) Nonadditivity in change-over designs for a quantitative factor at four levels. **57**, 537-549

---- (1973) Quenouille's changeover designs. **60**, 33-45

Bailey, R.A., Gilchrist, F.H.L., ---- (1977) Identification of effects and confounding patterns in factorial designs. **64**, 347-354

Kok, K-L., ---- (1976) Algebraic results in the theory of serial factorial design. **63**, 559-565

----, Thompson, R. (1971) Recovery of inter-block information when block sizes are unequal. **58**, 545-554

----, Williams, E.R. (1976) A new class of resolvable incomplete block designs. **63**, 83-92

Paul, S.R.

---- (1990) Maximum likelihood estimation of intraclass correlation for the analysis of familial data: estimating equation approach. **77**, 549-555

Barnwal, R.K., ---- (1988) Analysis of one-way layout of count data with negative binomial variation. **75**, 215-222

----, Plackett, R.L. (1978) Inference sensitivity for Poisson mixtures. **65**, 591-602

Paula, G.A.

Cordeiro, G.M., ---- (1989) Improved likelihood ratio statistics for exponential family nonlinear models. **76**, 93-100 (correction **78**, 935)

Pauksen, J.

Tjøstheim, D., ---- (1983) Bias of some commonly-used time series estimates (correction **71**, 656). **70**, 389-399

Paulson, A.S.

Bryant, J.L., ---- (1976) An extension of Tukey's method of multiple comparisons to experimental designs with random concomitant variables. **63**, 631-638

----, Holcomb, E.W., Leitch, R.A. (1975) The estimation of the parameters of the stable laws. **62**, 163-170

Thigpen, C.C., ---- (1974) A multiple range test for analysis of covariance. **61**, 479-484

Pawitan, Y.

----, Gangopadhyay, A.K. (1991) Efficient bias corrected nonparametric spectral estimation. **78**, 825-832

Payne, R.W.

Gower, J.C., ---- (1975) A comparison of different criteria for selecting binary tests in diagnostic keys. **62**, 665-672

Pearce, S.C.

---- (1970) The efficiency of block designs in general (correction **59**, 498). **57**, 339-346

---- (1971) Precision in block experiments. **58**, 161-167

----, Caliński, T., Marshall, T.F.deC. (1974) The basic contrasts of an experimental design with special reference to the analysis of data. **61**, 449-460

Preece, D.A., ----, Kerr, J.R. (1973) Orthogonal designs for three-dimensional experiments. **60**, 349-358

Pearlman, J.G.

---- (1980) An algorithm for the exact likelihood of a high-order autoregressive-moving average process. **67**, 232-233

Pearson, E.S.

Amos, D.E., ---- (1970) Corrections and additions to a table of the percentage points of the variance ratio *F*. **57**, 211-212

Pearson, E.S.

D'Agostino, R.B., --- (1973) Tests for departure from normality: empirical results for the distributions of b_2 and $\sqrt{b_1}$ (correction 61, 647). 60, 613-622

Daw, R.H., --- (1972) Studies in the History of Probability and Statistics. XXX: Abraham de Moivre's 1733 derivation of the normal curve - a bibliographical note. 59, 677-680

---, D'Agostino, R.B., Bowman, K.O. (1977) Tests for departure from normality: comparison of powers. 64, 231-246

---, Please, N.W. (1975) Relation between the shape of the population distribution and the robustness of four simple test statistics. 62, 223-241

---, Tiku, M.L. (1970) Some notes on the relationship between the distributions of central and non-central F . 57, 175-179

Pecore, V.J.

Gould, A.L., --- (1982) Group sequential methods for clinical trials allowing early acceptance of H_0 and incorporating costs. 69, 75-80

Pedersen, B.V.

--- (1979) Approximating conditional distributions by the mixed Edgeworth-saddlepoint expansion. 66, 597-604

Pee, D.

Wacholder, S., Gail, M.H., ---, Brookmeyer, R. (1989) Alternative variance and efficiency calculations for the case-cohort design. 76, 117-123

Peers, H.W.

--- (1971) Likelihood ratio and associated test criteria. 58, 577-587

--- (1978) Second-order sufficiency and statistical invariants. 65, 489-496

Harris, P., --- (1980) The local power of the efficient scores test statistic. 67, 525-529

Pereira, B.deB.

--- (1977) A note on the consistency and on the finite sample comparisons of some tests of separate families of hypotheses (correction 64, 655). 64, 109-113

--- (1978) Tests and efficiencies of separate regression models (correction 68, 345). 65, 319-327

Pereira, C.A.deB.

Leite, J.G., Oishi, J., --- (1988) A note on the exact maximum likelihood estimation of the size of a finite and closed population. 75, 178-180

Pericchi, L.R.

--- (1981) A Bayesian approach to transformations to normality. 68, 35-43

--- (1984) An alternative to the standard Bayesian procedure for discrimination between normal linear models. 71, 575-586

Perritz, E.

Marcus, R., ---, Gabriel, K.R. (1976) On closed testing procedures with special reference to ordered analysis of variance. 63, 655-660

Perron, P.

Phillips, P.C.B., --- (1988) Testing for a unit root in time series regression. 75, 335-346

Persson, T.

---, Rootzén, H. (1977) Simple and highly efficient estimators for a type I censored normal sample. 64, 123-128

Pesaran, M.H.

--- (1984) Asymptotic power comparisons of tests of separate parametric families by Bahadur's approach. 71, 245-252

Peskun, P.H.

--- (1973) Optimum Monte-Carlo sampling using Markov chains. 60, 607-612

Pesotchinsky, L.L.

--- (1975) D -optimum and quasi- D -optimum second-order designs on a cube (correction 63, 412). 62, 335-340

Petersen, A.C.

Bock, R.D., --- (1975) A multivariate correction for attenuation. 62, 673-678

Peterson, A.V.

Prentice, R.L., Williams, B.J., --- (1981) On the regression analysis of multivariate failure time data. 68, 373-379

Petkau, A.J.

--- (1980) Frequentist properties of three stopping rules for comparative clinical trials. 67, 690-692

Chernoff, H., --- (1981) Sequential medical trials involving paired data. 68, 119-132

Kozioł, J.A., --- (1978) Sequential testing of the equality of two survival distributions using the modified Savage statistic. 65, 615-623

Peto, R.

--- (1972) Rank tests of maximal power against Lehmann-type alternatives. 59, 472-475

Petrucelli, J.D.

---, Davies, N. (1986) A portmanteau test for self-exciting threshold autoregressive-type nonlinearity in time series. 73, 687-694

Pettigrew, H.M.

Gart, J.J., --- (1970) On the conditional moments of the k -statistics for the Poisson distribution. 57, 661-664

Gart, J.J., ---, Thomas, D.G. (1985) The effect of bias, variance estimation, skewness and kurtosis of the empirical logit on weighted least squares analysis. 72, 179-190

---, Gart, J.J., Thomas, D.G. (1986) The bias and higher cumulants of the logarithm of a binomial variate. 73, 425-435

Pettit, L.I.

---, Young, K.D.S. (1990) Measuring the effect of observations on Bayes factors. 77, 455-466

Pettitt, A.N.

--- (1976) A two-sample Anderson-Darling rank statistic. 63, 161-168

--- (1976) Cramér-von Mises statistics for testing normality with censored samples. 63, 475-481

--- (1977) Tests for the exponential distribution with censored data using Cramér-von Mises statistics. 64, 629-632

--- (1978) Generalized Cramér-von Mises statistics for the gamma distribution. 65, 232-235

--- (1980) A simple cumulative sum type statistic for the change-point problem with zero-one observations. 67, 79-84

--- (1981) Posterior probabilities for a change-point using ranks. 68, 443-450

--- (1982) Parametric tests for agreement amongst groups of judges. 69, 365-375

--- (1983) Approximate methods using ranks for regression with censored data. 70, 121-132

--- (1984) Tied, grouped continuous and ordered categorical data: a comparison of two models. 71, 35-42

--- (1986) Censored observations, repeated measures and mixed effects models: an approach using the EM algorithm and normal errors. 73, 635-643

---, Siskind, V. (1981) Effect of within-sample dependence on the Mann-Whitney-Wilcoxon statistic. 68, 437-441

---, Stephens, M.A. (1976) Modified Cramér-von Mises statistics for censored data. 63, 291-298

Pfaffenberger, R.C.

Hartley, H.O., --- (1972) Quadratic forms in order statistics used as goodness-of-fit criteria. 59, 605-611

Pfanzagl, J.

--- (1974) On the Behrens-Fisher problem (correction 61, 647). 61, 39-47

Pfeffermann, D.

---, Krieger, A.M. (1991) Poststratification using regression estimators when information on strata means and sizes is missing. 78, 409-419

Royall, R.M., --- (1982) Balanced samples and robust Bayesian inference in finite population sampling. 69, 401-409

Phadke, M.S.

---, Kedem, G. (1978) Computation of the exact likelihood function of multivariate moving average models. 65, 511-519

Phillips, A.J.

Davies, P., --- (1988) Nonparametric tests of population differences and estimation of the probability of misidentification with unidentified paired data. 75, 753-760

Phillips, G.D.A.

Harvey, A.C., ---- (1979) Maximum likelihood estimation of regression models with autoregressive-moving average disturbances. **66**, 49-58

Phillips, P.C.B.

---- (1978) Edgeworth and saddlepoint approximations in the first-order noncircular autoregression. **65**, 91-98
 ---- (1982) The true characteristic function of the F distribution. **69**, 261-264
 ---- (1987) Towards a unified asymptotic theory for autoregression. **74**, 535-547
 ----, Perron, P. (1988) Testing for a unit root in time series regression. **75**, 335-346

Phipps, M.C.

---- (1971) An identity in Hermite polynomials. **58**, 219-222

Piantadosi, S.

Gail, M.H., Tan, W.Y., ---- (1988) Tests for no treatment effect in randomized clinical trials. **75**, 57-64
 Gail, M.H., Wicand, S., ---- (1984) Biased estimates of treatment effect in randomized experiments with nonlinear regressions and omitted covariates. **71**, 431-444

Pickands, J.III

----, Raghavachari, M. (1987) Exact and asymptotic inference for the size of a population. **74**, 355-363

Pierce, D.A.

---- (1971) Least squares estimation in the regression model with autoregressive-moving average errors. **58**, 299-312
 ---- (1972) Least squares estimation in dynamic-disturbance time series models. **59**, 73-78
 ---- (1985) Testing normality in autoregressive models. **72**, 293-297
 Brunk, H.D., ---- (1974) Estimation of discrete multivariate densities for computer-aided differential diagnosis of disease. **61**, 493-499
 ----, Gray, R.J. (1982) Testing normality of errors in regression models. **69**, 233-236
 ----, Kopecky, K.J. (1979) Testing goodness of fit for the distribution of errors in regression models. **66**, 1-5
 Stewart, W.H., ---- (1982) Efficiency of Cox's model in estimating regression parameters with grouped survival data. **69**, 539-545

Pigeon, J.G.

----, Raghavarao, D. (1987) Crossover designs for comparing treatments with a control. **74**, 321-328

Pigeot, I.

---- (1990) A class of asymptotically efficient noniterative estimators of a common odds ratio. **77**, 420-423

Pillai, K.C.S.

Nagarsenker, B.N., ---- (1973) Distribution of the likelihood ratio criterion for testing a hypothesis specifying a covariance matrix. **60**, 359-364

Plackett, R.L.

---- (1972) Studies in the History of Probability and Statistics. XXIX: The discovery of the method of least squares. **59**, 239-251
 ---- (1977) The marginal totals of a 2×2 table. **64**, 37-42
 Cox, M.A.A., ---- (1980) Small samples in contingency tables. **67**, 1-13
 Paul, S.R., ---- (1978) Inference sensitivity for Poisson mixtures. **65**, 591-602

Please, N.W.

Pearson, E.S., ---- (1975) Relation between the shape of the population distribution and the robustness of four simple test statistics. **62**, 223-241

Pleszczynska, E.

Cwik, J., Golembiewska, M., Kowalczyk, T., ---- (1982) Conceptual and statistical problems of sister dependence. **69**, 513-520

Pocock, S.J.

---- (1977) Group sequential methods in the design and analysis of clinical trials. **64**, 191-199
 ---- (1990) Discussion of Begg, C.B., On inferences from Wei's biased coin design for clinical trials, **77**, 467-473. **77**, 480-481

Pollak, M.

----, Siegmund, D. (1985) A diffusion process and its applications to detecting a change in the drift of Brownian motion. **72**, 267-280

Pollock, K.H.

---- (1975) A K -sample tag-recapture model allowing for unequal survival and catchability. **62**, 577-583

Polson, N.

----, Wasserman, L. (1990) Prior distributions for the bivariate binomial. **77**, 901-904

Polson, N.G.

---- (1991) A representation of the posterior mean for a location model. **78**, 426-430

Porteous, B.T.

---- (1985) Improved likelihood ratio statistics for covariance selection models. **72**, 97-101
 ---- (1985) A note on improved likelihood ratio statistics for generalized linear models. **72**, 473-475
 ---- (1987) The mutual independence hypothesis for categorical data in complex sampling schemes. **74**, 857-862

Portier, C.J.

---- (1986) Estimating the tumour onset distribution in animal carcinogenesis experiments. **73**, 371-378

Poskitt, D.S.

---- (1987) A modified Hannan-Rissanen strategy for mixed autoregressive-moving average order determination (amendment **77**, 667). **74**, 781-790

Mackisack, M.S., ---- (1989) Autoregressive frequency estimation. **76**, 565-575

----, Tremayne, A.R. (1980) Testing the specification of a fitted autoregressive-moving average model. **67**, 359-363

----, Tremayne, A.R. (1983) On the posterior odds of time series models. **70**, 157-162

----, Tremayne, A.R. (1987) Determining a portfolio of linear time series models. **74**, 125-137

Prabhu-Ajgaonkar, S.G.

Deshpande, M.N., ---- (1977) On multitrial sampling methods. **64**, 422-424

Pradhan, M.

----, Sathe, Y.S. (1973) Play-the-Winner sampling for a fixed sample size with curtailment. **60**, 424-427

Prasad, G.

----, Sahai, A. (1982) Sharper variance upper bound for unbiased estimation in inverse sampling (correction **71**, 219). **69**, 286-286

Prasad, J.

Agrawal, H.L., ---- (1982) Some methods of construction of balanced incomplete block designs with nested rows and columns. **69**, 481-483

Prasad, N.G.N.

----, Srivenkataramana, T. (1980) A modification to the Horvitz-Thompson estimator under the Midzuno sampling scheme. **67**, 709-711

Preece, D.A.

----, Pearce, S.C., Kerr, J.R. (1973) Orthogonal designs for three-dimensional experiments. **60**, 349-358

Pregibon, D.

Nelder, J.A., ---- (1987) An extended quasi-likelihood function. **74**, 221-232

Prentice, M.J.

---- (1979) On the problem of m incomplete rankings. **66**, 167-170
 ---- (1984) A distribution-free method of interval estimation for unsigned directional data. **71**, 147-154

Prentice, R.L.

---- (1973) Exponential survivals with censoring and explanatory variables. **60**, 279-288

---- (1974) A log gamma model and its maximum likelihood estimation. **61**, 539-544

---- (1974) Degrees-of-freedom modifications for F tests based on nonnormal errors. **61**, 559-563

---- (1975) Discrimination among some parametric models. **62**, 607-614

Prentice, R.L.

- (1978) Linear rank tests with right censored data (correction 70, 304). 65, 167-179
- (1982) Covariate measurement errors and parameter estimation in a failure time regression model (correction 71, 219). 69, 331-342
- (1986) A case-cohort design for epidemiologic cohort studies and disease prevention trials. 73, 1-11
- Barlow, W.E., ---- (1988) Residuals for relative risk regression. 75, 65-74
- Farewell, V.T., ---- (1980) The approximation of partial likelihood with emphasis on case-control studies. 67, 273-278
- Holt, J.D., ---- (1974) Survival analyses in twin studies and matched pair experiments. 61, 17-30
- Kalbfleisch, J.D., ---- (1973) Marginal likelihoods based on Cox's regression and life model. 60, 267-278
- Kalbfleisch, J.D., ---- (1981) Estimation of the average hazard ratio. 68, 105-112
- Ochi, Y., ---- (1984) Likelihood inference in a correlated probit regression model. 71, 531-543
- , Breslow, N.E. (1978) Retrospective studies and failure time models. 65, 153-158
- , Pyke, R. (1979) Logistic disease incidence models and case-control studies. 66, 403-411
- , Williams, B.J., Peterson, A.V. (1981) On the regression analysis of multivariate failure time data. 68, 373-379
- Zhao, L.P., ---- (1990) Correlated binary regression using a quadratic exponential model. 77, 642-648

Prescott, P.

- (1970) Estimation of the standard deviation of a normal population from doubly censored samples using normal scores. 57, 409-419
- (1971) Use of a simple range-type estimator of σ in tests of hypotheses. 58, 333-340
- (1971) Distribution of the normal scores estimator of the standard deviation of a normal population. 58, 631-636
- (1974) Normalizing transformations of Student's t distribution. 61, 177-180
- (1974) Variances and covariances of order statistics from the gamma distribution. 61, 607-613
- (1976) Comparison of tests for normality using stylized sensitivity surfaces. 63, 285-289
- (1979) A mean difference estimator of standard deviation in asymmetrically censored normal samples. 66, 684-686
- , Walden, A.T. (1980) Maximum likelihood estimation of the parameters of the generalized extreme-value distribution. 67, 723-724

Preston, P.F.

- (1971) An empirical Bayes problem with a Markovian parameter. 58, 535-543

Proschan, F.

- Hollander, M., ---- (1975) Tests for the mean residual life (correction 63, 412). 62, 585-593

Prum, B.

- Duby, C., Guyon, X., ---- (1977) The precision of different experimental designs for a random field. 64, 59-66

Pruscha, H.

- (1976) Maximum likelihood estimation in linear learning models. 63, 537-542

Pukkila, T.M.

- Merikoski, J.K., ---- (1983) A note on the expectation of products of autocorrelations (correction 71, 655). 70, 528-529
- , Koreisha, S., Kallinen, A. (1990) The identification of ARMA models. 77, 537-548
- , Nyquist, H. (1985) On the frequency domain estimation of the innovation variance of a stationary univariate time series. 72, 317-323

Pulley, L.B.

- Epps, T.W., ---- (1983) A test for normality based on the empirical characteristic function. 70, 723-726

- Epps, T.W., Singleton, K.J., ---- (1982) A test of separate families of distributions based on the empirical moment generating function. 69, 391-399

Puri, M.L.

- Hallin, M., Lefevre, C., ---- (1988) On time-reversibility and the uniqueness of moving average representations for non-Gaussian stationary time series. 75, 170-171
- Hayakawa, T., ---- (1985) Asymptotic distributions of likelihood ratio criteria for testing latent roots and latent vectors of a covariance matrix under an elliptical population. 72, 331-338
- Mardia, K.V., ---- (1978) A spherical correlation coefficient robust against scale. 65, 391-395

Pusey, M.C.

- (1970) Representation of one orthonormal set in terms of another. 57, 445-450

Pyke, R.

- Prentice, R.L., ---- (1979) Logistic disease incidence models and case-control studies. 66, 403-411

Quesenberry, C.P.jr

- , Jewell, N.P. (1986) Regression analysis based on stratified samples. 73, 605-614

Quine, M.P.

- (1970) A note on the moment structure of the multitype Galton-Watson process. 57, 219-222

Quinn, B.G.

- , Fernandes, J.M. (1991) A fast efficient technique for the estimation of frequency. 78, 489-497
- , Thomson, P.J. (1991) Estimating the frequency of a periodic function. 78, 65-74

Raah, G.M.

- Jewell, N.P., ---- (1981) Difficulties in obtaining consistent estimators of variance parameters. 68, 221-226
- , Zhou, Y.J. (1987) The effect of changes of location on least-squares estimators for samples stratified on the dependent variable. 74, 216-219

Rabinovitch, N.L.

- (1970) Studies in the History of Probability and Statistics. XXIV: Combinations and probability in rabbinic literature. 57, 203-205

Rademaker, F.

- Antle, C.E., ---- (1972) An upper confidence limit on the maximum of m future observations from a Type I extreme value distribution. 59, 475-477

Rae, A.L.

- Gilmour, A.R., Anderson, R.D., ---- (1985) The analysis of binomial data by a generalized linear mixed model. 72, 593-599

Raftery, A.E.

- (1988) Inference for the binomial N parameter; a hierarchical Bayes approach. 75, 223-228
- , Akman, V.E. (1986) Bayesian analysis of a Poisson process with a change-point. 73, 85-89

Raghavachari, M.

- Pickands, J.III, ---- (1987) Exact and asymptotic inference for the size of a population. 74, 355-363

Raghavarao, D.

- Federer, W.T., ---- (1987) Response models and minimal designs for mixtures of n of m items useful for intercropping and other investigations. 74, 571-577
- Pigeon, J.G., ---- (1987) Crossover designs for comparing treatments with a control. 74, 321-328

Raghunandan, K.

- , Srinivasan, R. (1970) Simplified estimation of parameters in a logistic distribution. 57, 677-679

Ramasubban, T.A.

- (1972) An approximate distribution of a noncircular serial correlation coefficient. 59, 79-84

Ramey, J.T.

- , Alam, K. (1979) A sequential procedure for selecting the most probable multinomial event. 66, 171-173

Ramsay, F.L.

- (1979) Parametric models for line transect surveys. 66, 505-512

- Ramsay, J.O.**
Winsberg, S., ---- (1980) Monotonic transformations to additivity using splines. **67**, 669-674
- Rankin, N.O.**
---- (1974) The harmonic mean method for one-way and two-way analyses of variance. **61**, 117-122
- Rao, C.R.**
Fujikoshi, Y., ---- (1991) Selection of covariables in the growth curve model. **78**, 779-785
----, Shinozaki, N. (1978) Precision of individual estimators in simultaneous estimation of parameters. **65**, 23-30
----, Wu, Y. (1989) A strongly consistent procedure for model selection in a regression problem. **76**, 369-374
- Rao, J.N.K.**
---- (1973) On double sampling for stratification and analytical surveys (correction **60**, 669). **60**, 125-133
Bellhouse, D.R., ---- (1975) Systematic sampling in the presence of a trend. **62**, 694-697
----, Kovar, J.G., Mantel, H.J. (1990) On estimating distribution functions and quantiles from survey data using auxiliary information. **77**, 365-375
----, Lanke, J. (1984) Simplified unbiased variance estimation for multistage designs. **71**, 387-395
----, Nigam, A.K. (1990) Optimal controlled sampling designs. **77**, 807-814
Rao, P.S.R.S., ---- (1971) Small sample results for ratio estimators. **58**, 625-630
Roberts, G., ----, Kumar, S. (1987) Logistic regression analysis of survey sample data. **74**, 1-12
- Rao, M.B.**
Velu, R.P., ---- (1990) Estimation of parent-offspring correlation. **77**, 557-562
- Rao, P.S.R.S.**
----, Rao, J.N.K. (1971) Small sample results for ratio estimators. **58**, 625-630
- Rao, P.V.**
Blight, B.J.N., ---- (1974) The convergence of Bhattacharyya bounds. **61**, 137-142
Hill, D.L., ---- (1977) Tests of symmetry based on Cramér-von Mises statistics. **64**, 489-494
Ireson, M.J., ---- (1985) Interval estimation of slope with right-censored data. **72**, 601-608
- Rasche, R.H.**
Johannes, J.M., ---- (1980) Additional information on significance values for Durbin's c^+ , c^- and c statistics. **67**, 511-514
- Rasson, J.P.**
Hermans, M., ---- (1985) A new Sobolev test for uniformity on the circle. **72**, 698-702
- Ratcliff, D.**
Darroch, J.N., ---- (1973) Tests of F -independence with reference to quasi-independence and Waite's fingerprint data. **60**, 395-401
Williams, E.R., ---- (1980) A note on the analysis of lattice designs with repeats. **67**, 706-708
- Ray, R.S.**
Jacroux, M., ---- (1990) On the construction of trend-free run orders of treatments. **77**, 187-191
- Ray, S.K.**
----, Sahai, A. (1980) Efficient families of ratio and product-type estimators. **67**, 211-215
- Rayment, P.R.**
---- (1971) The performance of established and modified decision rules. **58**, 183-194
- Rayner, J.C.W.**
Manly, B.F.J., ---- (1987) The comparison of sample covariance matrices using likelihood ratio tests. **74**, 841-847
----, Best, D.J. (1986) Neyman-type smooth tests for location-scale families. **73**, 437-446
- Read, C.B.**
---- (1973) On minimizing the risk in certain sequential tests. **60**, 509-515
- Reed, G.**
Kedem, B., ---- (1986) On the asymptotic variance of higher order crossings with special reference to a fast white noise test. **73**, 143-149
- Reeves, G.K.**
---- (1991) Estimation of contrast variances in linear models. **78**, 7-14
- Reeves, J.E.**
---- (1972) The distribution of the maximum likelihood estimator of the parameter in the first-order autoregressive series. **59**, 387-394
- Regal, R.**
---- (1980) The F test with time-censored exponential data. **67**, 479-481
- Reid, N.**
---- (1981) Estimating the median survival time. **68**, 601-608
Cruddas, A.M., ----, Cox, D.R. (1989) A time series illustration of approximate conditional likelihood. **76**, 231-237
Fraser, D.A.S., Lee, H.S., ---- (1990) Nonnormal linear regression: an example of significance in high dimensions. **77**, 333-341
Fraser, D.A.S., ---- (1988) On conditional inference for a real parameter: a differential approach on the sample space. **75**, 251-264
Fraser, D.A.S., ---- (1989) Adjustments to profile likelihood. **76**, 477-488
Lagakos, S.W., ---- (1981) Estimating convolutions from partially censored data. **68**, 113-117
----, Crépeau, H. (1985) Influence functions for proportional hazards regression. **72**, 1-9
- Reilman, M.A.**
----, Gunst, R.F., Lakshminarayanan, M.Y. (1985) Structural model estimation with correlated measurement errors. **72**, 669-672
- Reinsel, G.**
---- (1983) Some results on multivariate autoregressive index models. **70**, 145-156
- Reinsel, G.C.**
----, Wincek, M.A. (1987) Asymptotic distribution of parameter estimators for nonconsecutively observed time series. **74**, 115-124
Velu, R.P., ----, Wichern, D.W. (1986) Reduced rank models for multiple time series. **73**, 105-118
- Reiser, B.**
Feigin, P.D., ---- (1979) On asymptotic ancillarity and inference for Yule and regular nonergodic processes. **66**, 279-283
- Rencher, A.C.**
---- (1988) On the use of correlations to interpret canonical functions. **75**, 363-365
----, Krutchkoff, R.G. (1975) Some empirical Bayes estimators allowing for varying error variances. **62**, 643-650
- Renshaw, E.**
---- (1972) Birth, death and migration processes. **59**, 49-60
- Reschenhofer, E.**
---- (1989) Adaptive test for white noise. **76**, 629-632
----, Bomze, I.M. (1991) Length tests for goodness of fit. **78**, 207-216
- Rhee, B-D.**
Buzas, T.E., Fornell, C., ---- (1989) Conditions under which canonical correlation and redundancy maximization produce identical results. **76**, 618-621
- Rhodes, P.**
Langholz, B., Thomas, D., Chen, T., ---- (1990) Tests of effect in 1-J matched case-control studies based on a modified likelihood approach. **77**, 897-900
- Rice, J.A.**
----, Rosenblatt, M. (1988) On frequency estimation. **75**, 477-484
- Riedwyl, H.**
Carnal, H., ---- (1972) On a one-sample distribution-free test statistic V . **59**, 465-467
- Rijal, O.**
Critchley, F., Ford, I., ---- (1988) Interval estimation based on the profile likelihood: strong Lagrangian theory with applications to discrimination. **75**, 21-28

Rinnooy Kan, A.H.G.

Boender, C.G.E., --- (1987) A multinomial Bayesian approach to the estimation of population and vocabulary size. **74**, 849-856

Ripley, B.D.

Kelly, F.P., --- (1976) A note on Strauss's model for clustering. **63**, 357-360

---, Silverman, B.W. (1978) Quick tests for spatial interaction. **65**, 641-642

Warnes, J.J., --- (1987) Problems with likelihood estimation of covariance functions of spatial Gaussian processes. **74**, 640-642

Rissanen, J.

Hannan, E.J., --- (1982) Recursive estimation of mixed autoregressive-moving average order (correction **70**, 303). **69**, 81-94

Ritov, Y.

--- (1989) Estimating a signal with noisy nuisance parameters. **76**, 31-37

Assaf, D., --- (1988) A double sequential procedure for detecting a change in distribution. **75**, 715-722

Robbins, H.

---, Zhang, C.-H. (1991) Estimating a multiplicative treatment effect under biased allocation. **78**, 349-354

Roberts, F.D.K.

Holcomb, D.F., Iwasawa, M., --- (1972) Clustering of randomly placed spheres. **59**, 207-209

Roberts, G.

---, Rao, J.N.K., Kumar, S. (1987) Logistic regression analysis of survey sample data. **74**, 1-12

Robertson, C.A.

--- (1974) Large-sample theory for the linear structural relation. **61**, 353-359

Fryer, J.G., --- (1972) A comparison of some methods for estimating mixed normal distributions. **59**, 639-648

---, Fryer, J.G. (1970) The bias and accuracy of moment estimators. **57**, 57-65

Robertson, T.

---, Wright, F.T. (1982) Testing for ordered alternatives with increased precision in one of the samples. **69**, 579-586

---, Wright, F.T. (1983) On approximation of the level probabilities and associated distributions in order restricted inference. **70**, 597-606

Robinson, A.

Barnett, V., Green, P.J., --- (1976) Concomitants and correlation estimates. **63**, 323-328

Robinson, D.

--- (1983) A comparison of sequential treatment allocation rules. **70**, 492-495

Robinson, G.K.

--- (1975) Some counterexamples to the theory of confidence intervals (correction **64**, 655). **62**, 155-161

--- (1978) Comments on Efron, B. and Hinkley, D.V., Assessing the accuracy of the maximum likelihood estimator: observed versus expected Fisher information, **65**, 457-482. **65**, 485-485

--- (1978) On the necessity of Bayesian inference and the construction of measures of nearness to Bayesian form. **65**, 49-52

Robinson, J.

--- (1970) Blocking in incomplete split plot designs. **57**, 347-350

Robinson, J.A.

--- (1978) Sequential choice of an optimal dose: a prediction intervals approach. **65**, 75-78

Robson, D.S.

Kremers, W.K., --- (1987) Unbiased estimation when sampling from renewal processes: the single sample and k -sample random means cases. **74**, 329-336

Rochwarger, M.M.

Miller, K.S., --- (1970) Estimation of spectral moments of time series. **57**, 513-518

Rocke, D.M.

--- (1983) Robust statistical analysis of interlaboratory studies. **70**, 421-431

--- (1986) Outlier resistance in small samples (correction **77**, 235). **73**, 175-181

Rodriguez, R.N.

--- (1977) A guide to the Burr type XII distributions. **64**, 129-134

Roger, J.H.

--- (1977) A significance test for cyclic trends in incidence data (correction **65**, 241). **64**, 152-155

Rogers, G.S.

Nguyen, H.T., ---, Walker, E.A. (1984) Estimation in change-point hazard rate models. **71**, 299-304

Rogers, M.P.

David, H.A., --- (1983) Order statistics in overlapping samples, moving order statistics and U -statistics. **70**, 245-249

Rom, D.M.

--- (1990) A sequentially rejective test procedure based on a modified Bonferroni inequality. **77**, 663-665

Romano, J.P.

DiCiccio, T.J., Hall, P., --- (1989) Comparison of parametric and empirical likelihood functions. **76**, 465-476

DiCiccio, T.J., --- (1989) On adjustments based on the signed root of the empirical likelihood ratio statistic. **76**, 447-456

Ducharme, G.R., Jhun, M., ---, Truong, K.N. (1985) Bootstrap confidence cones for directional data. **72**, 637-645

Rootzén, H.

Persson, T., --- (1977) Simple and highly efficient estimators for a type I censored normal sample. **64**, 123-128

Rosenbaum, P.R.

--- (1987) Sensitivity analysis for certain permutation inferences in matched observational studies (correction **75**, 396). **74**, 13-26

--- (1988) Sensitivity analysis for matching with multiple controls. **75**, 577-581

---, Rubin, D.B. (1983) The central role of the propensity score in observational studies for causal effects. **70**, 41-55

Rosenberg, B.

--- (1973) Linear regression with randomly dispersed parameters. **60**, 65-72

Rosenblatt, M.

Rice, J.A., --- (1988) On frequency estimation. **75**, 477-484

Rosman, B.

D'Agostino, R.B., --- (1974) The power of Geary's test of normality. **61**, 181-184

Rosner, B.

--- (1979) Maximum likelihood estimation of interclass correlations. **66**, 533-538

Rosner, G.L.

---, Tsiatis, A.A. (1988) Exact confidence intervals following a group sequential trial: a comparison of methods. **75**, 723-729

Tsiatis, A.A., ---, Titchler, D.L. (1985) Group sequential tests with censored survival data adjusting for covariates. **72**, 365-373

Rothery, P.

--- (1979) A nonparametric measure of intraclass correlation. **66**, 629-639

Brown, D., --- (1978) Randomness and local regularity of points in a plane. **65**, 115-122

Rotnitzky, A.

---, Jewell, N.P. (1990) Hypothesis testing of regression parameters in semiparametric generalized linear models for cluster correlated data. **77**, 485-497

Rousseau, P.

---, Sankoff, D. (1978) Singularities in the analysis of binomial data. **65**, 603-608

Rowell, J.G.

Walters, D.E., --- (1982) Comments on a paper by I.Olkin and M.Vaeth on two-way analysis of variance with correlated errors. **69**, 664-666

Roy, R.

--- (1977) On the asymptotic behaviour of the sample autocovariance function for an integrated moving average process. **64**, 419-421

--- (1989) Asymptotic covariance structure of serial correlations in multivariate time series. **76**, 824-827

Royall, R.M.

- (1970) On finite population sampling theory under certain linear regression models. 57, 377-387
- (1976) Likelihood functions in finite population sampling theory. 63, 605-614
- (1990) Discussion of Begg, C.B., On inferences from Wei's biased coin design for clinical trials, 77, 467-473. 77, 473-476
- , Pfeffermann, D. (1982) Balanced samples and robust Bayesian inference in finite population sampling. 69, 401-409

Rubin, D.B.

- (1976) Inference and missing data. 63, 581-592
- Rosenbaum, P.R., ---- (1983) The central role of the propensity score in observational studies for causal effects. 70, 41-55
- , Sztrowski, E.H. (1982) Finding maximum likelihood estimates of patterned covariance matrices by the EM algorithm. 69, 657-660
- , Weisberg, S. (1975) The variance of a linear combination of independent estimators using estimated weights. 62, 708-709

Rubinstein, L.V.

- Gail, M.H., Lubin, J.H., ---- (1981) Likelihood calculations for matched case-control studies and survival studies with tied death times. 68, 703-707
- Slud, E.V., ---- (1983) Dependent competing risks and summary survival curves. 70, 643-649

Ruda, M.

- (1974) Parameter estimation in the first-order autoregressive process. 61, 632-633

Rudolfer, S.M.

- (1990) A Markov chain model of extrabinomial variation. 77, 255-264 (correction 78, 935)

Ruiz-Velasco, S.

- (1991) Asymptotic efficiency of logistic regression relative to linear discriminant analysis. 78, 235-243

Rukhin, A.L.

- (1988) Estimating the loss of estimators of a binomial parameter. 75, 153-155

Ruppert, D.

- Carroll, R.J., ---- (1981) On prediction and the power transformation family. 68, 609-615
- Stefanski, L.A., Carroll, R.J., ---- (1986) Optimally bounded score functions for generalized linear models with applications to logistic regression. 73, 413-424

Russell, K.G.

- (1980) Balancing carry-over effects in round robin tournaments. 67, 127-131
- (1991) The construction of good change-over designs where there are fewer units than treatments. 78, 305-313
- Eccleston, J.A., ---- (1975) Connectedness and orthogonality in multi-factor designs. 62, 341-345
- Eccleston, J.A., ---- (1977) Adjusted orthogonality in nonorthogonal designs. 64, 339-345

Rust, S.W.

- Fligner, M.A., ---- (1982) A modification of Mood's median test for the generalized Behrens-Fisher problem. 69, 221-226

Ryall, T.A.

- (1981) Extensions of the concept of local ancillarity. 68, 677-683

Ryan, L.M.

- Goetghebuer, E., ---- (1990) A modified log rank test for competing risks with missing failure type. 77, 207-211
- , Orav, E.J. (1988) On the use of covariates for rodent bioassay and screening experiments (correction 76, 407). 75, 631-637

Sahal, A.

- Prasad, G., ---- (1982) Sharper variance upper bound for unbiased estimation in inverse sampling (correction 71, 219). 69, 286-286
- Ray, S.K., ---- (1980) Efficient families of ratio and product-type estimators. 67, 211-215

Said, S.E.

- , Dickey, D.A. (1984) Testing for unit roots in autoregressive-moving average models of unknown order. 71, 599-607

Saikkonen, P.

- Luukkonen, R., ----, Teräsvirta, T. (1988) Testing linearity against smooth transition autoregressive models. 75, 491-499

Samluddin, M.

- (1970) On a test for an assigned value of correlation in a bivariate normal distribution. 57, 461-464
- El-Sayyad, G.M., ----, Al-Harbey, A.A. (1989) On parametric density estimation. 76, 343-348

Samiuddin, M.

- , Asad, H. (1981) A simple procedure of unequal probability sampling. 68, 728-731
- , Atiqullah, M. (1976) A test for equality of variances. 63, 206-208
- , El-Sayyad, G.M. (1990) On nonparametric kernel density estimates. 77, 865-874
- , Hanif, M., Asad, H. (1978) Some comparisons of the Bartlett and cube root tests of homogeneity of variance. 65, 218-221

Samuels, M.L.

- (1981) Matching and design efficiency in epidemiological studies. 68, 577-588

Sandland, R.L.

- , Cormack, R.M. (1984) Statistical inference for Poisson and multinomial models for capture-recapture experiments. 71, 27-33
- , Kirkwood, G.P. (1981) Estimation of survival in marked populations with possibly dependent sighting probabilities. 68, 531-541

Sandvik, L.

- , Olsson, B. (1982) A nearly distribution-free test for comparing dispersion in paired samples. 69, 484-485

Sankoff, D.

- (1971) Duration of detectable synchrony in a binary branching process. 58, 77-81
- Rousseau, P., ---- (1978) Singularities in the analysis of binomial data. 65, 603-608

Santner, T.J.

- , Duffy, D.E. (1986) A note on A.Albert and J.A.Anderson's conditions for the existence of maximum likelihood estimates in logistic regression models. 73, 755-758

Sarkadi, K.

- (1975) The consistency of the Shapiro-Francia test. 62, 445-450

Sarma, Y.R.

- DeRouen, T.A., ---- (1975) G_1 -minimax procedures for the case of prior distributions in discriminant analysis. 62, 403-406

Särndal, C.E.

- (1971) Studies in the History of Probability and Statistics. XXVII: The hypothesis of elementary errors and the Scandinavian school in statistical theory. 58, 375-391
- (1980) On pi-inverse weighting versus best linear unbiased weighting in probability sampling. 67, 639-650
- Cassel, C.M., ----, Wretman, J.H. (1976) Some results on generalized difference estimation and generalized regression estimation for finite populations. 63, 615-620
- , Swensson, B., Wretman, J.H. (1989) The weighted residual technique for estimating the variance of the general regression estimator of the finite population total. 76, 527-537

Sasabuchi, S.

- (1980) A test of a multivariate normal mean with composite hypotheses determined by linear inequalities. 67, 429-439
- , Inutsuka, M., Kulatunga, D.D.S. (1983) A multivariate version of isotonic regression. 70, 465-472
- , Kulatunga, D.D.S. (1985) Some approximations for the null distribution of the E^2 statistic used in order restricted inference. 72, 476-480

Sathe, Y.S.

- (1977) Sharper variance bounds for unbiased estimation in inverse sampling. 64, 425-426
- Pradhan, M., ---- (1973) Play-the-Winner sampling for a fixed sample size with curtailment. 60, 424-427

- Sather, H.N.**
Benedetti, J.K., Liu, P.-Y., ---, Seinfeld, J., Epton, M.A. (1982) Effective sample size for tests of censored survival data. **69**, 343-349
- Saunders, I.W.**
Lewis, T., ---, Westcott, M. (1984) The moments of the Pearson chi-squared statistic and the minimum expected value in two-way tables (correction 76,407). **71**, 515-522
- Saunders, R.**
---, Laud, P. (1980) The multidimensional Kolmogorov goodness-of-fit test. **67**, 237-237
- Saw, J.G.**
--- (1970) The multivariate linear hypothesis with nonnormal errors and a classical setting for the structure of inference in a special case. **57**, 531-535
--- (1978) A family of distributions on the m -sphere and some hypothesis tests. **65**, 69-73
--- (1983) Dependent unit vectors. **70**, 665-671
Hughes, D.T., --- (1972) Approximating the percentage points of Hotelling's generalized T^2_0 statistic. **59**, 224-226
- Saxena, R.R.**
---, Singh, P., Srivastava, A.K. (1986) An unequal probability sampling scheme. **73**, 761-763
- Schafer, D.W.**
--- (1987) Covariate measurement error in generalized linear models. **74**, 385-391
- Schafer, R.E.**
Finkelstein, J.M., --- (1971) Improved goodness-of-fit tests. **58**, 641-645
---, Finkelstein, J.M., Collins, J. (1972) On a goodness-of-fit test for the exponential distribution with mean unknown. **59**, 222-224
- Schaid, D.J.**
---, Wicand, S., Therneau, T.M. (1990) Optimal two-stage screening designs for survival comparisons. **77**, 507-513
- Schall, R.**
--- (1991) Estimation in generalized linear models with random effects. **78**, 719-727
- Schechtman, E.**
Davison, A.C., Hinkley, D.V., --- (1986) Efficient bootstrap simulation. **73**, 555-566
Hinkley, D.V., --- (1987) Conditional bootstrap methods in the mean-shift model. **74**, 85-93
- Schemper, M.**
--- (1990) The explained variation in proportional hazards regression. **77**, 216-218
- Schervish, M.J.**
--- (1981) Asymptotic expansions for the means and variances of error rates. **68**, 295-299
- Schluchter, M.D.**
--- (1985) An aligned rank test for censored data from randomized block designs (correction 74, 668). **72**, 609-618
Little, R.J.A., --- (1985) Maximum likelihood estimation for mixed continuous and categorical data with missing values. **72**, 497-512
- Schmidt, P.**
Guilkey, D.K., --- (1991) An interpolation test for a unit root in the presence of drift. **78**, 809-815
- Schmitt, T.**
Müller, H.-G., Stadtmüller, U., --- (1987) Bandwidth choice and confidence intervals for derivatives of noisy data. **74**, 743-749
- Schmitz, N.**
---, Swamy, R.J.R. (1985) Remarks on sequential comparison of two Markov chains. **72**, 485-486
- Schneider, H.**
--- (1984) Simple and highly efficient estimators for censored normal samples. **71**, 412-414
---, Weissfeld, L. (1986) Estimation in linear models with censored data. **73**, 741-745
- Schoenfeld, D.**
--- (1980) Chi-squared goodness-of-fit tests for the proportional hazards regression model. **67**, 145-153
--- (1981) The asymptotic properties of nonparametric tests for comparing survival distributions. **68**, 316-319
- Schoenfeld, D.A.**
--- (1982) Partial residuals for the proportional hazards regression model. **69**, 239-241
---, Tsiatis, A.A. (1987) A modified log rank test for highly stratified data. **74**, 167-175
- Schott, J.R.**
--- (1984) Optimal bounds for the distributions of some test criteria for tests of dimensionality. **71**, 561-567
--- (1988) Common principal component subspaces in two groups (addendum 76, 408). **75**, 229-236
--- (1988) Testing the equality of the smallest latent roots of a correlation matrix. **75**, 794-796
--- (1990) Canonical mean projections and confidence regions in canonical variate analysis. **77**, 587-596
--- (1991) Some tests for common principal component subspaces in several groups. **78**, 771-777
- Schou, G.**
--- (1978) Estimation of the concentration parameter in von Mises-Fisher distributions. **65**, 369-377
- Schrader, R.M.**
---, Hettmansperger, T.P. (1980) Robust analysis of variance based upon a likelihood ratio criterion. **67**, 93-101
- Schucany, W.R.**
--- (1978) Comments on Hollander, M. and Sethuraman, J., Testing for agreement between two groups of judges. **65**, 403-411. **65**, 410-411
Gray, H.L., ---, Watkins, T.A. (1975) On the generalized jackknife and its relation to statistical differentials. **62**, 637-642
Li, L., --- (1975) Some properties of a test for concordance of two groups of rankings. **62**, 417-423
---, Parr, W.C., Boyer, J.E. (1978) Correlation structure in Farlie-Gumbel-Morgenstern distributions. **65**, 650-653
---, Sheather, S.J. (1989) Jackknifing R -estimators. **76**, 393-398
- Schuerhoff, M.H.**
Bethlehem, J.G., --- (1984) Second-order inclusion probabilities in sequential sampling without replacement with unequal probabilities. **71**, 642-644
- Schultz, J.**
Hubert, L., --- (1975) Maximum likelihood paired-comparison ranking and quadratic assignment. **62**, 655-659
- Schumacher, M.**
Gill, R., --- (1987) A simple test of the proportional hazards assumption. **74**, 289-300
- Schuster, E.F.**
--- (1975) Estimating the distribution function of a symmetric distribution (correction 63, 412). **62**, 631-635
- Schweder, T.**
---, Spjøtvoll, E. (1982) Plots of P -values to evaluate many tests simultaneously. **69**, 493-502
- Scott, A.**
---, Smith, T.M.F. (1970) A note on Moran's approximation to Student's t . **57**, 681-682
- Scott, A.J.**
---, Smith, T.M.F. (1975) Minimax designs for sample surveys. **62**, 353-357
---, Wild, C.J. (1989) Hypothesis testing in case-control studies. **76**, 806-808
- Scott, D.J.**
Basawa, I.V., --- (1976) Efficient tests for branching processes. **63**, 531-536
- Scott, D.W.**
--- (1979) On optimal and data-based histograms. **66**, 605-610
---, Wand, M.P. (1991) Feasibility of multivariate density estimates. **78**, 197-205
- Seal, H.L.**
--- (1977) Studies in the History of Probability and Statistics. XXXV: Multiple decrements or competing risks. **64**, 429-439

- Seber, G.A.F.**
 ---- (1970) Estimating time-specific survival and reporting rates for adult birds from band returns. **57**, 313-318
 ---- (1971) Estimating age-specific survival rates from bird-band returns when the reporting rate is constant. **58**, 491-497
 Lucas, H.A., ---- (1977) Estimating coverage and particle density using the line intercept method. **64**, 618-622
 ----, Felton, R. (1981) Tag loss and the Petersen mark-recapture experiment. **68**, 211-219
- Sedransk, J.**
 deGraft-Johnson, K.T., ---- (1973) Estimation of domain means using two-phase sampling. **60**, 387-393
 Liao, H., ---- (1975) Sequential sampling for the comparison of domain means. **62**, 690-693
 Singh, B., ---- (1977) The preposterior distribution of the inverse of a sum of two cross-product matrices. **64**, 649-651
 Singh, B., ---- (1984) Bayesian inference and sample design for regression analysis when there is nonresponse. **71**, 161-170
- Seely, J.**
 ---- (1975) An example of an inadmissible analysis of variance estimator for a variance component. **62**, 689-690
- Seheult, A.**
 ---- (1978) On a problem in forensic science. **65**, 646-648
 Cressie, N., ---- (1985) Empirical Bayes estimation in sampling inspection. **72**, 451-458
- Seiden, E.**
 Oman, S.D., ---- (1988) Switch-back designs. **75**, 81-89
- Seinfeld, J.**
 Benedetti, J.K., Liu, P.-Y., Sather, H.N., ----, Epton, M.A. (1982) Effective sample size for tests of censored survival data. **69**, 343-349
- Self, S.G.**
 Liang, K.-Y., ---- (1985) Tests for homogeneity of odds ratio when the data are sparse. **72**, 353-358
 Zeger, S.L., Liang, K.-Y., ---- (1985) The analysis of binary longitudinal data with time-independent covariates. **72**, 31-38
- Sellke, T.**
 ----, Siegmund, D. (1983) Sequential analysis of the proportional hazards model. **70**, 315-326
- Sen, P.K.**
 ---- (1982) On M tests in linear models. **69**, 245-248
 Harrell, F.E., ---- (1979) Statistical inference for censored bivariate normal distributions based on induced order statistics. **66**, 293-298
- Seneta, E.**
 Heyde, C.C., ---- (1972) Studies in the History of Probability and Statistics. XXXI: The simple branching process, a turning point test and a fundamental inequality - a historical note on I.J.Bienaymé. **59**, 680-683
- Sengupta, S.**
 ---- (1989) On Chao's unequal probability sampling plan. **76**, 192-196
 Mukerjee, R., ---- (1989) Optimal estimation of finite population total under a general correlated model. **76**, 789-794
 Mukerjee, R., ---- (1990) Optimal estimation of a finite population mean in the presence of linear trend. **77**, 625-630
- Sethuraman, J.**
 Hollander, M., ---- (1978) Testing for agreement between two groups of judges. **65**, 403-411
- Severini, T.A.**
 ---- (1990) Conditional properties of likelihood-based significance tests. **77**, 343-352
- Severo, N.C.**
 Choi, Y.J., ---- (1988) An approximation for the maximum likelihood estimator of the infection rate in the simple stochastic epidemic. **75**, 392-394
 Desu, M.M., Gehan, E.A., ---- (1974) A two-stage estimation procedure when there may be spurious observations. **61**, 593-599
 Oh, C., ----, Slivka, J. (1991) Approximations to the maximum likelihood estimate in some pure birth processes. **78**, 295-299
- Shafiq, M.**
 ----, Federer, W.T. (1979) Generalized N -ary balanced block designs. **66**, 115-123
- Shah, B.K.**
 ---- (1970) On the distribution of half the mean square successive difference. **57**, 193-198
- Shahani, A.K.**
 Hirji, T., ---- (1978) Testing of hypotheses with trinomials generated by gauges. **65**, 228-231
- Shaikh, A.**
 ---- (1976) Statistical inference for Markov chains with lumped states (correction **65**, 455). **63**, 211-213
- Shaman, P.**
 ---- (1973) On the inverse of the covariance matrix for an autoregressive moving-average process. **60**, 193-196
 ---- (1977) Some Bayesian considerations in spectral estimation. **64**, 79-84
- Shanbhag, D.N.**
 ---- (1970) On the distribution of a quadratic form. **57**, 222-223
- Shapiro, A.**
 ---- (1985) Asymptotic distribution of test statistics in the analysis of moment structures under inequality constraints. **72**, 133-144
- Sharot, T.**
 ---- (1976) Sharpening the jackknife. **63**, 315-321
- Sharp, S.A.**
 ---- (1975) Corrections to likelihood ratio tests of hypotheses concerning the parameters of Markov chains. **62**, 595-598
- Sharpe, K.**
 ---- (1970) Robustness of normal tolerance intervals. **57**, 71-78
- Sharples, L.D.**
 ---- (1990) Identification and accommodation of outliers in general hierarchical models. **77**, 445-453
- Sheather, S.J.**
 Hall, P., ----, Jones, M.C., Marron, J.S. (1991) On optimal data-based bandwidth selection in kernel density estimation. **78**, 263-269
 Schucany, W.R., ---- (1989) Jackknifing R -estimators. **76**, 393-398
- Shedler, G.S.**
 Lewis, P.A.W., ---- (1976) Simulation of nonhomogeneous Poisson processes with log linear rate function. **63**, 501-505
- Shen, S.M.**
 ---- (1982) A method for discriminating between models describing compositional data. **69**, 587-595
 Aitchison, J., ---- (1980) Logistic-normal distributions: some properties and uses. **67**, 261-272
- Shenton, L.R.**
 Bowman, K.O., ---- (1973) Notes on the distribution of $\sqrt{b_1}$ in sampling from Pearson distributions. **60**, 155-167
 Bowman, K.O., ---- (1973) Space of solutions for a normal mixture. **60**, 629-636
 Bowman, K.O., ---- (1975) Omnibus test contours for departures from normality based on $\sqrt{b_1}$ and b_2 . **62**, 243-250
 Bowman, K.O., ---- (1979) Approximate percentage points for Pearson distributions. **66**, 147-151
 ----, Bowman, K.O., Lam, H.K. (1979) Comments on a paper by R.C.Geary on standardized mean deviation. **66**, 400-401
- Sherman, R.**
 ---- (1971) Error of the normal approximation to the sum of N random variables. **58**, 396-398
- Sheynin, O.B.**
 ---- (1970) Studies in the History of Probability and Statistics. XXIII: Daniel Bernoulli on the normal law. **57**, 199-202
 ---- (1971) Studies in the History of Probability and Statistics. XXV: On the history of some statistical laws of distribution. **58**, 234-236
- Shi, N.-Z.**
 Nomakuchi, K., ---- (1988) A test for a multiple isotonic regression problem. **75**, 181-184
- Shi, S.**
 Hinkley, D.V., ---- (1989) Importance sampling and the nested bootstrap. **76**, 435-446

Shibata, R.

- (1976) Selection of the order of an autoregressive model by Akaike's information criterion. **63**, 117-126
- (1981) An optimal selection of regression variables (correction **49**, 492). **68**, 45-54
- (1984) Approximate efficiency of a selection procedure for the number of regression variables. **71**, 43-49

Shine, E.P.

- Wehrly, T.E., ---- (1981) Influence curves of estimators for directional data. **68**, 334-335

Shinozaki, N.

- Rao, C.R., ---- (1978) Precision of individual estimators in simultaneous estimation of parameters. **65**, 23-30

Shirahata, S.

- (1977) Tests of partial correlation in a linear model. **64**, 162-164
- (1978) An approach to a one-sided test in the bivariate normal distribution. **65**, 61-67
- (1981) Intraclass rank tests for independence. **68**, 451-456
- Inaba, T., ---- (1986) Measures of dependence in normal models and exponential models by information gain. **73**, 345-352

Shoemaker, L.H.

- , Hettmansperger, T.P. (1982) Robust estimates and tests for the one- and two-sample scale models. **69**, 47-53

Shudde, R.H.

- Barr, D.R., ---- (1973) A note on Kuiper's V_n statistic. **60**, 663-664

Shukla, G.K.

- (1982) Testing the homogeneity of variances in a two-way classification. **69**, 411-416
- Gill, P.S., ---- (1985) Efficiency of nearest neighbour balanced block designs for correlated observations. **72**, 539-544
- Singh, B.B., ---- (1983) A test of autoregression in Gaussian spatial processes. **70**, 523-527

Shumway, R.

- Hurvich, C.M., ----, Tsai, C.-L. (1990) Improved estimators of the Kullback-Leibler information for autoregressive model selection in small samples. **77**, 709-719

Shuster, J.J.

- (1986) The cross-product estimator in matched case-control studies. **73**, 212-216
- , Downing, D.J. (1976) Two-way contingency tables for complex sampling schemes. **63**, 271-276
- , Miura, C. (1972) Two-way analysis of reciprocals. **59**, 478-481
- , Yang, M.C.K. (1974) Optimal allocation of observations for partitioning a set of new items into two control groups. **61**, 191-193

Sichel, H.S.

- (1982) Asymptotic efficiencies of three methods of estimation for the inverse Gaussian-Poisson distribution. **69**, 467-472

Siegel, A.F.

- (1979) The noncentral chi-squared distribution with zero degrees of freedom and testing for uniformity. **66**, 381-386
- (1982) Robust regression using repeated medians. **69**, 242-244

Siegmund, D.

- (1978) Estimation following sequential tests. **65**, 341-349
- (1980) Sequential chi-squared and F tests and the related confidence intervals. **67**, 389-402
- James, B.R., James, K.L., ---- (1987) Tests for a change-point. **74**, 71-83
- Kim, H.-J., ---- (1989) The likelihood ratio test for a change-point in simple linear regression. **76**, 409-423
- Knowles, M., ----, Zhang, H. (1991) Confidence regions in semilinear regression. **78**, 15-31
- Pollak, M., ---- (1985) A diffusion process and its applications to detecting a change in the drift of Brownian motion. **72**, 267-280
- Sellke, T., ---- (1983) Sequential analysis of the proportional hazards model. **70**, 315-326

Siegmund, S.

- (1977) Repeated significance tests for a normal mean. **64**, 177-189

Sievers, G.L.

- Doksum, D.A., ---- (1976) Plotting with confidence: graphical comparisons of two populations. **63**, 421-434

Signorini, D.F.

- (1991) Sample size for Poisson regression. **78**, 446-450

Silvapulle, M.J.

- Heathcote, C.R., ---- (1981) Minimum mean squared estimation of location and scale parameters under misspecification of the model. **68**, 501-514

Silverman, B.W.

- (1978) Choosing the window width when estimating a density. **65**, 1-11
- Buckley, M.J., Eagleson, G.K., ---- (1988) The estimation of residual variance in nonparametric regression. **75**, 189-199
- Ripley, B.D., ---- (1978) Quick tests for spatial interaction. **65**, 641-642
- , Young, G.A. (1987) The bootstrap: to smooth or not to smooth?. **74**, 469-479

Silvey, S.D.

- (1978) Optimal design measures with singular information matrices. **65**, 553-559
- Covey-Crump, P.A.K., ---- (1970) Optimal regression designs with previous observations. **57**, 551-566
- Ford, I., ---- (1980) A sequentially constructed design for estimating a nonlinear parametric function. **67**, 381-388
- , Titterton, D.M. (1973) A geometric approach to optimal design theory. **60**, 21-32
- , Titterton, D.M. (1974) A Lagrangian approach to optimal design. **61**, 299-302

Simes, R.J.

- (1986) An improved Bonferroni procedure for multiple tests of significance. **73**, 751-754

Simon, G.

- (1977) A nonparametric test of total independence based on Kendall's tau. **64**, 277-282

Simon, R.

- Li, S.-H., ----, Gart, J.J. (1979) Small sample properties of the Mantel-Haenszel test (correction **70**, 304). **66**, 181-183
- , Weiss, G.H., Hoel, D.G. (1975) Sequential analysis of binomial clinical trials. **62**, 195-200
- Thall, P.F., ----, Ellenberg, S.S. (1988) Two-stage selection and testing designs for comparative clinical trials. **75**, 303-310

Simonoff, J.S.

- Heller, G., ---- (1990) A comparison of estimators for regression with a censored response variable. **77**, 515-520

Simpson, D.G.

- , Margolin, B.H. (1986) Recursive nonparametric testing for dose-response relationships subject to downturns at high doses. **73**, 589-596

Sinclair, D.F.

- Dolby, G.R., Cormack, R.M., ---- (1987) On fitting bivariate functional relationships to unpaired and unequally replicated data. **74**, 393-399

Singh, A.C.

- , Sutradhar, B.C. (1989) Testing proportions for Markov dependent Bernoulli trials. **76**, 809-813

Singh, B.

- , Sedransk, J. (1977) The preposterior distribution of the inverse of a sum of two cross-product matrices. **64**, 649-651
- , Sedransk, J. (1984) Bayesian inference and sample design for regression analysis when there is nonresponse. **71**, 161-170
- , Wright, F.T. (1987) Approximations to the power of some order restricted tests with slippage alternatives. **74**, 863-870

Singh, B.B.

- , Shukla, G.K. (1983) A test of autoregression in Gaussian spatial processes. **70**, 523-527

Singh, C.

- (1970) On the distribution of range of samples from nonnormal populations. **57**, 451-456
- (1972) Order statistics from nonnormal populations. **59**, 229-233

- Singh, D.**
Srivastava, A.K., ---- (1981) A sampling procedure with inclusion probabilities proportional to size. 68, 732-734
- Singh, M.**
----, Dey, A. (1979) Block designs with nested rows and columns. 66, 321-326
- Singh, P.**
---- (1978) The selection of samples of two units with inclusion probabilities proportional to size. 65, 450-454
Saxena, R.R., ----, Srivastava, A.K. (1986) An unequal probability sampling scheme. 73, 761-763
----, Srivastava, A.K. (1980) Sampling schemes providing unbiased regression estimators. 67, 205-209
- Singh, R.**
Gupta, V.K., ---- (1989) On *E*-optimal block designs. 76, 184-188
Mangat, N.S., ---- (1990) An alternative randomised response procedure. 77, 439-442
- Singh, R.S.**
---- (1979) Mean squared errors of estimates of a density and its derivatives. 66, 177-180
- Singleton, K.J.**
Epps, T.W., ----, Pulley, L.B. (1982) A test of separate families of distributions based on the empirical moment generating function. 69, 391-399
- Sinha, K.**
---- (1978) A resolvable triangular partially balanced incomplete block design. 65, 665-665
---- (1987) A method of construction of regular group divisible designs. 74, 443-444
- Sirvanci, M.**
---- (1982) An estimate of location for dependent data. 69, 473-476
----, Levent, I. (1982) Cramér-von Mises statistic for testing exponentiality with censored samples (correction 71, 220). 69, 641-646
- Siskind, V.**
---- (1972) Second moments of inverse Wishart-matrix elements. 59, 690-691
---- (1976) Approximate probability integrals and critical values for Bartholomew's test for ordered means. 63, 647-654
Pettitt, A.N., ---- (1981) Effect of within-sample dependence on the Mann-Whitney-Wilcoxon statistic. 68, 437-441
- Skinner, C.J.**
---- (1983) Multivariate prediction from selected samples. 70, 289-292
---- (1988) On conditioning for model-based inference in survey sampling. 75, 275-286
- Skovgaard, I.**
---- (1986) Successive improvement of the order of ancillarity. 73, 516-519
- Slakter, M.J.**
---- (1973) Large values for the number of groups with the Pearson chi-squared goodness-of-fit test. 60, 420-421
- Slivka, J.**
---- (1970) A one-sided nonparametric multiple comparison control percentile test: treatments versus control. 57, 431-438
Oh, C., Severo, N.C., ---- (1991) Approximations to the maximum likelihood estimate in some pure birth processes. 78, 295-299
- Slud, E.**
---- (1991) Relative efficiency of the log rank test within a multiplicative intensity model. 78, 621-630
- Slud, E.V.**
---- (1982) Consistency and efficiency of inferences with the partial likelihood. 69, 547-552
Kedem, B., ---- (1981) On goodness of fit of time series models: an application of higher order crossings. 68, 551-556
----, Rubinstein, L.V. (1983) Dependent competing risks and summary survival curves. 70, 643-649
- Small, C.G.**
McLeish, D.L., ---- (1986) Likelihood methods for the discrimination problem. 73, 397-403
----, McLeish, D.L. (1989) Projection as a method for increasing sensitivity and eliminating nuisance parameters. 76, 693-703
- Small, N.J.H.**
---- (1978) Plotting squared radii. 65, 657-658
Cox, D.R., ---- (1978) Testing multivariate normality. 65, 263-272
- Smit, C.F.**
---- (1980) On a distribution-free Behrens-Fisher test by Hettmansperger and Malin. 67, 241-242
- Smith, A.F.M.**
---- (1973) Bayes estimates in one-way and two-way models. 60, 319-329
---- (1975) A Bayesian approach to inference about a change-point in a sequence of random variables (comment 63, 218). 62, 407-416
Booth, N.B., ---- (1976) Batch acceptance schemes based on an autoregressive prior. 63, 133-136
----, Verdine, I. (1980) A note on Bayes designs for inference using a hierarchical linear model. 67, 613-619
- Smith, E.P.**
Marx, B.D., ---- (1990) Principal component estimation for generalized linear regression. 77, 23-31
- Smith, J.Q.**
---- (1980) Bayes estimates under bounded loss. 67, 629-638
- Smith, P.J.**
---- (1991) Bayesian analyses for a multiple capture-recapture model. 78, 399-407
Mikulski, P.W., ---- (1976) A variance bound for unbiased estimation in inverse sampling. 63, 216-217
- Smith, R.L.**
---- (1985) Maximum likelihood estimation in a class of nonregular cases. 72, 67-90
- Smith, S.P.**
----, Hammond, K. (1988) Rank regression with log gamma residuals. 75, 741-751
- Smith, T.M.F.**
---- (1976) Comment on Cassel, C.M., Särndal, C.E. and Wretman, J.H., Some results on generalized difference estimation and generalized regression estimation for finite populations, 63, 615-620. 63, 619-620
Molina, C.E.A., ---- (1986) The effect of sample design on the comparison of associations. 73, 23-33
Scott, A., ---- (1970) A note on Moran's approximation to Student's *t*. 57, 681-682
Scott, A.J., ---- (1975) Minimax designs for sample surveys. 62, 353-357
Sugden, R.A., ---- (1984) Ignorable and informative designs in survey sampling inference. 71, 495-506
- Smith, W.**
Davidian, M., Carroll, R.J., ---- (1988) Variance functions and the minimum detectable concentration in assays. 75, 549-556
- Smythe, R.T.**
----, Wei, L.J. (1983) Significance tests with restricted randomization design. 70, 496-500
Wei, L.J., ----, Mehta, C.R. (1989) Interval estimation with restricted randomisation rules. 76, 363-368
- Snell, E.J.**
Cox, D.R., ---- (1971) On test statistics calculated from residuals. 58, 589-594
Cox, D.R., ---- (1979) On sampling and the estimation of rare errors (correction 69, 491). 66, 125-132
- Sobel, M.**
Hoel, D.G., ----, Weiss, G.H. (1972) A two-stage procedure for choosing the better of two binomial populations. 59, 317-322
Nebenzahl, E., ---- (1972) Play-the-winner sampling for a fixed sample size binomial selection problem. 59, 1-8
----, Elashoff, R.M. (1975) Group testing with a new goal, estimation. 62, 181-193
----, Tong, Y.L. (1971) Optimal allocation of observations for partitioning a set of normal populations in comparison with a control. 58, 177-181

- Sobel, M.**
 ---, Weiss, G.H. (1970) Play-the-winner sampling for selecting the better of two binomial populations. *57*, 357-365
- Solakov, E.B.**
 Vuchkov, I.N., --- (1980) The influence of experimental design on robustness to nonnormality of the F test in regression analysis. *67*, 489-492
- Solomon, D.L.**
 Davidson, R.R., --- (1973) A Bayesian approach to paired comparison experimentation. *60*, 477-487
- Solomon, P.J.**
 --- (1984) Effect of misspecification of regression models in the analysis of survival data (correction *73*, 245). *71*, 291-298
 --- (1985) Transformations for components of variance and covariance. *72*, 233-239
 Cox, D.R., --- (1986) Analysis of variability with large numbers of small samples. *73*, 543-554
 Cox, D.R., --- (1988) On testing for serial correlation in large numbers of small samples. *75*, 145-148
- Somerville, P.N.**
 --- (1971) A generalization of a fundamental theorem of ranking and selection. *58*, 227-228
 --- (1971) A technique for obtaining probabilities of correct selection in a two-stage selection problem. *58*, 615-623
- Sommer, C.J.**
 Lagakos, S.W., ---, Zelen, M. (1978) Semi-Markov models for partially censored data. *65*, 311-317
- Song, J.-K.**
 Dabrowska, D.M., Doksum, K.A., --- (1989) Graphical comparison of cumulative hazards for two populations. *76*, 763-773
- Soofi, E.S.**
 Ebrahimi, N., --- (1990) Relative information loss under Type II censored exponential data. *77*, 429-435
- Sowden, R.R.**
 --- (1971) Bias and accuracy of parameter estimates in a quantal response model. *58*, 595-603
 --- (1972) On the first-order bias of parameter estimates in a quantal response model under alternative estimation procedures. *59*, 573-579
- Spady, R.H.**
 --- (1991) Saddlepoint approximations for regression models. *78*, 879-889
- Speckman, P.**
 Eubank, R.L., --- (1990) Curve fitting by polynomial-trigonometric regression. *77*, 1-9
- Spiegelhalter, D.J.**
 --- (1977) A test for normality against symmetric alternatives. *64*, 415-418
 --- (1980) An omnibus test for nonnormality for small samples. *67*, 493-496
 --- (1983) Diagnostic tests of distributional shape. *70*, 401-409
- Spiegelman, C.H.**
 Carroll, R.J., ---, Lan, K.K.G., Bailey, K.T., Abbott, R.D. (1984) On errors-in-variables for binary regression models. *71*, 19-25
- Spjøtvoll, E.**
 --- (1972) Joint confidence intervals for all linear functions of means in the one-way layout with unknown group variances. *59*, 683-685
 --- (1977) Alternatives to plotting C_p in multiple regression (correction *65*, 241). *64*, 1-8
 --- (1977) Ordering ordered parameters. *64*, 327-334
 Schweder, T., --- (1982) Plots of P -values to evaluate many tests simultaneously. *69*, 493-502
- Sprott, D.A.**
 --- (1973) Normal likelihoods and their relation to large sample theory of estimation. *60*, 457-465
 --- (1975) Marginal and conditional sufficiency. *62*, 599-605
 --- (1978) Comments on Efron, B. and Hinkley, D.V., Assessing the accuracy of the maximum likelihood estimator: observed versus expected Fisher information, *65*, 457-482. *65*, 485-486
- (1980) Maximum likelihood in small samples: estimation in the presence of nuisance parameters. *67*, 515-523
 Chamberlin, S.R., --- (1989) The estimation of a location parameter when the scale parameter is confined to a finite range: the notion of a generalized ancillary statistic. *76*, 609-612
 Chamberlin, S.R., --- (1989) Linear systems of pivotals and associated pivotal likelihoods with applications. *76*, 685-691
 Farewell, V.T., --- (1990) Discussion of Begg, C.B., On inferences from Wei's biased coin design for clinical trials, *77*, 479-480
- Spurrer, J.D.**
 Locke, C., --- (1976) The use of U -statistics for testing normality against nonsymmetric alternatives (correction *64*, 175). *63*, 143-147
 Locke, C., --- (1977) The use of U -statistics for testing normality against alternatives with both tails heavy or both tails light. *64*, 638-640
 ---, Edwards, D. (1986) An asymptotically optimal subclass of balanced incomplete block designs for comparison with a control. *73*, 191-199
- Sreenath, P.R.**
 --- (1989) Construction of some balanced incomplete block designs with nested rows and columns. *76*, 399-402
- Srinivasan, R.**
 --- (1970) An approach to testing the goodness of fit of incompletely specified distributions. *57*, 605-611
 Basawa, I.V., Billard, L., --- (1984) Large-sample tests of homogeneity for time series models. *71*, 203-206
 Kanofsky, P., --- (1972) An approach to the construction of parametric confidence bands on cumulative distribution functions. *59*, 623-631
 Langenberg, P., --- (1979) Null distribution of the Hollander-Proschan statistic for decreasing mean residual life. *66*, 679-680
 Mehta, J.S., --- (1970) On the Behrens-Fisher problem. *57*, 649-655
 Raghunandan, K., --- (1970) Simplified estimation of parameters in a logistic distribution. *57*, 677-679
 ---, Godio, L.B. (1974) A Cramér-von Mises type statistic for testing symmetry. *61*, 196-198
 ---, Wharton, R.M. (1973) The limit distribution of a random variable used in the construction of confidence bands. *60*, 431-433
- Srivastava, A.K.**
 Saxena, R.R., Singh, P., --- (1986) An unequal probability sampling scheme. *73*, 761-763
 Singh, P., --- (1980) Sampling schemes providing unbiased regression estimators. *67*, 205-209
 ---, Singh, D. (1981) A sampling procedure with inclusion probabilities proportional to size. *68*, 732-734
- Srivastava, M.S.**
 --- (1984) Estimation of interclass correlations in familial data. *71*, 177-185
 Fraser, D.A.S., Guttman, I., --- (1991) Conditional inference for treatment and error in multivariate analysis. *78*, 565-572
 Keen, K.J., --- (1991) The asymptotic variance of the interclass correlation coefficient. *78*, 225-228
 ---, Keen, K.J. (1988) Estimation of the interclass correlation coefficient. *75*, 731-739
- Srivastava, S.K.**
 ---, Jhaji, H.S. (1981) A class of estimators of the population mean in survey sampling using auxiliary information. *68*, 341-343
- Srivenkataramana, T.**
 --- (1980) A dual to ratio estimator in sample surveys. *67*, 199-204
 Prasad, N.G.N., --- (1980) A modification to the Horvitz-Thompson estimator under the Midzuno sampling scheme. *67*, 709-711
 ---, Tracy, D.S. (1989) Two-phase sampling for selection with probability proportional to size in sample surveys (remark *78*, 233). *76*, 818-821
- Sroka, L.**
 Gasser, T., ---, Jennen-Steinmetz, C. (1986) Residual variance and residual pattern in nonlinear regression. *73*, 625-633

- Stadtmüller, U.**
Müller, H.-G., ---- (1988) Detecting dependencies in smooth regression models. **75**, 639-650
Müller, H.-G., ----, Schmitt, T. (1987) Bandwidth choice and confidence intervals for derivatives of noisy data. **74**, 743-749
- Staudte, R.G.**
Basawa, I.V., Huggins, R.M., ---- (1985) Robust tests for time series with an application to first-order autoregressive processes. **72**, 559-571
- Steele, J.M.**
---- (1980) Efron's conjecture on vulnerability to bias in a method for balancing sequential trials. **67**, 503-504
- Stefanski, L.A.**
---- (1985) The effect of measurement error on parameter estimation. **72**, 583-592
----, Carroll, R.J. (1987) Conditional scores and optimal scores for generalized linear measurement-error models. **74**, 703-716
----, Carroll, R.J., Ruppert, D. (1986) Optimally bounded score functions for generalized linear models with applications to logistic regression. **73**, 413-424
- Stein, M.L.**
---- (1991) A new class of estimators for the reduced second moment measure of point processes. **78**, 281-286
- Steinberg, D.M.**
---- (1985) Model robust response surface designs: scaling two-level factorials. **72**, 513-526
Cheng, C.-S., ---- (1991) Trend robust two-level factorial designs. **78**, 325-336
- Stenger, H.**
---- (1990) Asymptotic minimaxity of the ratio strategy. **77**, 389-395
- Stephens, M.A.**
---- (1975) Asymptotic properties for covariance matrices of order statistics. **62**, 23-28
---- (1975) A new test for the modal vector of the Fisher distribution. **62**, 171-174
---- (1977) Goodness of fit for the extreme value distribution. **64**, 583-588
---- (1979) Vector correlation. **66**, 41-48
---- (1979) Test of fit for the logistic distribution based on the empirical distribution function. **66**, 591-595
---- (1982) Use of the von Mises distribution to analyse continuous proportions. **69**, 197-203
Anderson, T.W., ---- (1972) Tests for randomness of directions against equatorial and bimodal alternatives. **59**, 613-621
Bishop, T.A., Dudewicz, E.J., Juritz, J.M., ---- (1978) Percentage points of a quadratic form in Student *t* variates. **65**, 435-439
Cheng, R.C.H., ---- (1989) A goodness-of-fit test using Moran's statistic with estimated parameters. **76**, 385-392
Lockhart, R.A., ---- (1985) Tests of fit for the von Mises distribution. **72**, 647-652
Pettitt, A.N., ---- (1976) Modified Cramér-von Mises statistics for censored data. **63**, 291-298
- Stern, H.**
---- (1990) A continuum of paired comparison models. **77**, 265-273
- Stewart, F.P.**
----, Bradley, R.A. (1991) Some universally optimal row-column designs with empty nodes. **78**, 337-348
- Stewart, W.E.**
---- (1987) Multiresponse parameter estimation with a new and noninformative prior. **74**, 557-562
- Stewart, W.H.**
----, Pierce, D.A. (1982) Efficiency of Cox's model in estimating regression parameters with grouped survival data. **69**, 539-545
- Stibbard, A.**
Diggle, P.J., Gates, D.J., ---- (1987) A nonparametric estimator for pairwise-interaction point processes. **74**, 763-770
- Stigler, S.M.**
---- (1970) Estimating the age of a Galton-Watson branching process. **57**, 505-512
---- (1971) The estimation of the probability of extinction and other parameters associated with branching processes. **58**, 499-508
---- (1973) Studies in the History of Probability and Statistics. XXXII: Laplace, Fisher and the discovery of the concept of sufficiency. **60**, 439-445
---- (1974) Studies in the History of Probability and Statistics. XXXIII: Cauchy and the witch of Agnesi: an historical note on the Cauchy distribution. **61**, 375-380
---- (1975) Studies in the History of Probability and Statistics. XXXIV. Napoleonic statistics: the work of Laplace. **62**, 503-517
---- (1980) Studies in the History of Probability and Statistics. XXXVIII: R.H.Smith, a Victorian interested in robustness. **67**, 217-221
---- (1984) Studies in the History of Probability and Statistics. XL: Boscovich, Simpson and a 1760 manuscript note on fitting a linear relation. **71**, 615-620
- Stivers, L.E.**
Lin, P.-E., ---- (1974) On difference of means with incomplete data. **61**, 325-334
- Stone, J.**
Conniffe, D., ---- (1974) The efficiency factor of a class of incomplete block designs. **61**, 633-636
Conniffe, D., ---- (1975) Some incomplete block designs of maximum efficiency (comment **63**, 686). **62**, 685-686
- Stone, M.**
---- (1972) Review of Godambe, V.P. and Sprott, D.A., *Foundations of Statistical Inference*. **59**, 236-237
---- (1974) Cross-validation and multinomial prediction. **61**, 509-515
---- (1977) Asymptotics for and against cross-validation. **64**, 29-35
Dawid, A.P., ---- (1972) Expectation consistency of inverse probability distributions. **59**, 486-489
Finucan, H.M., Galbraith, R.F., ---- (1974) Moments without tears in simple random sampling from a finite population. **61**, 151-154
Frangos, C.C., ---- (1984) On jackknife, cross-validatory and classical methods of estimating a proportion with batches of different sizes. **71**, 361-366
----, Dawid, A.P. (1972) Un-Bayesian implications of improper Bayes inference in routine statistical problems. **59**, 369-375
- Strain, W.F.**
Hanumara, R.C., ---- (1980) A note on the application of the percentage points of the extreme roots of a Wishart matrix. **67**, 501-502
- Strauss, D.**
---- (1975) A model for clustering. **62**, 467-475
---- (1977) Runs of occupied cells. **64**, 170-171
- Struthers, C.A.**
----, Farewell, V.T. (1989) A mixture model for time to AIDS data with left truncation and an uncertain origin. **76**, 814-817
----, Kalbfleisch, J.D. (1986) Misspecified proportional hazard models. **73**, 363-369
- Styan, G.P.H.**
---- (1970) Notes on the distribution of quadratic forms in singular normal variables. **57**, 567-572
- Su, J.Q.**
Wei, L.J., ----, Lachin, J.M. (1990) Interim analyses with repeated measurements in a sequential clinical trial. **77**, 359-364
- Subbaiah, P.**
Mudholkar, G.S., Davidson, M.L., ---- (1974) Extended linear hypotheses and simultaneous tests in multivariate analysis of variance. **61**, 467-477
- Subba Rao, T.**
----, Tong, H. (1973) On some tests for the time dependence of a transfer function. **60**, 589-597
- Subrahmaniam, Ka.**
Subrahmaniam, Ko., ---- (1973) On the multivariate Behrens-Fisher problem. **60**, 107-111
- Subrahmaniam, Ko.**
----, Subrahmaniam, Ka. (1973) On the multivariate Behrens-Fisher problem. **60**, 107-111

- Sudbury, A.**
Clifford, P., --- (1973) A model for spatial conflict. **60**, 581-588
- Sudbury, A.W.**
Clifford, P., --- (1979) On the use of bounds in the statistical analysis of spatial processes. **66**, 495-503
- Suen, C.-Y.**
---, Chakravarti, I.M. (1985) Balanced factorial designs with two-way elimination of heterogeneity. **72**, 391-402
- Sugden, R.A.**
---, Smith, T.M.F. (1984) Ignorable and informative designs in survey sampling inference. **71**, 495-506
- Sugg, M.N.**
---, Hutcheson, K. (1976) Gauss-Krawtchouk quadrature approximations for moments of multinomial type distributions. **63**, 395-400
- Sugiura, N.**
---, Gomi, A. (1985) Pearson diagrams for truncated normal and truncated Weibull distributions. **72**, 219-222
- Sun, J.**
--- (1991) Significance levels in exploratory projection pursuit. **78**, 759-769
- Sundberg, R.**
--- (1986) Tests for underlying Markovian structure from panel data with partially aggregated states. **73**, 717-721
Brown, P.J., --- (1989) Prediction diagnostics and updating in multivariate calibration. **76**, 349-361
- Susarla, V.**
---, Tsai, W.-Y., Van Ryzin, J. (1984) A Buckley-James estimator for the mean with censored data. **71**, 624-625
- Sutradhar, B.C.**
Singh, A.C., --- (1989) Testing proportions for Markov dependent Bernoulli trials. **76**, 809-813
- Sutton, T.W.**
Mardia, K.V., --- (1975) On the modes of a mixture of two von Mises distributions. **62**, 699-701
- Swamy, R.J.R.**
--- (1983) Sequential comparison of two Markov chains. **70**, 293-296
Schmitz, N., --- (1985) Remarks on sequential comparison of two Markov chains. **72**, 485-486
- Swanepoel, J.W.H.**
---, Van Wyk, J.W.J. (1986) The bootstrap applied to power spectral density function estimation. **73**, 135-141
- Sweeting, T.J.**
--- (1978) On efficient tests for branching processes. **65**, 123-127
--- (1984) On the choice of prior distribution for the Box-Cox transformed linear model. **71**, 127-134
--- (1987) Approximate Bayesian analysis of censored survival data. **74**, 809-816
Crowder, M., --- (1989) Bayesian inference for a bivariate binomial distribution. **76**, 599-603
- Swensson, B.**
Särndal, C.E., ---, Wretman, J.H. (1989) The weighted residual technique for estimating the variance of the general regression estimator of the finite population total. **76**, 527-537
- Switzer, P.**
--- (1976) Confidence procedures for two-sample problems. **63**, 13-25
Fisher, N.I., --- (1985) Chi-plots for assessing independence. **72**, 253-265
- Szatrowski, E.H.**
Rubin, D.B., --- (1982) Finding maximum likelihood estimates of patterned covariance matrices by the EM algorithm. **69**, 657-660
- Tableman, M.**
--- (1987) A simple way to construct a two-sample sequential confidence interval. **74**, 625-630
- Tadikamalla, P.R.**
---, Johnson, N.L. (1982) Systems of frequency curves generated by transformations of logistic variables. **69**, 461-465
- Taheri, H.**
---, Young, D.H. (1974) A comparison of sequential sampling procedures for selecting the better of two binomial populations. **61**, 585-592
- Takeuchi, K.**
Murota, K., --- (1981) The studentized empirical characteristic function and its application to test for the shape of distribution. **68**, 55-65
- Tam, S.M.**
--- (1984) Optimal estimation in survey sampling under a regression superpopulation model. **71**, 645-647
--- (1986) Characterization of best model-based predictors in survey sampling. **73**, 232-235
--- (1987) Optimality of Royall's predictor under a Gaussian superpopulation model. **74**, 659-660
--- (1988) Asymptotically design-unbiased predictors in survey sampling. **75**, 175-177
- Tamhane, A.C.**
--- (1978) Inference based on regression estimator in double sampling. **65**, 419-427
--- (1982) A note on the use of residuals for detecting an outlier in linear regression. **69**, 488-489
Bechhofer, R.E., --- (1974) An iterated integral representation for a multivariate normal integral having block covariance structure. **61**, 615-619
- Tamura, H.**
--- (1988) Estimation of rare errors using expert judgment. **75**, 1-9
- Tan, W.Y.**
Gail, M.H., ---, Piantadosi, S. (1988) Tests for no treatment effect in randomized clinical trials. **75**, 57-64
- Tang, D.-I.**
---, Gnecco, C., Geller, N.L. (1989) An approximate likelihood ratio test for a normal mean vector with nonnegative components with application to clinical trials. **76**, 577-583
- Tang, J.**
Gupta, A.K., --- (1984) Distribution of likelihood ratio statistic for testing equality of covariance matrices of multivariate Gaussian models. **71**, 555-559
- Taniguchi, M.**
--- (1982) On estimation of the integrals of the fourth order cumulant spectral density. **69**, 117-122
- Tanner, M.A.**
Wei, G.C.G., --- (1990) Calculating the content and boundary of the highest posterior density region via data augmentation. **77**, 649-652
- Targhetta, M.L.**
--- (1979) Confidence intervals for a one-parameter family of multivariate distributions. **66**, 687-688
- Tarone, R.E.**
--- (1975) Tests for trend in life table analysis. **62**, 679-682
--- (1979) Testing the goodness of fit of the binomial distribution. **66**, 585-590
--- (1985) On heterogeneity tests based on efficient scores. **72**, 91-95
---, Gart, J.J., Hauck, W.W. (1983) On the asymptotic inefficiency of certain noniterative estimators of a common relative risk or odds ratio. **70**, 519-522
---, Ware, J. (1977) On distribution-free tests for equality of survival distributions. **64**, 156-160
- Tavaré, S.**
---, Altham, P.M.E. (1983) Serial dependence of observations leading to contingency tables and corrections to chi-squared statistics. **70**, 139-144
- Tawn, J.A.**
--- (1988) Bivariate extreme value theory: models and estimation. **75**, 397-415
--- (1990) Modelling multivariate extreme value distributions. **77**, 245-253

- Taylor, C.C.**
 ---- (1987) Akaike's information criterion and the histogram. **74**, 636-639
 ---- (1989) Bootstrap choice of the smoothing parameter in kernel density estimation. **76**, 705-712
- Taylor, J.M.G.**
 ---- (1985) Power transformations to symmetry. **72**, 145-152
- Teräsvirta, T**
 Luukkonen, R., Saikkonen, P., ---- (1988) Testing linearity against smooth transition autoregressive models. **75**, 491-499
- Thall, P.F.**
 ----, Simon, R., Ellenberg, S.S. (1988) Two-stage selection and testing designs for comparative clinical trials. **75**, 303-310
- Theobald, C.M.**
 ---- (1975) An inequality with application to multivariate analysis (correction **63**, 685). **62**, 461-466
- Therneau, T.M.**
 Schaid, D.J., Wieand, S., ---- (1990) Optimal two-stage screening designs for survival comparisons. **77**, 507-513
 ----, Grambsch, P.M., Fleming, T.R. (1990) Martingale-based residuals for survival models. **77**, 147-160
- Thiebaut, H.J.**
 ---- (1974) Minimum variances estimation of coefficient matrices in a dependent system. **61**, 87-90
- Thigpen, C.C.**
 ----, Paulson, A.S. (1974) A multiple range test for analysis of covariance. **61**, 479-484
- Thisted, R.**
 Efron, B., ---- (1976) Estimating the number of unseen species: how many words did Shakespeare know?. **63**, 435-447
 ----, Efron, B. (1987) Did Shakespeare write a newly-discovered poem?. **74**, 445-455
- Thomas, D.**
 Langholz, B., ----, Chen, T., Rhodes, P. (1990) Tests of effect in 1:J matched case-control studies based on a modified likelihood approach. **77**, 897-900
- Thomas, D.G.**
 Gart, J.J., Pettigrew, H.M., ---- (1985) The effect of bias, variance estimation, skewness and kurtosis of the empirical logit on weighted least squares analysis. **72**, 179-190
 Pettigrew, H.M., Gart, J.J., ---- (1986) The bias and higher cumulants of the logarithm of a binomial variate. **73**, 425-435
- Thomas, W.**
 ----, Cook, R.D. (1989) Assessing influence on regression coefficients in generalized linear models. **76**, 741-749
- Thompson, A.M.**
 ----, Kay, J.W., Titterton, D.M. (1991) Noise estimation in signal restoration using regularization. **78**, 475-488
- Thompson, G.L.**
 ---- (1991) A note on the rank transform for interactions. **78**, 697-701
- Thompson, M.E.**
 Bellhouse, D.R., ----, Godambe, V.P. (1977) Two-stage sampling with exchangeable prior distributions. **64**, 97-103
 Godambe, V.P., ---- (1984) Robust estimation through estimating equations. **71**, 115-125
- Thompson, R.**
 Cooper, D.M., ---- (1977) A note on the estimation of the parameters of the autoregressive-moving average process. **64**, 625-628
 Patterson, H.D., ---- (1971) Recovery of inter-block information when block sizes are unequal. **58**, 545-554
- Thompson, S.K.**
 ---- (1991) Stratified adaptive cluster sampling. **78**, 389-397
- Thompson, W.A.jr**
 ---- (1985) Optimal significance procedures for simple hypotheses. **72**, 230-232
 Pang, C-F., ----, Fallahi, H. (1989) Maximum likelihood estimation of a convex arrival rate. **76**, 626-628
- Thomson, P.J.**
 Hannan, E.J., ---- (1971) The estimation of coherence and group delay. **58**, 469-481
 Hannan, E.J., ---- (1973) Estimating group delay. **60**, 241-253
 Quinn, B.G., ---- (1991) Estimating the frequency of a periodic function. **78**, 65-74
- Thorburn, D.**
 ---- (1976) Some asymptotic properties of jackknife statistics. **63**, 305-313
 ---- (1986) A Bayesian approach to density estimation. **73**, 65-75
- Tiao, G.C.**
 ---- (1972) Asymptotic behaviour of temporal aggregates of time series. **59**, 525-531
 Ahtola, J., ---- (1984) Parameter inference for a nearly nonstationary first-order autoregressive model. **71**, 263-272
 Box, G.E.P., ---- (1977) A canonical analysis of multiple time series. **64**, 355-365
 ----, Ali, M.M. (1971) Analysis of correlated random effects: linear model with two random components. **58**, 37-51
 ----, Grupe, M.R. (1980) Hidden periodic autoregressive-moving average models in time series data. **67**, 365-373
 ----, Hillmer, S.C. (1978) Some consideration of decomposition of a time series. **65**, 497-502
 ----, Wei, W.S. (1976) Effect of temporal aggregation on the dynamic relationship of two time series variables. **63**, 513-523
 Tsay, R.S., ---- (1985) Use of canonical analysis in time series model identification. **72**, 299-315
- Tibshirani, R.**
 ---- (1988) Variance stabilisation and the bootstrap. **75**, 433-444
 ---- (1989) Noninformative priors for one parameter of many. **76**, 604-608
- Tierney, D.E.**
 Draper, N.R., ---- (1972) Regions of positive and unimodal series expansion of the Edgeworth and Gram-Charlier approximations. **59**, 463-465
- Tierney, L.**
 Kass, R.E., ----, Kadane, J.B. (1989) Approximate methods for assessing influence and sensitivity in Bayesian analysis. **76**, 663-674
 ----, Kass, R.E., Kadane, J.B. (1989) Approximate marginal densities of nonlinear functions (correction **78**, 233-234). **76**, 425-433
- Tietjen, G.L.**
 Beckman, R.J., ---- (1973) Upper 10% and 25% points of the maximum F ratio. **60**, 213-214
 D'Agostino, R.B., ---- (1971) Simulation probability points of b_2 for small samples. **58**, 669-672
 D'Agostino, R.B., ---- (1973) Approaches to the null distribution of $\sqrt{b_1}$. **60**, 169-173
- Tiku, M.L.**
 ---- (1970) Monte Carlo study of some simple estimators in censored normal samples. **57**, 207-211
 ---- (1971) A note on the distribution of Hotelling's generalized T^2_0 . **58**, 237-241
 ---- (1971) Estimating the means and standard deviation from two censored normal samples. **58**, 241-243
 Pearson, E.S., ---- (1970) Some notes on the relationship between the distributions of central and non-central F . **57**, 175-179
- Tippett, L.H.C.**
 Bartlett, M.S., ---- (1981) Egon Sharpe Pearson, 1895-1980 (with bibliography). **68**, 1-11
- Titterton, D.M.**
 ---- (1975) Optimal design: some geometrical aspects of D -optimality. **62**, 313-320
 ---- (1977) Analysis of incomplete multivariate binary data by the kernel method. **64**, 455-460
 Bowman, A.W., Hall, P., ---- (1984) Cross-validation in nonparametric estimation of probabilities and probability densities. **71**, 341-351
 Ford, I., ----, Wu, C.F.J. (1985) Inference and sequential design. **72**, 545-551

Titterton, D.M.

- Hall, P., Kay, J.W., --- (1990) Asymptotically optimal difference-based estimation of variance in nonparametric regression. **77**, 521-528
- Morgan, B.J.T., --- (1977) A comparison of iterative methods for obtaining maximum likelihood estimates in contingency tables with a missing diagonal. **64**, 265-269
- Silvey, S.D., --- (1973) A geometric approach to optimal design theory. **60**, 21-32
- Silvey, S.D., --- (1974) A Lagrangian approach to optimal design. **61**, 299-302
- Thompson, A.M., Kay, J.W., --- (1991) Noise estimation in signal restoration using regularization. **78**, 475-488
- , Jiang, J.-M. (1983) Recursive estimation procedures for missing-data problems (correction **76**, 408). **70**, 613-624

Tjøstheim, D.

- (1978) A measure of association for spatial variables. **65**, 109-114
- Auestad, B., --- (1990) Identification of nonlinear time series: first order characterization and order determination. **77**, 669-687
- Lysne, D., --- (1987) Loss of spectral peaks in autoregressive spectral estimation. **74**, 200-206
- , Paulsen, J. (1983) Bias of some commonly-used time series estimates (correction **71**, 656). **70**, 389-399

Tolley, H.D.

- , Norman, J.E. (1979) Time on trial estimates with bivariate risks. **66**, 285-291

Tong, H.

- (1982) Discontinuous decision processes and threshold autoregressive time series modelling (correction **70**, 304). **69**, 274-276
- (1983) A note on a delayed autoregressive process in continuous time. **70**, 710-712
- (1988) A note on local parameter orthogonality and Levinson-Durbin algorithm. **75**, 788-789
- Subba Rao, T., --- (1973) On some tests for the time dependence of a transfer function. **60**, 589-597

Tong, Y.L.

- (1971) Interval estimation of the ordered means of two normal populations based on hybrid estimators. **58**, 605-613
- Sobel, M., --- (1971) Optimal allocation of observations for partitioning a set of normal populations in comparison with a control. **58**, 177-181
- , Wetzell, D.E. (1979) On the behaviour of the probability function for selecting the best normal population. **66**, 174-176

Tormey, D.C.

- Hsieh, F.Y., Crowley, J., --- (1983) Some test statistics for use in multistate survival analysis. **70**, 111-119

Tosh, D.

- McLeish, D.L., --- (1983) The estimation of extreme quantiles in logit bioassay. **70**, 625-632

Tosteson, T.D.

- , Tsiatis, A.A. (1988) The asymptotic relative efficiency of score tests in a generalized linear model with surrogate covariates. **75**, 507-514
- , Ware, J.H. (1990) Designing a logistic regression study using surrogate measures for exposure and outcome. **77**, 11-21

Toyooka, Y.

- (1982) Second-order expansion of mean squared error matrix of generalized least squares estimator with estimated parameters. **69**, 269-273
- (1982) Prediction error in a linear model with estimated parameters. **69**, 453-459

Tracy, D.S.

- Srivenkataramana, T., --- (1989) Two-phase sampling for selection with probability proportional to size in sample surveys (remark **78**, 233). **76**, 818-821

Tran, T.

- Wright, F.T., --- (1985) Approximating the level probabilities in order restricted inference: the simple tree ordering. **72**, 429-439

Tremayne, A.R.

- Poskitt, D.S., --- (1980) Testing the specification of a fitted autoregressive-moving average model. **67**, 359-363
- Poskitt, D.S., --- (1983) On the posterior odds of time series models. **70**, 157-162
- Poskitt, D.S., --- (1987) Determining a portfolio of linear time series models. **74**, 125-137

Triggs, C.M.

- Davies, N., ---, Newbold, P. (1977) Significance levels of the Box-Pierce portmanteau statistic in finite samples. **64**, 517-522

Tritchler, D.L.

- Tsiatis, A.A., Rosner, G.L., --- (1985) Group sequential tests with censored survival data adjusting for covariates. **72**, 365-373

Trivedi, M.C.

- Mudholkar, G.S., --- (1980) A normal approximation for the distribution of the likelihood ratio statistic in multivariate analysis of variance. **67**, 485-488

Troutman, B.M.

- (1979) Some results in periodic autoregression. **66**, 219-228

Truong, K.N.

- Ducharme, G.R., Jhun, M., Romano, J.P., --- (1985) Bootstrap confidence cones for directional data. **72**, 637-645

Tsai, C.-L.

- (1986) Score test for the first-order autoregressive model with heteroscedasticity. **73**, 455-460
- Cook, R.D., --- (1985) Residuals in nonlinear regression. **72**, 23-29
- Cook, R.D., ---, Wei, B.C. (1986) Bias in nonlinear regression. **73**, 615-623
- Hurvich, C.M., Shumway, R., --- (1990) Improved estimators of the Kullback-Leibler information for autoregressive model selection in small samples. **77**, 709-719
- Hurvich, C.M., --- (1989) Regression and time series model selection in small samples. **76**, 297-307
- Hurvich, C.M., --- (1991) Bias of the corrected AIC criterion for underfitted regression and time series models. **78**, 499-509

Tsai, P.J.

- Chen, H.J., --- (1980) Optimal confidence interval for the largest mean in repeated measurements design. **67**, 119-126

Tsai, W.S.

- Duran, B.S., ---, Lewis, T.O. (1976) A class of location-scale nonparametric tests. **63**, 173-176

Tsai, W.-Y.

- (1988) Estimation of the survival function with increasing failure rate based on left truncated and right censored data. **75**, 319-324
- (1990) Testing the assumption of independence of truncation time and failure time. **77**, 169-177
- Susarla, V., ---, Van Ryzin, J. (1984) A Buckley-James estimator for the mean with censored data. **71**, 624-625
- , Jewell, N.P., Wang, M.-C. (1987) A note on the product-limit estimator under right censoring and left truncation. **74**, 883-886

Tsay, R.S.

- (1986) Nonlinearity tests for time series. **73**, 461-466
- , Tiao, G.C. (1985) Use of canonical analysis in time series model identification. **72**, 299-315

Tsiatis, A.A.

- (1980) A note on a goodness-of-fit test for the logistic regression model. **67**, 250-251
- (1981) The asymptotic joint distribution of the efficient scores test for the proportional hazards model calculated over time. **68**, 311-315
- Rosner, G.L., --- (1988) Exact confidence intervals following a group sequential trial: a comparison of methods. **75**, 723-729
- Schoenfeld, D.A., --- (1987) A modified log rank test for highly stratified data. **74**, 167-175
- Tosteson, T.D., --- (1988) The asymptotic relative efficiency of score tests in a generalized linear model with surrogate covariates. **75**, 507-514
- , Rosner, G.L., Tritchler, D.L. (1985) Group sequential tests with censored survival data adjusting for covariates. **72**, 365-373

- Tuan, P.-D.**
 ---- (1977) Estimation of parameters of a continuous time Gaussian stationary process with rational spectral density. **64**, 385-399
 ---- (1978) On the fitting of multivariate processes of the autoregressive-moving average type. **65**, 99-107
 ---- (1979) The estimation of parameters for autoregressive-moving average models from sample autocovariances. **66**, 555-560
 ----, Möcks, J., Köhler, W., Gasser, T. (1987) Variable latencies of noisy signals: estimation and testing in brain potential data. **74**, 525-533
- Turnbull, B.W.**
 Bergman, S.W., ---- (1983) Efficient sequential designs for destructive life testing with application to animal serial sacrifice experiments. **70**, 305-314
 Hayre, L.S., ---- (1981) Sequential estimation in two-armed exponential clinical trials. **68**, 411-416
 Hayre, L.S., ---- (1981) Estimation of the odds ratio in the two-armed bandit problem. **68**, 661-668
 Jennison, C., ---- (1985) Repeated confidence intervals for the median survival time. **72**, 619-625
 Jennison, C., ---- (1991) Exact calculations for sequential t , χ^2 and F tests. **78**, 133-141
- Turrero, A.**
 ---- (1989) On the relative efficiency of grouped and censored survival data. **76**, 125-131
- Tutz, G.**
 ---- (1986) An alternative choice of smoothing for kernel-based density estimates in discrete discriminant analysis. **73**, 405-411
- Tyler, D.E.**
 ---- (1982) Radial estimates and the test for sphericity. **69**, 429-436
 ---- (1983) Robustness and efficiency properties of scatter matrices (correction **71**, 656). **70**, 411-420
 ---- (1987) Statistical analysis for the angular central Gaussian distribution on the sphere. **74**, 579-589
- Uddin, N.**
 ---- (1990) Some series constructions for minimal size equineighbourhood balanced incomplete block designs with nested rows and columns. **77**, 829-833
 ----, Morgan, J.P. (1990) Some constructions for balanced incomplete block designs with nested rows and columns. **77**, 193-202
- Unwin, J.M.**
 Godolphin, E.J., ---- (1983) Evaluation of the covariance matrix for the maximum likelihood estimation of a Gaussian autoregressive-moving average process. **70**, 279-284
- Upton, G.J.G.**
 ---- (1973) Single-sample tests for the von Mises distribution. **60**, 87-99
 ---- (1974) New approximations for the distribution of certain angular statistics. **61**, 369-373
 ---- (1986) Approximate confidence intervals for the mean direction of a von Mises distribution. **73**, 525-527
 Lawal, H.B., ---- (1980) An approximation to the distribution of the χ^2 goodness-of-fit statistic for use with small expectations. **67**, 447-453
 ----, Lee, R.D. (1976) The importance of the patient horizon in the sequential analysis of binomial clinical trials. **63**, 335-342
- Vaeth, M.**
 Olkin, I., ---- (1981) Maximum likelihood estimation in a two-way analysis of variance with correlated errors in one classification. **68**, 653-660
- Vahl, H.**
 Müller, P.H., ---- (1976) Pearson's system of frequency curves whose left boundary and first three moments are known. **63**, 191-194
- Van der Burgt, A.T.**
 Habbema, J.D.F., Hermans, J., ---- (1974) Cases of doubt in allocation problems. **61**, 313-324
- Van der Heijden, P.G.M.**
 De Leeuw, J., ---- (1991) Reduced rank models for contingency tables. **78**, 229-232
- Van der Parren, J.L.**
 ---- (1970) Tables for distribution-free confidence limits for the median. **57**, 613-617
 ---- (1973) Tables of distribution-free one-sided and two-sided confidence limits for quartiles. **60**, 433-434
- Van der Watt, P.**
 ---- (1980) A note on estimation of bounds of random variables. **67**, 712-714
- Van Es, B.**
 ----, Hoogerdoorn, A. (1990) Kernel estimation in Wicksell's corpuscle problem. **77**, 139-145
- Van Kampen, N.G.**
 ---- (1973) Birth and death processes in large populations. **60**, 419-420
- Van Ness, J.W.**
 ---- (1973) Admissible clustering procedures. **60**, 422-424
 Cheng, C.-L., ---- (1991) On the unreplicated ultrastructural model. **78**, 442-445
 Fisher, L., ---- (1971) Admissible clustering procedures. **58**, 91-104
- Van Ryzin, J.**
 Susarla, V., Tsai, W.-Y., ---- (1984) A Buckley-James estimator for the mean with censored data. **71**, 624-625
 Wang, M.-C., ---- (1981) A class of smooth estimators for discrete distributions. **68**, 301-309
- Van Wyk, J.W.J.**
 Swanepoel, J.W.H., ---- (1986) The bootstrap applied to power spectral density function estimation. **73**, 135-141
- Vardi, Y.**
 ---- (1989) Multiplicative censoring, renewal processes, deconvolution and decreasing density: nonparametric estimation. **76**, 751-761
 Mallows, C.L., ---- (1982) Bounds on the efficiency of estimates based on overlapping data. **69**, 287-296
- Vassiliou, P.-C.G.**
 ---- (1981) On the limiting behaviour of a nonhomogeneous Markov chain model in manpower systems. **68**, 557-561
- Vecchia, A.V.**
 ---- (1985) A general class of models for stationary two-dimensional random processes. **72**, 281-291
 ----, Ballerini, R. (1991) Testing for periodic autocorrelations in seasonal time series data. **78**, 53-63
- Veitch, L.G.**
 Fujikoshi, Y., ---- (1979) Estimation of dimensionality in canonical correlation analysis. **66**, 345-351
- Velu, R.P.**
 ----, Rao, M.B. (1990) Estimation of parent-offspring correlation. **77**, 557-562
 ----, Reinsel, G.C., Wichern, D.W. (1986) Reduced rank models for multiple time series. **73**, 105-118
- Venable, T.C.**
 ----, Bhapkar, V.P. (1978) Gart's test of interaction in a $2 \times 2 \times 2$ contingency table for small samples. **65**, 669-672
- Venables, W.N.**
 Brien, C.J., James, A.T., ---- (1988) An analysis of correlation matrices: variables cross-classified by two factors. **75**, 469-476
 Brien, C.J., ----, James, A.T., Mayo, O. (1984) An analysis of correlation matrices: equal correlations. **71**, 545-554
 Verbyla, A.P., ---- (1988) An extension of the growth curve model. **75**, 129-138
- Venzon, D.J.**
 ----, Moolgavkar, S.H. (1988) Origin-invariant relative risk functions for case-control and survival studies. **75**, 325-333
- Verbyla, A.P.**
 ---- (1986) Conditioning in the growth curve model. **73**, 475-483
 ---- (1988) Analysis of repeated measures designs with changing covariates. **75**, 172-174
 ----, Venables, W.N. (1988) An extension of the growth curve model. **75**, 129-138

Verdinelli, I.

- Giovagnoli, A., ---- (1983) Bayes *D*-optimal and *E*-optimal block designs. **70**, 695-706
- Smith, A.F.M., ---- (1980) A note on Bayes designs for inference using a hierarchical linear model. **67**, 613-619

Veronese, P.

- Consonni, G., ---- (1989) Some remarks on the use of improper priors for the analysis of exponential regression models. **76**, 101-106

Vit, P.

- (1973) Interval prediction for a Poisson process. **60**, 667-668
- (1974) Testing for homogeneity: the geometric distribution. **61**, 565-568

Vitellio, C.

- Critchley, F., ---- (1991) The influence of observations on misclassification probability estimates in linear discriminant analysis. **78**, 677-690

Vlachonikolis, I.G.

- (1990) Predictive discrimination and classification with mixed binary and continuous variables. **77**, 657-662

Vuchkov, I.N.

- (1977) A ridge-type procedure for design of experiments. **64**, 147-150
- , Solakov, E.B. (1980) The influence of experimental design on robustness to nonnormality of the *F* test in regression analysis. **67**, 489-492

Wacholder, S.

- , Gail, M.H., Pee, D., Brookmeyer, R. (1989) Alternative variance and efficiency calculations for the case-cohort design. **76**, 117-123

Wahrenberger, D.L.

- , Antle, C.E., Klimko, L.A. (1977) Bayesian rules for the two-armed bandit problem. **64**, 172-174

Wahrendorf, J.

- (1980) Inference in contingency tables with ordered categories using Plackett's coefficient of association for bivariate distributions. **67**, 15-21

Wakaki, H.

- (1990) Comparison of linear and quadratic discriminant functions. **77**, 227-229

Walden, A.T.

- (1988) On phase-lag estimation from non-Gaussian time series. **75**, 785-787
- Prescott, P., ---- (1980) Maximum likelihood estimation of the parameters of the generalized extreme-value distribution. **67**, 723-724
- , White, R.E. (1990) Estimating the statistical bandwidth of a time series. **77**, 699-707

Walker, A.M.

- (1971) On the estimation of a harmonic component in a time series with stationary independent residuals. **58**, 21-36

Walker, E.A.

- Nguyen, H.T., Rogers, G.S., ---- (1984) Estimation in change-point hazard rate models. **71**, 299-304

Waller, J.

- Darroch, J.N., ---- (1985) Additivity and interaction in three-component experiments with mixtures. **72**, 153-163

Walter, S.D.

- (1975) The distribution of Levin's measure of attributable risk. **62**, 371-374

Walters, D.E.

- , Rowell, J.G. (1982) Comments on a paper by I. Olkin and M. Vaeth on two-way analysis of variance with correlated errors. **69**, 664-666

Walton, G.S.

- (1970) A note on nonrandomized Neyman-shortest unbiased confidence intervals for the binomial and Poisson parameters. **57**, 223-224

Wand, M.P.

- Hall, P., ---- (1988) On nonparametric discrimination using density differences. **75**, 541-547

- Scott, D.W., ---- (1991) Feasibility of multivariate density estimates. **78**, 197-205

Wang, J.-L.

- Müller, H.G., ---- (1990) Nonparametric analysis of changes in hazard rates for censored survival data: an alternative to change-point models. **77**, 305-314

Wang, M.-C.

- Tsai, W.-Y., Jewell, N.P., ---- (1987) A note on the product-limit estimator under right censoring and left truncation. **74**, 883-886
- , Van Ryzin, J. (1981) A class of smooth estimators for discrete distributions. **68**, 301-309

Wang, Y.-G.

- (1991) Gittins index and constrained allocation in clinical trials. **78**, 101-111

Wang, Y.J.

- (1987) The probability integrals of bivariate normal distributions: a contingency table approach. **74**, 185-190

Ware, J.

- De Mets, D.L., ---- (1980) Group sequential methods for clinical trials with a one-sided hypothesis. **67**, 651-660
- Gail, M., ---- (1975) Value systems for comparing three or more multinomial trials. **62**, 379-382
- Gail, M., ---- (1978) On the robustness to measurement error of tests for exponentiality. **65**, 305-309
- Tarone, R.E., ---- (1977) On distribution-free tests for equality of survival distributions. **64**, 156-160

Ware, J.H.

- De Mets, D.L., ---- (1982) Asymmetric group sequential boundaries for monitoring clinical trials. **69**, 661-663
- Halperin, M., ----, Byar, D.P., Mantel, N., Brown, C.C., Koziol, J., Gail, M., Green, S.B. (1977) Testing for interaction in an $I \times J \times K$ contingency table. **64**, 271-275
- Tosteson, T.D., ---- (1990) Designing a logistic regression study using surrogate measures for exposure and outcome. **77**, 11-21

Warnes, J.J.

- , Ripley, B.D. (1987) Problems with likelihood estimation of covariance functions of spatial Gaussian processes. **74**, 640-642

Wasserman, L.

- Polson, N., ---- (1990) Prior distributions for the bivariate binomial. **77**, 901-904

Waternaut, C.M.

- (1976) Asymptotic distribution of the sample roots for a nonnormal population. **63**, 639-645
- Muirhead, R.J., ---- (1980) Asymptotic distributions in canonical correlation analysis and other multivariate procedures for nonnormal populations. **67**, 31-43

Watkins, A.J.

- (1990) On polynomial expansions for likelihoods of spatial data with finite range correlation function. **77**, 404-408
- Mardia, K.V., ---- (1989) On multimodality of the likelihood in the spatial linear model. **76**, 289-295

Watkins, T.A.

- Gray, H.L., Schucany, W.R., ---- (1975) On the generalized jackknife and its relation to statistical differentials. **62**, 637-642

Watson, G.S.

- (1971) Estimating functionals of particle size distributions. **58**, 483-490
- (1972) Prediction and the efficiency of least squares. **59**, 91-98
- Bloomfield, P., ---- (1975) The inefficiency of least squares. **62**, 121-128
- Durbin, J., ---- (1971) Testing for serial correlation in least squares regression. III. **58**, 1-19
- Gleser, L.J., ---- (1973) Estimation of a linear transformation. **60**, 525-534
- Hall, P., ----, Cabrera, J. (1987) Kernel density estimation with spherical data. **74**, 751-762

Watson, R.

- Anderson, D., ---- (1980) On the spread of a disease with gamma distributed latent and infectious periods. **67**, 191-198

- Watson, S.R.**
 ---- (1974) On Bayesian inference with incompletely specified prior distributions. **61**, 193-196
- Watts, D.G.**
 Bacon, D.W., ---- (1971) Estimating the transition between two intersecting straight lines. **58**, 525-534
 Hamilton, D.C., ---- (1978) Interpreting partial autocorrelation functions of seasonal time series models. **65**, 135-140
- Webb, G.I.**
 Berenblut, I.I., ---- (1974) Experimental design in the presence of autocorrelated errors. **61**, 427-437
- Webster, J.T.**
 ---- (1970) On the application of the method of Das in evaluating a multivariate normal integral. **57**, 657-660
- Wedderburn, R.W.M.**
 ---- (1974) Quasi-likelihood functions, generalized linear models, and the Gauss-Newton method. **61**, 439-447
 ---- (1976) On the existence and uniqueness of the maximum likelihood estimates for certain generalized linear models. **63**, 27-32
- Wehrly, T.E.**
 ----, Johnson, R.A. (1980) Bivariate models for dependence of angular observations and a related Markov process. **67**, 255-256
 ----, Shine, E.P. (1981) Influence curves of estimators for directional data. **68**, 334-335
- Wei, B.C.**
 Cook, R.D., Tsai, C-L., ---- (1986) Bias in nonlinear regression. **73**, 615-623
 Hinkley, D.V., ---- (1984) Improvements of jackknife confidence limit methods. **71**, 331-339
- Wei, G.C.G.**
 ----, Tanner, M.A. (1990) Calculating the content and boundary of the highest posterior density region via data augmentation. **77**, 649-652
- Wei, L.J.**
 ---- (1978) On the random allocation design for the control of selection bias in sequential experiments. **65**, 79-84
 ---- (1981) Estimation of location difference for fragmentary samples. **68**, 471-476
 ---- (1982) Interval estimation of location difference with incomplete data (correction **70**, 304). **69**, 249-251
 ---- (1988) Exact two-sample permutation tests based on the randomized play-the-winner rule. **75**, 603-606
 ---- (1990) Discussion of Begg, C.B., On inferences from Wei's biased coin design for clinical trials, **77**, 467-473. **77**, 476-477
 Mehta, C.R., Patel, N.R., ---- (1988) Constructing exact significant tests with restricted randomization rules. **75**, 295-302
 Padgett, W.J., ---- (1980) Maximum likelihood estimation of a distribution function with increasing failure rate based on censored observations. **67**, 470-474
 Padgett, W.J., ---- (1982) Estimation of the ratio of scale parameters in the two-sample problem with arbitrary right censorship. **69**, 252-256
 Smythe, R.T., ---- (1983) Significance tests with restricted randomization design. **70**, 496-500
 ----, Johnson, W.E. (1985) Combining dependent tests with incomplete repeated measurements. **72**, 359-364
 ----, Smythe, R.T., Mehta, C.R. (1989) Interval estimation with restricted randomisation rules. **76**, 363-368
 ----, Su, J.Q., Lachin, J.M. (1990) Interim analyses with repeated measurements in a sequential clinical trial. **77**, 359-364
 ----, Ying, Z., Lin, D.Y. (1990) Linear regression analysis of censored survival data based on rank tests. **77**, 845-851
- Wei, W.S.**
 Tiao, G.C., ---- (1976) Effect of temporal aggregation on the dynamic relationship of two time series variables. **63**, 513-523
- Weisberg, S.**
 ---- (1974) An empirical comparison of the percentage points of W and W' . **61**, 644-646
 Cook, R.D., ---- (1983) Diagnostics for heteroscedasticity in regression. **70**, 1-10
- Rubin, D.B., ---- (1975) The variance of a linear combination of independent estimators using estimated weights. **62**, 708-709
- Weiss, G.H.**
 Hoel, D.G., Sobel, M., ---- (1972) A two-stage procedure for choosing the better of two binomial populations. **59**, 317-322
 McNeil, D.R., ---- (1977) A large population approach to estimation of parameters in Markov population models. **64**, 553-558
 Simon, R., ----, Hoel, D.G. (1975) Sequential analysis of binomial clinical trials. **62**, 195-200
 Sobel, M., ---- (1970) Play-the-winner sampling for selecting the better of two binomial populations. **57**, 357-365
- Weissfeld, L.**
 Schneider, H., ---- (1986) Estimation in linear models with censored data. **73**, 741-745
- Welch, W.J.**
 ---- (1983) A mean squared error criterion for the design of experiments. **70**, 205-213
 ---- (1987) Rerandomizing the median in matched-pairs designs. **74**, 609-614
- Wellman, J.**
 ----, Gunst, R.F. (1991) Influence diagnostics for linear measurement error models. **78**, 373-380
- Wellner, J.A.**
 Hall, W.J., ---- (1980) Confidence bands for a survival curve from censored data. **67**, 133-143
- Welsh, A.H.**
 ---- (1985) An angular approach for linear data. **72**, 441-450
 Hall, P., ---- (1983) A test for normality based on the empirical characteristic function (correction **71**, 655). **70**, 485-489
- Wermuth, N.**
 ---- (1989) Moderating effects of subgroups in linear models. **76**, 81-92
 Cox, D.R., ---- (1990) An approximation to maximum likelihood estimates in reduced models. **77**, 747-761
 ----, Lauritzen, S.L. (1983) Graphical and recursive models for contingency tables. **70**, 537-552
- West, M.**
 ---- (1987) On scale mixtures of normal distributions. **74**, 646-648
 ---- (1991) Kernel density estimation and marginalization consistency. **78**, 421-425
 Harrison, J., ---- (1991) Dynamic linear model diagnostics. **78**, 797-808
- Westcott, M.**
 Gates, D.J., ---- (1980) Further bounds for the distribution of minimum interpoint distance on a sphere. **67**, 466-469
 Lewis, T., Saunders, I.W., ---- (1984) The moments of the Pearson chi-squared statistic and the minimum expected value in two-way tables (correction **76**, 407). **71**, 515-522
- Westfall, P.**
 ---- (1988) Robustness and power of tests for a null variance ratio. **75**, 207-214
- Wetzell, D.E.**
 Tong, Y.L., ---- (1979) On the behaviour of the probability function for selecting the best normal population. **66**, 174-176
- Wharton, R.M.**
 Srinivasan, R., ---- (1973) The limit distribution of a random variable used in the construction of confidence bands. **60**, 431-433
- Wheeler, R.E.**
 ---- (1980) Quantile estimators of Johnson curve parameters. **67**, 725-728
- White, L.V.**
 ---- (1973) An extension of the General Equivalence Theorem to nonlinear models. **60**, 345-348
- White, R.E.**
 Walden, A.T., ---- (1990) Estimating the statistical bandwidth of a time series. **77**, 699-707
- Whitehead, J.**
 ---- (1978) Large sample sequential methods with application to the analysis of 2×2 contingency tables. **65**, 351-356
 ---- (1986) On the bias of maximum likelihood estimation following a sequential test. **73**, 573-581

Whitehead, J.

- Jones, D., --- (1979) Sequential forms of the log rank and modified Wilcoxon tests for censored data. **66**, 105-113
 ---, Jones, D. (1979) The analysis of sequential clinical trials. **66**, 443-452

Whittaker, J.

- (1973) The Bhattacharyya matrix for the mixture of two distributions. **60**, 201-202

Whittemore, A.S.

- , Friend, N., Brown, B.W.jr, Holly, E.A. (1987) A test to detect clusters of disease (correction **75**, 396). **74**, 631-635
 ---, Halpern, J.W. (1989) Testing odds-ratio equality for several diseases. **76**, 795-798

Wichern, D.W.

- (1973) The behaviour of the sample autocorrelation function for an integrated moving average process. **60**, 235-239
 Velu, R.P., Reinsel, G.C., --- (1986) Reduced rank models for multiple time series. **73**, 105-118

Wieand, S.

- Gail, M.H., ---, Piantadosi, S. (1984) Biased estimates of treatment effect in randomized experiments with nonlinear regressions and omitted covariates. **71**, 431-444
 Schaid, D.J., ---, Therneau, T.M. (1990) Optimal two-stage screening designs for survival comparisons. **77**, 507-513
 ---, Gail, M.H., James, B.R., James, K.L. (1989) A family of nonparametric statistics for comparing diagnostic markers with paired or unpaired data. **76**, 585-592

Wiens, D.

- Hamilton, D., --- (1987) Correction factors for F ratios in nonlinear regression. **74**, 423-425

Wild, C.J.

- (1980) Variance estimation with matched pairs. **67**, 507-510
 --- (1983) Failure time models with matched data. **70**, 633-641
 --- (1991) Fitting prospective regression models to case-control data. **78**, 705-717
 Scott, A.J., --- (1989) Hypothesis testing in case-control studies. **76**, 806-808

Wild, P.R.

- Patterson, L.J., --- (1986) Triangles and efficiency factors. **73**, 289-299
 ---, Williams, E.R. (1987) The construction of neighbour designs. **74**, 871-876

Wilkinson, G.N.

- (1970) A general recursive procedure for analysis of variance. **57**, 19-46
 James, A.T., --- (1971) Factorization of the residual operator and canonical decomposition of nonorthogonal factors in the analysis of variance. **58**, 279-294

Williams, B.J.

- Prentice, R.L., ---, Peterson, A.V. (1981) On the regression analysis of multivariate failure time data. **68**, 373-379

Williams, C.B.

- (1975) Mendenhall's studies of word-length distribution in the works of Shakespeare and Bacon. **62**, 207-212

Williams, D.A.

- (1976) Improved likelihood ratio tests for complete contingency tables (correction **65**, 677). **63**, 33-37
 --- (1977) Some inference procedures for monotonically ordered normal means. **64**, 9-14

Williams, E.J.

- (1970) Comparing means of correlated variates. **57**, 459-461
 --- (1977) Some representations of stable random variables as products. **64**, 167-169
 Breth, M., Maritz, J.S., --- (1978) On distribution-free lower confidence limits for the mean of a nonnegative random variable (comment **66**, 689). **65**, 529-534

Williams, E.R.

- (1975) Efficiency-balanced designs. **62**, 686-689
 --- (1986) A neighbour model for field experiments. **73**, 279-287
 Hall, W.B., --- (1973) Cyclic superimposed designs. **60**, 47-53

- Patterson, H.D., --- (1976) A new class of resolvable incomplete block designs. **63**, 83-92

- Wild, P.R., --- (1987) The construction of neighbour designs. **74**, 871-876

- , Ratcliff, D. (1980) A note on the analysis of lattice designs with repeats. **67**, 706-708

Williams, J.S.

- Lagakos, S.W., --- (1978) Models for censored survival analysis: a cone class of variable-sum models. **65**, 181-189
 Mielke, P.W., Berry, K.J., Brockwell, P.J., --- (1981) A class of nonparametric tests based on multiresponse permutation procedures. **68**, 720-724
 ---, Lagakos, S.W. (1977) Models for censored survival analysis: constant-sum and variable-sum models. **64**, 215-224

Williamson, J.A.

- (1984) A note on the proof by H.E. Daniels of the asymptotic efficiency of a maximum likelihood estimator. **71**, 651-653

Williamson, J.A.

- Bryant, P., --- (1978) Asymptotic behaviour of classification maximum likelihood estimates. **65**, 273-281

Willmot, G.E.

- (1990) On the construction of a parameter orthogonal to the mean. **77**, 424-428

Wincek, M.A.

- Reinsel, G.C., --- (1987) Asymptotic distribution of parameter estimators for nonconsecutively observed time series. **74**, 115-124

Winsberg, S.

- , Ramsay, J.O. (1980) Monotonic transformations to additivity using splines. **67**, 669-674

Winterbottom, A.

- (1980) Asymptotic expansions to improve large sample confidence intervals for system reliability. **67**, 351-357

Wolak, F.A.

- (1988) Duality in testing multivariate hypotheses. **75**, 611-615

Wolfe, D.A.

- (1976) On testing equality of related correlation coefficients. **63**, 214-215
 Costello, P., --- (1980) Partially sequential treatments versus control multiple comparisons. **67**, 403-412
 Orban, J., --- (1978) Optimality criteria for the selection of a partially sequential indicator set. **65**, 357-362

Wolff, R.C.L.

- (1990) A note on the behaviour of the correlation integral in the presence of a time series. **77**, 689-697

Wolter, K.M.

- , Fuller, W.A. (1982) Estimation of the quadratic errors-in-variables model. **69**, 175-182

Wong, M.Y.

- (1989) Likelihood estimation of a simple linear regression model when both variables have error. **76**, 141-148
 --- (1991) Bartlett adjustment to the likelihood ratio statistic for testing several slopes. **78**, 221-224

Wood, C.L.

- (1978) A large-sample Kolmogorov-Smirnov test for normality of experimental error in a randomized block design. **65**, 673-676
 ---, Altavella, M.M. (1978) Large-sample results for Kolmogorov-Smirnov statistics for discrete distributions. **65**, 235-239

Wood, E.F.

- Cooper, D.M., --- (1981) Estimation of the parameters of the Markovian representation of the autoregressive-moving average model. **68**, 320-322

Wood, J.T.

- (1970) A variance stabilizing transformation for coefficients of concordance and for Spearman's rho and Kendall's tau. **57**, 619-627

Woodroffe, M.

- (1979) Repeated likelihood ratio tests. **66**, 453-463

Woodroffe, M.

- (1976) Frequentist properties of Bayesian sequential tests. **63**, 101-110

- Woolson, R.F.**
 ----, Lachenbruch, P.A. (1980) Rank tests for censored matched pairs (correction 71, 220). 67, 597-606
 ----, Lachenbruch, P.A. (1981) Rank tests for censored randomized block designs. 68, 427-435
- Worsley, K.J.**
 ---- (1982) An improved Bonferroni inequality and applications. 69, 297-302
 ---- (1983) The power of likelihood ratio and cumulative sum tests for a change in a binomial probability. 70, 455-464
 ---- (1986) Confidence regions and tests for a change-point in a sequence of exponential family random variables. 73, 91-104
- Worthington, B.A.**
 ---- (1975) General iterative method for analysis of variance when block structure is orthogonal. 62, 113-120
- Wretman, J.H.**
 Cassel, C.M., Särndal, C.E., ---- (1976) Some results on generalized difference estimation and generalized regression estimation for finite populations. 63, 615-620
 Särndal, C.E., Swensson, B., ---- (1989) The weighted residual technique for estimating the variance of the general regression estimator of the finite population total. 76, 527-537
- Wright, A.J.**
 Bardsley, W.G., McGinlay, P.B., ---- (1986) The F test for model discrimination with exponential functions. 73, 501-508
- Wright, A.L.**
 Bhattacharya, P.K., Gastwirth, J.L., ---- (1982) Two modified Wilcoxon tests for symmetry about an unknown location parameter. 69, 377-382
- Wright, F.T.**
 Robertson, T., ---- (1982) Testing for ordered alternatives with increased precision in one of the samples. 69, 579-586
 Robertson, T., ---- (1983) On approximation of the level probabilities and associated distributions in order restricted inference. 70, 597-606
 Singh, B., ---- (1987) Approximations to the power of some order restricted tests with slippage alternatives. 74, 863-870
 ----, Tran, T. (1985) Approximating the level probabilities in order restricted inference: the simple tree ordering. 72, 429-439
- Wu, A.S.**
 Barlow, R.E., ---- (1981) Preposterior analysis of Bayes estimators of mean life. 68, 403-410
- Wu, C-F.**
 ---- (1982) Estimation of variance of the ratio estimator. 69, 183-189
- Wu, C-F.J.**
 Cheng, C-S., ---- (1981) Nearly balanced incomplete block designs. 68, 493-500
 ---- (1985) Asymptotic inference from sequential design in a nonlinear situation. 72, 553-558
 ---- (1991) Balanced repeated replications based on mixed orthogonal arrays. 78, 181-188
 Ford, I., Titterton, D.M., ---- (1985) Inference and sequential design. 72, 545-551
- Wu, S.M.**
 Pandit, S.M., ---- (1975) Unique estimates of the parameters of a continuous stationary stochastic process. 62, 497-501
- Wu, Y.**
 Rao, C.R., ---- (1989) A strongly consistent procedure for model selection in a regression problem. 76, 369-374
- Wynn, H.P.**
 ---- (1975) Integrals for one-sided confidence bounds: a general result. 62, 393-396
 ---- (1976) Connected finite population sampling plans. 63, 208-210
 ---- (1977) An inequality for certain bivariate probability integrals. 64, 411-414
 ---- (1984) An exact confidence band for one-dimensional polynomial regression. 71, 375-379
 Herzberg, A.M., ---- (1972) Review of Fedorov, V.V., *Theory of optimal experiments*. 59, 697-698
- Yamamoto, T.**
 ---- (1981) Predictions of multivariate autoregressive-moving average models. 68, 485-492
- Yanagawa, T.**
 ---- (1984) Case-control studies: assessing the effect of a confounding factor. 71, 191-194
- Yanagimoto, T.**
 Kamakura, T., ---- (1983) Evaluation of the regression parameter estimators in the proportional hazards model. 70, 530-533
- Yang, M.C.K.**
 ---- (1976) A design problem for determining the population direction of movement. 63, 77-82
 ---- (1978) Determination of sample size for testing the relation between an incident and a set of random variables in a sample survey (correction 67, 728). 65, 635-640
 Shuster, J.J., ---- (1974) Optimal allocation of observations for partitioning a set of new items into two control groups. 61, 191-193
- Yao, J.S.**
 Kudô, A., ---- (1982) Tables for testing ordered alternatives in an analysis of variance without replications. 69, 237-238
- Yates, F.**
 ---- (1972) A Monte-Carlo trial on the behaviour of the non-additivity test with nonnormal data. 59, 253-261
- Yatracos, Y.G.**
 ---- (1991) A note on Tukey's polyefficiency. 78, 702-703
- Ye, K.**
 ----, Berger, J.O. (1991) Noninformative priors for inferences in exponential regression models. 78, 645-656
- Yeh, C-M.**
 ---- (1986) Conditions for universal optimality of block designs. 73, 701-706
- Yeh, L.**
 ---- (1988) Bayesian approach to single variable sampling plans. 75, 387-391
- Ying, Z.**
 ---- (1990) Linear rank statistics for truncated data. 77, 909-914
 Wei, L.J., ----, Lin, D.Y. (1990) Linear regression analysis of censored survival data based on rank tests. 77, 845-851
- Young, A.S.**
 ---- (1977) A Bayesian approach to prediction using polynomials. 64, 309-317
- Young, D.H.**
 ---- (1970) The order statistics of the negative binomial distribution. 57, 181-186
 ---- (1970) Consideration of power for some two sample tests with censoring based on a given order statistic (correction 59, 238). 57, 595-604
 ---- (1971) Moment relations for order statistics of the standardized gamma distribution and the inverse multinomial distribution. 58, 637-640
 ---- (1973) Some results for the order statistics of the negative binomial distribution under slippage configuration. 60, 206-209
 ---- (1973) Distributions of some censored rank statistics under Lehmann alternatives for the two-sample case. 60, 543-549
 Burr, P.C., ---- (1977) Critical values for the exponential scores trend statistic. 64, 640-642
 Taheri, H., ---- (1974) A comparison of sequential sampling procedures for selecting the better of two binomial populations. 61, 585-592
- Young, D.L.**
 ---- (1982) The linear nearest neighbour statistic. 69, 477-480
- Young, G.A.**
 ---- (1988) A note on bootstrapping the correlation coefficient. 75, 370-373
 Daniels, H.E., ---- (1991) Saddlepoint approximation for the studentized mean, with an application to the bootstrap. 78, 169-179
 Silverman, B.W., ---- (1987) The bootstrap: to smooth or not to smooth?. 74, 469-479
 ----, Daniels, H.E. (1990) Bootstrap bias. 77, 179-185

Young, J.C.

- (1972) An investigation of procedures for multiple-stage selection for a variate subject to errors of measurement. *59*, 323-334
- (1974) Multiple-stage screening from nonnormal populations. *61*, 155-164

Young, K.D.S.

- Pettit, L.I., ---- (1990) Measuring the effect of observations on Bayes factors. *77*, 455-466

Yuen, K.K.

- (1974) The two-sample trimmed t for unequal population variances. *61*, 165-170
- , Dixon, W.J. (1973) The approximate behaviour and performance of the two-sample trimmed t . *60*, 369-374

Zajta, A.J.

- , Pandikow, W. (1977) A table of selected percentiles for the Cramér-von Mises-Lehmann test: equal sample sizes. *64*, 165-167

Zamar, R.H.

- (1989) Robust estimation in the errors-in-variables model. *76*, 149-160

Zeger, S.L.

- (1988) A regression model for time series of counts. *75*, 621-629
- Liang, K-Y., ---- (1986) Longitudinal data analysis using generalized linear models. *73*, 13-22
- , Liang, K-Y., Self, S.G. (1985) The analysis of binary longitudinal data with time-independent covariates. *72*, 31-38

Zelen, M.

- (1971) The analysis of several 2×2 contingency tables. *58*, 129-137
- Lagakos, S.W., Sommer, C.J., ---- (1978) Semi-Markov models for partially censored data. *65*, 311-317
- , Haitovsky, Y. (1991) Testing hypotheses with binary data subject to misclassification errors: analysis and experimental design. *78*, 857-865

Zentgraf, R.

- (1975) A note on Lancaster's definition of higher-order interactions. *62*, 375-378

Zhang, C-H.

- Robbins, H., ---- (1991) Estimating a multiplicative treatment effect under biased allocation. *78*, 349-354

Zhang, H.

- Knowles, M., Siegmund, D., ---- (1991) Confidence regions in semilinear regression. *78*, 15-31

Zhang, J.

- , Pantula, S.G., Boos, D.D. (1991) Robust methods for testing the pattern of a single covariance matrix. *78*, 787-795

Zhang, N.F.

- , Foutz, R.V. (1989) Estimating partial group delay. *76*, 57-63

Zhao, L.P.

- , Prentice, R.L. (1990) Correlated binary regression using a quadratic exponential model. *77*, 642-648

Zhou, Y.J.

- Raab, G.M., ---- (1987) The effect of changes of location on least-squares estimators for samples stratified on the dependent variable. *74*, 216-219

Zidek, J.

- (1984) Maximal Simpson-disaggregations of 2×2 tables. *71*, 187-190

Zimmer, W.J.

- Jackson, D.A., O'Donovan, T.M., ----, Deely, J.J. (1970) G_2 -minimax estimators in the exponential family. *57*, 439-443

Zimmerman, D.

- (1991) Censored distance-based intensity estimation of spatial point processes. *78*, 287-294

Zimmerman, D.L.

- , Harville, D.A. (1989) On the unbiasedness of the Papadakis estimator and other nonlinear estimators of treatment contrasts in field-plot experiments. *76*, 253-259

Zolotuhina, L.A.

- Balitskaya, E.O., ---- (1988) On the representation of a density by an Edgeworth series. *75*, 185-187

Zucker, D.M.

- , Lakatos, E. (1990) Weighted log rank type statistics for comparing survival curves when there is a time lag in the effectiveness of treatment. *77*, 853-864

Zukang, Z.

- (1988) A time sequential plan for nonparametric testing of hypotheses with censored data. *75*, 607-610

BIOMETRIKA BACK ISSUES

Volumes 1-19, 20A, 20B, 21-78 (1902-1991)

Author Index for Volumes 1-40 including subject index for volumes 1-37

Author Index for Volumes 1-48

(An author index for volumes 49-56 forms part of volume 56)

All available from

Dawsons (U.K.) Ltd
Back Issues Department
Cannon House
Folkestone
Kent
CT19 5EE
Telephone 0303-850101

Prices from Dawsons (U.K.) Ltd on request

Subscription details for Biometrika may be obtained from the SUBSCRIPTION SECRETARY, BIOMETRIKA OFFICE, UNIVERSITY COLLEGE, GOWER STREET, LONDON, WC1E 6BT.

Subscribers who buy Biometrika for their own and not for general use may apply to the Secretary to be registered as Personal Subscribers, for whom a special subscription rate applies.

Members of the Institute of Mathematical Statistics and the Bernoulli Society may also subscribe to Biometrika through these organisations at special rates.

Biometrika is primarily a journal of statistics in which emphasis is placed on papers containing original theoretical contributions of direct or potential value in applications. From time to time, papers in bordering fields are published. A volume containing over 700 pages will be published annually in four numbers, issued in March, June, September and December.

Biometrika is published by the Biometrika Trust, Biometrika Office, University College, London. The journal was founded by W. F. R. Weldon, Francis Galton and Karl Pearson. It was edited by W. F. R. Welson, Karl Pearson and C. B. Davenport (1901-1905), by Karl Pearson (1906-1936), E. S. Pearson (1936-1966) and D. R. Cox (1967-1991).